

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPI
(Other instruction
verse side)

TE
re

Budget Bureau No. 1004-0135
Expires August 31, 1985

45P

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT" for such proposals.)

RECEIVED

5. LEASE DESIGNATION AND SERIAL NO

LC-029435-B

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

J. L. Keel "B"

9. WELL NO.

44

10. FIELD AND POOL, OR WILDCAT

Grayburg Jackson SR-4-6-SA

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

Sec. 5-T17S-R31E

12. COUNTY OR PARISH

Eddy

13. STATE

NM

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Hondo Oil & Gas Company

3. ADDRESS OF OPERATOR

P. O. Box 2208, Roswell, NM 88202

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.)
At surface

660' FNL & 660' FEL

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

3981' GR

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETION

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

3/20/89 Perforated 3492-3578' with 24 shots.

3/21/89 Acidized 3492-3578' with 3000 gal. 15% NEFE acid. Swabbed well back.

3/23/89 Perforated 3177-3374' with 80 shots. Acidized 3177-3374' with 6000 gal. 15% NEFE acid. Flowed and swabbed well back.

3/24/89 Frac'd 3177-3374' with 60,000 gal. 30# cross-linked gel + 130,000# 20-40 sand. Flowed and swabbed well back.

RECEIVED
APR 4 11 07 AM '89

RECEIVED

18. I hereby certify that the foregoing is true and correct

SIGNED

Ron Gibson

TITLE

Engineer

DATE

3/31/89

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

ACCEPTED FOR RECORD

APR 1 1989

*See Instructions on Reverse Side

SJS
CARLSBAD, NEW MEXICO