

95F
BLM
Stal
Bgm

Submit to Appropriate
District Office
State Lease - 6 copies
Fee Lease - 5 copies
DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

Form C-105
Revised 1-1-89

WELL API NO.
30-015-26086
5. Indicate Type of Lease
STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
B-3105

WELL COMPLETION OR RECOMPLETION REPORTING LOG
1a. Type of Well:
OIL WELL ☒ GAS WELL ☐ DRY ☐ OTHER ☐
1b. Type of Completion:
NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ REPAIR ☐ OTHER ☐
2. Name of Operator
RAY WESTALL - OPERATOR
3. Address of Operator
PO BOX 4 LOCO HILLS NM 88255

7. Lease Name or Unit Agreement Name
KERSEY STATE
8. Well No.
#3
9. Pool name or Wildcat
GBR-JACKSON SR QN GBR-SA

4. Well Location
Unit Letter D : 330 Feet From The NORTH Line and 330 Feet From The WEST Line
Section 16 Township 17S Range 31E NMPM EDDY County
10. Date Spudded 04-25-89 11. Date T.D. Reached 05-01-89 12. Date Compl. (Ready to Prod.) 05-10-89 13. Elevations (DF & RKB, RT, GR, etc.) 3788 GL 14. Elev. Casinghead 3789
15. Total Depth 3680 16. Plug Back T.D. 3622 17. If Multiple Compl. How Many Zones? 18. Intervals Drilled By ALL 19. Producing Interval(s), of this completion - Top, Bottom, Name 3109-3622 GB-SA 20. Was Directional Survey Made NO
21. Type Electric and Other Logs Run CNL/FDC/GR DLL/GR 22. Was Well Cored NO

23. **CASING RECORD (Report all strings set in well)**

CASING SIZE	WEIGHT LB/FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8	23#	420	13 3/8	250 sxs	NONE
5 1/2	17#	3680	7 7/8	1275 sxs	NONE

24. **LINER RECORD** 25. **TUBING RECORD**

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
					2 7/8	3600	FREE

26. Perforation record (interval, size, and number)

3505-3622 w/35 .40 cal
3300-3471 w/43 .40 cal
3109-3269 w/64 .40 cal

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED
3505-3622	2000gal NEFE 15%
3300-3471	40000gal gel+80000#20/40sd
3109-3269	60000gal gal+150000#20/40sc

28. **PRODUCTION**
Date First Production 06-17-89 Production Method (Flowing, gas lift, pumping - Size and type pump) pump-2 1/2 insert pump Well Status (Prod. or Shut-in) PROD
Date of Test 07-10-89 Hours Tested 24 Choke Size 1" Prod'n For Test Period Oil - Bbl. 65 Gas - MCF 75 Water - Bbl. 0 Gas - Oil Ratio 115
Flow Tubing Press. Casing Pressure Calculated 24-Hour Rate Oil - Bbl. Gas - MCF Water - Bbl. Oil Gravity - API - (Corr.) 33

29. Disposition of Gas (Sold, used for fuel, vented, etc.) VENTED Test Witnessed By RAY WESTALL

30. List Attachments
DEVIATION SURVEY LOGS

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief
Signature Linda J. Jaeger Printed Name LINDA J JAEGER Title PROD CLERK Date 07-14-89

or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico

Northwestern New Mexico

T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt 526	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt 1476	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers 1635	T. Devonian	T. Menefee	T. Madison
T. Queen 2560	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg 3066	T. Montoya	T. Mancos	T. McCracken
T. San Andres 3220	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T.
T. Blinebry	T. Gr. Wash	T. Morrison	T.
T. Tubb	T. Delaware Sand	T. Todilto	T.
T. Drinkard	T. Bone Springs	T. Entrada	T.
T. Abo	T.	T. Wingate	T.
T. Wolfcamp	T.	T. Chinle	T.
T. Penn	T.	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....	No. 3, from.....to.....
No. 2, from.....to.....	No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
No. 2, from.....to.....feet.....
No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
0	526	526	RED BEDS & ANHY				
526	1476	950	SALT				
1476	1635	159	ANHY & RED SHALE				
1635	3066	1431	SANDS & ANHY				
3066	3220	154	DOLO & SANDS				
3220	3680	460	DOLO				



P. O. Box 1498 ROSWELL, NEW MEXICO 88202-1498
505/623-5070 505/746-2719
ROSWELL, NM ARTESIA, NM

RECEIVED

JUL 19 '89

O. C. D.
ARTESIA, OFFICE

May 05, 1989

Ray Westall ✓
P.O. Box 4
Loco Hills, N.M. 88255

REF: #3 Kelsey State

Gentlemen:

The following is a Deviation Survey on the above referenced well located in Eddy County, New Mexico.

420' - 1/2°	2423' - 1°
914' - 1/2°	2920' - 1/2°
1410' - 1/2°	3043' - 3/4°
1877' - 3/4°	3538' - 1/2°
1925' - 1°	3680' - 1° TD

Sincerely,

Arnold Newkirk
Vice-President

STATE OF NEW MEXICO)

)

COUNTY OF CHAVES)

The foregoing was acknowledged before me this fifth day of May 1989 by Arnold Newkirk.

MY COMMISSION EXPIRES

October 07, 1992

NOTARY PUBLIC