

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Artesia, NM 88210

(See other in-
structions on
reverse side)

RECEIVED
M060-3160-3

5. LEASE DESIGNATION AND SERIAL NO.

LC-028731 (B)

6. IF INDIAN, ALLOTTEE, OR TRIBE NAME

JAN 2 9 33 AM '90

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME

M. DODD "B"

9. WELL NO.

66

10. FIELD AND POOL, OR WILDCAT

Grbg Jackson SR Q Grbg SA

11. SEC., T., R., M., OR BLOCK AND SURVEY
OR AREA

sec. 14-T17S-R29E

12. COUNTY OR
PARISH

Eddy

13. STATE

NM

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other _____

b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. REVR. ☐ Other _____

2. NAME OF OPERATOR
MARBOB ENERGY CORPORATION

3a. Area Code & Phone No.
(505) 748-3303

3. ADDRESS OF OPERATOR
P.O. DRAWER 217, ARTESIA, NM 88210

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 1870 FSL 2615 FEL

At top prod. interval reported below
same

At total depth same

9a. API Well No.
30-015-26220

14. PERMIT NO.

DATE ISSUED

15. DATE SPUDDED
11/2/89

16. DATE T.D. REACHED
11/11/89

17. DATE COMPL. (Ready to prod.)
11/24/89

18. ELEVATIONS (DP, RKB, RT, GB, ETC.)*
3617.9' GR

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD
4556'

21. PLUG BACK T.D., MD & TVD
4522'

22. IF MULTIPLE COMPL.,
HOW MANY*

23. INTERVALS
DRILLED BY

ROTARY TOOLS

CABLE TOOLS

0-4556'

24. PRODUCING INTERVAL(S), OF THIS COMPLETION--TOP, BOTTOM, NAME (MD AND TVD)*

2765-3392' San Andres

25. WAS DIRECTIONAL
SURVEY MADE

yes

26. TYPE ELECTRIC AND OTHER LOGS RUN

SDSN, LML, CSN

27. WAS WELL CORED

no

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	24#	345'	12 1/4"	275 sx 2% CC	none
5 1/2"	17#	4523'	7 7/8"	1440 sx	none

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 7/8"	3420'	

31. PERFORATION RECORD (Interval, size and number)

2765-3392' SEE ATTACHED

32. ACID. SHOT. FRACTURE. CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
2765-3392'	Acid w/4000 gals. 15% NE ac, frac w/80,000 gals. 40# gel, 400 sx 20/40, 800 sx 12/20.

33.* PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
12/12/89		Pumping-2½				Prod.	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
12/13/89	24		→				
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
		→	36	67	90		

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Sold

TEST WITNESSED BY

Robert Chase

35. LIST OF ATTACHMENTS

Deviation survey, perforating record, logs will be sent upon receipt.

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

Phonda Nelson

TITLE Production Acct. Supervisor

DATE 12/26/89

*(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

38. GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	TOP		
				NAME	MEAS. DEPTH	TRUE VERT. DEPTH
				T. Salt B. Salt Grbg SA Lovington	355 810 2264 2564 2652	

MARBOB ENERGY COPORATION

M. Dodd "B" #66

Perforations

2765
2772
2780
2793
2796
2797
2798
2835
2840
2841
2847
2849
2850
2871
2908
2918
2936
2971
2973
3004
3010
3032
3038
3095
3096
3110
3112
3129
3134
3135
3145
3148
3153
3158
3231
3235
3242
3246
3253
3268
3280
3290
3308
3316
3334
3355
3357
3392

ARTESIA FISHING TOOL COMPANY

P. O. BOX 470 PHONE (505) 746-6651

ARTESIA, NEW MEXICO 88210

November 15, 1989

Marbob Energy
Drawer 217
Artesia, NM 88211


Re: M. Dodd B #66
1870' FSL & 2650' FEL
Sec. 14, T17S, R29E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
355'	1/2°
619'	2 1/4°
736'	3°
860'	3°
984'	2 3/4°
1236'	1 1/2°
1738'	1°
2236'	3/4°
2798'	3/4°
3297'	1°
3791'	1°
4391'	3/4°
4556'	1/2°

Very truly yours,



B. N. Muncy Jr.
Secretary

STATE OF NEW MEXICO
COUNTY OF EDDY

§
§

The foregoing was acknowledged before me this 15th day of November, 1989.


NOTARY PUBLIC

