

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

AMENDED TO SHOW SPUD DATE

FORM APPROVED
Budget Bureau No. 1004-0135
Expires March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator
DEVON ENERGY CORPORATION (NEVADA)

3. Address and Telephone No.
20 NORTH BROADWAY, SUITE 1500, OKLAHOMA CITY, OKLAHOMA 73102 (405)552-4530

4. Location of Well (Footage. Sec., T., R., M., or Survey Description)
1305' FNL & 2625' FWL, Sec 10-T17S-R31E

5. Lease Designation and Serial No.

CC 029426-B

6. If Indian, Allottee or Tribe Name

NA

7. If Unit or CA, Agreement Designation

NA

8. Well Name and No.

WEST "B" #58

9. API Well No.

30-015-27311

10. Field and Pool, or Exploratory Area

Grayburg-Jackson

11. County or Parish, State

Eddy Co., NM

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other Spud & set surface csg

- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Spud well at 4:00 p.m. on 10-2-94.


Ran 8-5/8" surface csg as follows:

Guide shoe @ 648.35'
2 jts 8 5/8", 24 ppf, j-55, STC csg
Float collar @ 575.79'
14 jts 8 5/8", 24 ppf, J-55, STC csg

Cmtd csg as follows:

165 sx 35/65 (Lite POZ; Class "C") + 6% D20 + 2% CaCl + 1/4 lb/sk D29
Slurry weight = 12.7 ppg Slurry yield = 1.93 cft/sx
225 sx Class "C" + 2% CaCl
Slurry weight = 14.8 ppg Slurry yield = 1.32 cft/sx

Circulated 58 sx to pit



DEC 19 '94

14. I hereby certify that the foregoing is true and correct

Signed Karen Rosa

Title KAREN ROSA
ENGINEERING TECHNICIAN

Date 11/21/94

(This space for Federal or State office use)

Approved by _____
Conditions of approval, if any:

Title _____

Date _____

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side