

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE

FORM APPROVED

0151

811 S. 1st St.
ARTESIA, NM 88210-2834

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐
b TYPE OF COMPLETION: NEW WELL ☐ WORK OVER ☒ DEEP-EN ☐ PLUG BACK ☐ DIFF RESVR ☐ Other ☐
2 NAME OF OPERATOR: DEVON ENERGY OPERATING CORPORATION

3. ADDRESS AND TELEPHONE NO.
20 N. BROADWAY, SUITE 1500, OKC, OK 73102-8260 (405) 235-3611

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 15' FSL & 2525' FWL, Unit N
2625

At top prod. interval reported below (SAME)

At total depth (SAME)

5. LEASE DESIGNATION AND SERIAL NO.

LC-029426-B

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

N/A

7. UNIT AGREEMENT NAME

N/A

8. FARM OR LEASE NAME, WELL NO.

H. E. West "B" #57

9. API WELL NO.

30-015-27317

10. FIELD AND POOL, OR WILDCAT

Grayburg Jackson (QN, SR, GB, SA)

11. SEC., T., R., M., OR BLOCK AND SURVEY OR AREA

Sec. 3-17S-31E

14. PERMIT NO.

DATE ISSUED

7/23/96

12. COUNTY OR PARISH

Eddy County,

13. STATE

NM

15. DATE SPUDDED

8/14/96

16. DATE T.D. REACHED

17. DATE COMPL. (Ready to prod.)

8/18/96

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*

3935'

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD

4400'

21. PLUG, BACK T.D., MD & TVD

3250' RBP

22. IF MULTIPLE COMPL., HOW MANY*

23. INTERVALS

DRILLED BY

ROTARY TOOLS

X

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

Seven Rivers 2276' - 2440'

25. WAS DIRECTIONAL SURVEY

MADE

No

26. TYPE ELECTRIC AND OTHER LOGS RUN

27. WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
8 5/8" J-55	24	621'	12 1/4"	Surf, 165 sxs 35/65 POZ "C"	None
				+ 200 sx Class "C"	
5 1/2" J-55	15.5	4399'	7 7/8"	Surf, 700 sx 35/65 POZ "C"	None
				+ 525 sxs Class "C"	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 7/8"	2521'	None

30. TUBING RECORD

31. PERFORATION RECORD (Interval, size and number)

Seven Rivers
2276', 85', 88', 89', 95', 96', 97', 2311', 12', 13', & 24' w/1 SPF (12 holes)
2422', 23', & 40' w/2 SPF (6 holes)

32. ACID SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
2422'-2440'	Acidized w/500 gals 7.5% HCl acid.
2276'-2324'	Acidized w/1500 gals 7.5% HCl acid.
2276'-2440'	Frac'd w/13,500 gals Spectra frac + 33,000# 12/20 Brady sand + 8000# 12/20 resin coated sand.

33.* PRODUCTION

DATE FIRST PRODUCTION 8/20/96		PRODUCTIONS METHOD I (Flowing, gas lift, pumping—size and type of pump) Pumping 2 1/2" x 2" x 16' RSBC pump						WELL STATUS (Producing or shut-in) Producing							
DATE OF TEST 8/25/96		HOURS TESTED 24		CHOKE SIZE N/A		PROD'N FOR TEST PERIOD →		OIL-BBL. 34		GAS-MCF. 0		WATER-BBL. 295		GAS-OIL RATIO N/A	
FLOW. TUBING PRESS. N/A		CASING PRESSURE 40		CALCULATED 24-HOUR RATE →		OIL-BBL. 34		GAS-MCF. 0		WATER-BBL. 295		OIL GRAVITY-API (CORR.) 38°			

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

ACCEPTED FOR RECORD

TEST WITNESSED BY
Richard Frazee

35. LIST OF ATTACHMENTS

SEP 24 1996

KAREN BYERS

TITLE ENGINEERING TECHNICIAN

DATE 9/17/96

SIGNED

Karen Byers

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof, cored intervals; and all drill stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	38. GEOLOGIC MARKERS		
				NAME	MEAS. DEPTH	TOP TRUE VERT. DEPTH
Rustler	584	760				
Salado	760	1734				
Tansill	1734	1889				
Yates	1889	2204				
Seven Rivers	2204	2823				
Queen (Artesia)	2823	3237	ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.. (continued from the front)			
Grayburg	3237	3556				
San Andres	3556	4400 (TD)				
			DEPTH			

[illegible]