any matter within its jurisdiction.

UN ED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

NM OIL CONS COMMISSION

Drawer DD

Artesia, NM 88210 FORM APPROVED

		Budget Bureau No. 1004-0135
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals SUBMIT IN TRIPLICATE 1. Type of Well Oil Gas Well Other		Expires March 31, 1993 5. Lease Designation and Serial No.
		LC 029426-B
		6. If Indian, Allottee or Tribe Name
		NA 7 ISU-is - CA A
		7. If Unit or CA, Agreement Designation
		NA
2. Name of Operator DEVON ENERGY CORPORATION (NEVAL)		8. Well Name and No.
3. Address and Telephone No. 20 NORTH BROADWAY, SUITE 1500, OKLAHOMA CITY, OKLAHOMA 73102 (405)552-4530 4. Location of Well (Footage. Sec., T., R., M., or Survey Description) 15' FNL & 2625' FEL, Unit B, Sec 9-T17S-R31E		H. E. West "B" #64
		9. API Well No.
		30-015- 27:102
		10. Field and Pool, or Exploratory Area Grayburg-Jackson
		zaay oney, rem
CHECK APPROPRIATE BOX(s)	TO INDICATE NATURE OF NOTICE PEDC	ART OR OTHER DATA
CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION		ORT, OR OTHER DATA
	TIPE OF ACTION	
Notice of Intent	Abandonment	Change of Plans
Subsequent Report	Recompletion	New Construction
2008edneur vebout	Plugging Back	Non-Routine Fracturing
Final Abandonment Notice	Casing Repair	Water Shut-Off
	☐ Altering Casing ☐ Other _TD'd and set prod csg	Conversion to Injection
	Other 1D d and set prod csg	Dispose Water (Note: Report results of multiple completion on Well
13 Describe Proposed or Completed Operations (Clearly state all past		Completion or Decompletion Decompletic 21 - 2
locations and measured and true vertical depths for all markers	inent details, and give pertinent dates, including estimated date of starting any pro and zones pertinent to this work.)*	posed work. If well is directionally drilled, give subsurface
		•
Reached TD of 4265' @ 3:00 p.m. or	11/20/94	
		year and the same
Ran 5 1/2" prod csg as follows:		
Guide shoe @ 4264'	LT&C	
1 jt 5 1/2", 15.5 ppf, J-55, 8rd	LT&C	
Float collar @ 4217'		P. C.
100 jts 5 1/2", 15.5 ppg, J-55,	8rd LT&C	
Cmt'd csg as follows:		ten in
1200 SX 33/63 POZ + 6% D-2	0 . 100/ 5	
	0 + 10% D-44 + 1/4 lb/sk D-29 + .2% D-46	A.
(Slurry weight 12.7 l	bs/gal Slurry yield 2.1 cft/sk)	
(Slurry weight 12.7 ll 425 sx "C" + 5% D-44 + .3%	bs/gal Slurry yield 2.1 cft/sk) D-59 + 1/4 lb/sk D-29	
(Slurry weight 12.7 ll 425 sx "C" + 5% D-44 + .3% (Slurry weight 14.8 ll	bs/gal Slurry yield 2.1 cft/sk)	
(Slurry weight 12.7 ll 425 sx "C" + 5% D-44 + .3%	bs/gal Slurry yield 2.1 cft/sk) D-59 + 1/4 lb/sk D-29	
(Slurry weight 12.7 ll 425 sx "C" + 5% D-44 + .3% (Slurry weight 14.8 ll	bs/gal Slurry yield 2.1 cft/sk) D-59 + 1/4 lb/sk D-29	
(Slurry weight 12.7 li 425 sx "C" + 5% D-44 + .3% (Slurry weight 14.8 li Circ 80 sx to surface.	bs/gal Slurry yield 2.1 cft/sk) D-59 + 1/4 lb/sk D-29	
(Slurry weight 12.7 li 425 sx "C" + 5% D-44 + .3% (Slurry weight 14.8 li Circ 80 sx to surface.	bs/gal Slurry yield 2.1 cft/sk) D-59 + 1/4 lb/sk D-29 bs/gal Slurry yield 1.36 cft/sk)	G.
(Slurry weight 12.7 ll 425 sx "C" + 5% D-44 + .3% (Slurry weight 14.8 ll Circ 80 sx to surface.	bs/gal Slurry yield 2.1 cft/sk) D-59 + 1/4 lb/sk D-29 bs/gal Slurry yield 1.36 cft/sk) KAREN ROSA ENGINEERING TECHNICIAN	
(Slurry weight 12.7 ll 425 sx "C" + 5% D-44 + .3% (Slurry weight 14.8 ll Circ 80 sx to surface. 14. I hereby certify that the foregoing is true and correct Signed Kanlah Kanlah	bs/gal Slurry yield 2.1 cft/sk) D-59 + 1/4 lb/sk D-29 bs/gal Slurry yield 1.36 cft/sk)	Date 11/22/94
(Slurry weight 12.7 ll 425 sx "C" + 5% D-44 + .3% (Slurry weight 14.8 ll	bs/gal Slurry yield 2.1 cft/sk) D-59 + 1/4 lb/sk D-29 bs/gal Slurry yield 1.36 cft/sk) KAREN ROSA ENGINEERING TECHNICIAN	Date 11/22/94
(Slurry weight 12.7 ll 425 sx "C" + 5% D-44 + .3% (Slurry weight 14.8 ll Circ 80 sx to surface. 14. I hereby certify that the foregoing is true and correct Signed Chis space for Federal or State office use) Approved by	bs/gal Slurry yield 2.1 cft/sk) D-59 + 1/4 lb/sk D-29 bs/gal Slurry yield 1.36 cft/sk) KAREN ROSA ENGINEERING TECHNICIAN	
(Slurry weight 12.7 li 425 sx "C" + 5% D-44 + .3% (Slurry weight 14.8 li Circ 80 sx to surface. 14. I hereby certify that the foregoing is true and correct Signed Kondon	bs/gal Slurry yield 2.1 cft/sk) D-59 + 1/4 lb/sk D-29 bs/gal Slurry yield 1.36 cft/sk) KAREN ROSA ENGINEERING TECHNICIAN	Date 11/22/94

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any fa