Form 3160-5 (June 1990)

## UN ED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OIL CONS COMMISSION

. awer DD

Artesia, NM 88210
FORM APPROVED
Budget Bureau No. 1004-0135
Expires March 31, 1993

ask

Do not use this form for proposals to drill	S AND REPORTS ON WELLS or to deepen or reentry to a different reservoir.	5. Lease Designation and Serial No.  LC 029426 B
	OR PERMIT—" for such proposals  T IN TRIPLICATE	6. If Indian, Allottee or Tribe Name  NA
I. Type of Well  Gas Well Other		7. If Unit or CA, Agreement Designation NA
Name of Operator DEVON ENERGY OPERATING CORPOR	RATION	8. Well Name and No. WEST "B" #66
. Address and Telephone No. 20 NORTH BROADWAY, SUITE 1500, OI	KLAHOMA CITY, OKLAHOMA 73102 (405)552-4630	9. API Well No. 30-015-22286 2 1 7 8 5
Location of Well (Footage, Sec., T., R., M., or Survey I 1230' FNL & 1435' FEL, Unit B, Sec. 10-T		10. Field and Pool, or Exploratory Area GRAYBURG-JACKSON 11. County or Parish, State EDDY CO., NEW MEXICO
CHECK ADDRODDIATE BOY	s) TO INDICATE NATURE OF NOTICE, REF	
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent  Subsequent Report	Abandonment Recompletion Dhyseins Bask	Change of Plans  New Construction
Final Abandonment Notice	Plugging Back Casing Repair Altering Casing Other Spud & set surface csg	Non-Routine Fracturing   Water Shut-Off   Conversion to Injection   Dispose Water (Note: Report results of multiple completion on Well
Describe Proposed or Completed Operations (Clearly state all p locations and measured and true vertical depths for all market	ertinent details, and give pertinent dates, including estimated date of starting any ers and zones pertinent to this work.)*	Completion or Recompletion Report and Log form.) proposed work. If well is directionally drilled, give subsur
Spud well at 1:00 p. m on 10-18-94		:
1 1	7" csg as follows: 1- jt 8 5/8" 24# csg 1- 8 5/8" float collar @652' 15- jts 8 5/8" 24#, J-55, 8rd csg	
1	g as follows: 165 sx 35/65 POZ/"C" + 6% gel + 2% CaCl + 1/4 lb/sk (Slurry weight = 12.7 ppg Slurry yeild = 1.93 100 sx Class "C" cmt + 2% CaCl	c cellophane flakes cft/sk)
Circulated	(Slurry weight = 14.8 ppg Slurry yield = 1.32 1 110 sx cmt to surface	CIUSK)
4. I hereby certify that the foregoing is true and correct	JO ANN HOOKS ENGINEERING TECHNICIAN	10/27/04
This space for Federal or State office use)	Title	Date 10/27/94
pproved byonditions of approval, if any:	Title	Date