Form 3160-5 (June 1990)

UNITED STATES DEPARTME . OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

NM OIL CONS COMMISSION

Drawer DD

Artesia, NM 88210 FORM APPROVED

Budget Bureau No. 1004-0135 Expires March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS		5. Lease Designation and Serial No.
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.		LC-029435-A
Use "APPLICATION FOR PERMIT—" for such proposals		6. If Indian, Allottee or Tribe Name
SUBMIT IN TRIPLICATE		NA I
SOBMIT IN TRIPLICATE		7. If Unit or CA, Agreement Designation
1. Type of Well Soil Gas Other	DFC 27.'94	NA
2. Name of Operator DEVON ENERGY OPERATING CORPORATION		8. Well Name and No.
3. Address and Telephone No. ARTESIA, OFFICE		9. API Well No.
20 NORTH BROADWAY, SUITE 1500, OK	LAHOMA CITY, OKLAHOMA 73102 (405)552-4530	30-015-
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 1300' FNL & 60' FEL, Sec. 7-T17S-R31E		10. Field and Pool, or Exploratory Area
		Grayburg-Jackson
		11. County or Parish, State
	VIII	Eddy Co., NM
CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REP	PORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	I
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	☐ Altering Casing ☐ Other Spud & set surface csg	Conversion to Injection
	Other Spud & set surface (sg	Dispose Water (Note: Report results of multiple completion on Well
13. Describe Proposed or Completed Operations (Clearly state all pe	tinent details, and give pertinent dates, including estimated date of starting any	Completion or Recompletion Report and Log form.) proposed work. If well is directionally drilled give subsurface
locations and measured and true vertical depths for all marker		
Spud @ 1:30 a.m., on 12/2/94.		
•	ACCEPTED FOR REC	ORD
Ran 8 5/8" csg as follows:	110021	7
Guide shoe @ 436'	7.72	DEC.
2 jts 8 5/8", 24 ppf, J-55	8rd ST&C 9 2 1994	
Float collar @ 350'		
8 jts 8 5/8", 24 ppf, J-55	, 8rd ST&C FRARESBAD, NEW ME	-
Cmt'd csg as follows:	, Old	· · · · · · · · · · · · · · · · · · ·
	6% D-20 + 1/4 lb/sk D-29 + 2% S-1	-4 (21) 5 (2)
(Slurry weight =	,	<u> </u>
200 sx Class "C" + 2% S		
(Slurry weight =	14.8 lb/gal Slurry yield = 1.32 cft/sk)	
Circ'd 67 sx to surface.		
14. I hereby certify that the foregoing is true and correct	KAREN ROSA	
Simual KARARA PARA	ENGINEERING TECHNICIAN	Date 12/5/94
Signed TOOL KONDO	Title	Date 181377
(1110 space to: 1 coetal of blane office use)		
Aprroved by	Title	Date
Conditions of approval of party		