Form 3166-5 (June 1990)

U TED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

NM OIL CONS COMMISSION

Drawer DD

Artesia, NM 88210

c\St

FORM APPROVED

Budget Bureau No. 1004-0135

Expires March 31, 1993

| ŞUNDÂY NOTICES | S AND REPORTS ON WELLS | 5. Lease Designation and Serial No. |
|---|--|--|
| Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. | | L.C029435-B |
| Use "APPLICATION FO | OR PERMIT—" for such proposals | 6. If Indian, Allottee or Tribe Name |
| CLO SUBMIT | IN TRIPLICATE | NA SALA SALA SALA SALA SALA SALA SALA SA |
| 1. Type of Well | | 7. If Unit or CA, Agreement Designation |
| ☑ Oil ☐ Gas ☐ Other Well ☐ Other | | NA |
| 2. Name of Operator | | 8. Well Name and No. |
| DEVON ENERGY OPERATING CORPORATION | | J. L. Keel "B" #50 |
| 3. Address and Telephone No. | | 9. API Well No. |
| 20 NORTH BROADWAY, SUITE 1500, OKLAHOMA CITY, OKLAHOMA 73102 (405)552-4527 | | 30-015-28096 |
| 4. Location of Well (Footage. Sec., T., R., M., or Survey Description) | | 10. Field and Pool, or Exploratory Area |
| 1220' FSL & 1320' FEL, Sec. 5-T17S-R31E | | |
| | | Grayburg-Jackson 11. County or Parish, State |
| 1310 1310 | | |
| | | Eddy Co., NM |
| 011501/ 1555055155 | | |
| CHECK APPROPRIATE BOX(s |) TO INDICATE NATURE OF NOTICE, RE | PORT, OR OTHER DATA |
| TYPE OF SUBMISSION | TYPE OF ACTIO | N |
| Notice of Intent | Abandonment | Change of Plans |
| | Recompletion | New Construction |
| Subsequent Report | Plugging Back | Non-Routine Fracturing |
| | Casing Repair | Water Shut-Off |
| Final Abandonment Notice | Altering Casing | Conversion to Injection |
| | Other Perf'd, acidized & frac'd | Dispose Water |
| | | (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) |
| 3834' and Slaughter 384 w/39,000 gals x-linked g 2/27/95-3/2/95 - Perf'd Vacuum perfs 3422'-3475' w/100 w/20,400 gals gel + 42,0 3/3/95-3/6/95 - Perf'd Grayburg additional perfs to the G the Grayburg 3041'-329 SLC resin coated sand. | xs Class "C" and circ'd to surface. Perf'd M 47'-3852' (2440" holes). Acidized w/300 gel + 103,000# 20/40 Brady sand + 32,000# a & Lovington 3359'-3475' w/1 SPF (12400 gals 15% HCl acid. Frac'd the Vacuum & 000# 20/40 Brady sand + 14,000# Super LC g 3041'-3299' (1740" holes). Acidized was a grayburg interval (940" holes). Acidized w 19' w/21,500 gals VIK I-30 gel + 60,000# 20 | o gals 15% HCl acid. Frac'd resin coated sand. o" has a sidized the Lovington to be seen coated sand. I Ay 2 & 1995 1750 gals 15% HCl acid. Added |
| | on the Vacuum & Lovington frac job. | |
| 14. I hereby certify that the foregoing is true and correct | V ADENI DOCA | |
| Some Kanala Hana | KAREN ROSA ENGINEERING TECHNICIAN | - 4/31/05 |
| Signed / Con Total of Factors of | Title Title | Date 4/21/95 |
| (This space for Federal or State office use) | | |
| Approved by | Title | Date |
| Conditions of approval, if any: | | y fara |
| | | 2 630 |