Form 3160-5 (June 1900)

## UNIT STATES DEPARTMEN. JF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

| NM                  | OIL     | CONS       | COMMISS        | ION / |  |
|---------------------|---------|------------|----------------|-------|--|
| Dra                 | wer     | DD         |                | 6/51  |  |
| Artes FORNMPPB 9250 |         |            |                |       |  |
|                     | Bud     | get Bureau | No. 1004-0135  |       |  |
|                     | E       | xpires Mar | ch 31, 1993    |       |  |
| 5 1                 | anna Da | -iometica  | and Conict Nic |       |  |

| Do not use this form for proposals to drill (  |  |  |  |  |  |  |
|--|--|--|--|--|--|--|
| Use "APPLICATION FO SUBMIT   | 6. If Indian, Allottee or Tribe Name   |  |  |  |  |  |
|  | NA 7. If Unit or CA, Agreement Designation   |  |  |  |  |  |
| l. Type of Well  ☐ Gas ☐ Well  ☐ Well  ☐ Other   |  | NA   |  |  |  |  |
| 2. Name of Operator DEVON ENERGY OPERATING CORPORA   | ATION  | 8. Well Name and No.   |  |  |  |  |
| Address and Telephone No.  |  | J.L. KEEL "B" 76   |  |  |  |  |
| •  | LAHOMA CITY, OKLAHOMA 73102 (405) 235-3611   | 9. API Well No.<br>30-015-28255  |  |  |  |  |
| Location of Well (Footage, Sec., T., R., M., or Survey De  | 10. Field and Pool, or Exploratory Area  |  |  |  |  |  |
| 2030' FNL & 1980' FEL, Sec. 8-T17S-R31E  | GRAYBURG-JACKSON   |  |  |  |  |  |
|  | UNIT E   | 11. County or Parish, State  |  |  |  |  |
|  | IJNII E  | EDDY COUNTY, NM  |  |  |  |  |
| CHECK APPROPRIATE BOYGE  | TO INDICATE MATURE OF MOTION   | DEPORT OF OTHER DATA   |  |  |  |  |
| TYPE OF SUBMISSION   | ) TO INDICATE NATURE OF NOTICE, F<br>TYPE OF ACT   |  |  |  |  |  |
| Notice of Intent   |  |  |  |  |  |  |
|  | Abandonment Recompletion   | ☐ Change of Plans  |  |  |  |  |
| Subsequent Report  | Plugging Back  | New Construction Non-Routine Fracturing  |  |  |  |  |
|  | Casing Repair  | Water Shut-Off   |  |  |  |  |
| Final Abandonment Notice   | Altering Casing  | Conversion to Injection  |  |  |  |  |
|  | Other Spud, TD;d & Set surf prod csg.  | Dispose Water  |  |  |  |  |
|  |  | (Note: Report results of multiple completion on Well<br>Completion or Recompletion Report and Log form.) |  |  |  |  |
| <ol> <li>Describe Proposed or Completed Operations (Clearly state all per<br/>locations and measured and true vertical depths for all markers</li> </ol>   | tinent details, and give pertinent dates, including estimated date of starting and zones pertinent to this work.)* | ng any proposed work. If well is directionally drilled, give subsurface                                  |  |  |  |  |
| Cemented csg as follows: Lead w/150 sx of p.  Tail w/ 200 sx Class C w/ 2% CaCl <sub>2</sub> .  Circulated 100 sx cmt to surface.  Reach TD of 3907' on3/30/95.  |  | lloseal. (Weight 12.7 #/gal, yield 1.93 cf/sk)   |  |  |  |  |
| tan 5½" production csg as follows: 80 jts 5½"15.5#, J-55, 8rd LT&C, 3518'; 1 jt 5½" 15.5#, J-55, 8rd JT&C, 26'; 9 jts 5½" 15.5#, J-55, 8rd LT&C, 395'. Float shoe @ 3906', float collar @ 3858'.  Semented csg as follows: 950 sx P.S. Lite + 4% Ataclay + ½ #/sk Celloseal + 10% Salt. (Weight 12.7#/gal. yield 1.95 cf/sk). Tail yy/ 300 |  |  |  |  |  |  |
| irculated 37 sx to surface.  | (Weight 14.5 #/gal, Yield 1.52 cf/sk)  | JUL 0 3 1985 3 5 5 5 7 20 20   |  |  |  |  |
|  |  | TO THE   |  |  |  |  |
|  |  | LCON. DIV. a n   |  |  |  |  |
|  |  | DIST. 2 5  |  |  |  |  |
| I hereby certify that the foregoing is true and correct  |  |  |  |  |  |  |
| ened Diana Boolur  | DIANA BOOHER ENGINEERING TECHNICIAN  | Date <u>5/18/95</u>  |  |  |  |  |
| his space for Federal or State office use)   | 2  |  |  |  |  |  |
| proved by miditions of affiliations of affiliations.   | Title  | Date   |  |  |  |  |
| 2 - 350  |  |  |  |  |  |  |