Form 3160-5 (June 1990)

any matter within its jurisdiction

UNIT > STATES DEPARTMEN. OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

NM OIL CONS COMMISSION Drawer DD Artesion APPROVED

Budget Bureau No 1004-0135
Expires March 31, 1993

5. Lease Designation and Serial No

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.		5. Lease Designation and Serial No.
Use "APPLICATION FOR PERMIT—" for such proposals SUBMIT IN TRIPLICATE		LC-029435-A 6. If Indian, Allottee or Tribe Name
		 N/A
Type of Well		7. If Unit or CA, Agreement Designation
Type of Well Gas		N/A
2. Name of Operator DEVON ENERGY OPERATING CORPORATION		8. Well Name and No.
3. Address and Telephone No.		J. L. Keel "A" #35 9. API Well No.
20 NORTH BROADWAY, SUITE 1500, OKLAHOMA CITY, OKLAHOMA 73102 (405)552-4527		30-015-
4. Location of Well (Footage. Sec., T., R., M., or Survey Description)		10. Field and Pool, or Exploratory Area
1430' FSL & 90' FEL, Sec. 7-17S-31E		Grayburg Jackson Q, SR, GB, SA
		11. County or Parish, State
		Eddy County, NM
CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REF	PORT OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment Recompletion	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection
Subsequent Report	Plugging Back	New Construction Non-Routine Fracturing
_	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	Other Spud. TD. set csg, & change name	Dispose Water (Note: Report results of multiple completion or Well
Describe Proposed or Completed Operations (Clearly state all per	tinent details, and give pertinent dates, including estimated date of starting any	Completion or Recompletion Report and Log (05%)
locations and measured and true vertical depths for all markers	s and zones pertinent to this work.)*	a med, give substitute
Spud well @ 1:45 p.m. on 10/11/95.		
Ran 13 3/8" surface csg as foll	ows: 10 jts 13 3/8", 48#, H-40, 8rd ST&C, 4	161.46'. Csg shoe @ 437', float
collar @ 338'		RECEIVED
Cemented csg as follow	s: 375 sxs PSL "C" + 6% gel + 2% CaCl ₂ +	14 harsk cello-flake, wt 12.7
lbs/gal, yield 1.86	6 cft/sk. Tailed in w/200 sxs "C" + 2% CaCl ₂	, wt 14.8 lbs/gal, yield 1.32 cft/sk.
Circ'd cmt to su	rface.	CIEC OF 1009
Reached TD of 4060' @ 9:00 a.m., on	10/17/95.	a can page
Ran 5 1/2" production csg as f	follows: top - 84 jts 5 1/2", 15.5#, J-55, 3652	2.682 marker Olit. 5 1/2", 15.5#,
J-55, 18./1"; bott	com - 9 jts 5 1/2 ", 15.5#, J-55, 389.84; csg sl	noe (a) 4059; float ceillar (a) 4011;
Cemented csg as follow	s: 11/5 sxs PSL "C" + 4% gel + 5% salt + 1	/4 lb/sk cello-seal, wt 13 lbs/gal.
yield 1.76 cft/sk.	Tailed in w/ 325 sxs Class "H" + 10% gyp +	1/4 lb/sk cello-seal, wt 14.5 lbs/sk.
yield 1.52 cft/sk.	Circ'd cmt to surface.	,
Change name of well from: Keel "A":	#35	
to: J. L. Keel "A	" #35.	
4. I hereby certify that the foregoing is true and correct	VADEN DVEDO	
igned Karlin Bullo	KAREN BYERS ENGINEERING TECHNICIAN	Date 10/26/95
This space for Federal or State office use)		
pproved by	Title	Date
onditions of approval, if any:		J. Jain
		7

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to