Form 3160-5 (June 1990)

UNI' > STATES DEPARTMEN'I OF THE INTERIOR

015/

BUREAU OF LAND MANAGEMENT		FORM APPROVED Budget Bureau No. 1004-0135
SUNDRY NOTICES	S AND REPORTS ON WELLS	Expires March 31, 1993 5. Lease Designation and Serial No.
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.		LC-029426-A
	PR PERMIT—" for such proposals	6. If Indian, Allottee or Tribe Name
SUBMIT IN TRIPLICATE		N/A
		7. If Unit or CA, Agreement Designation
l. Type of Well ☑ Oil ☐ Gas ☐ Other		·
— Well — Well — St. 5.		N/A 8. Well Name and No.
2. Name of Operator DEVON ENERGY OPERATING CORPORATION		
. Address and Telephone No.		H. E. West "A" #31
20 NORTH BROADWAY, SUITE 1500, OKLAHO	MA CITY, OKLAHOMA 73102 (405)552-4527	30-015-28323
Location of Well (Footage, Sec., T., R., M., or Survey Description)		10. Field and Pool, or Exploratory Area
1419' FNL & 1247' FEL, Sec. 3-17S-31E		Grayburg Jackson Q, SR, GB, SA
1419 FNE & 1241 FEE, 360. 3-113-31E		11. County or Parish, State
		Eddy County, NM
		Lody County, Tim
CHECK APPROPRIATE BOX(s	i) TO INDICATE NATURE OF NOTICE, RI	EPORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
7	Casing Repair	Water Shut-Off
_ Final Abandonment Notice	Altering Casing Other Spud, TD'd & set csg	Conversion to Injection
	Onier Space, 1D d & ser esg	Chose Bepor reases of multiple completion on Well Completion or Recompletion Report and Log form.)
3. Describe Proposed or Completed Operations (Clearly state all pe	rtinent details, and give pertinent dates, including estimated date of starting	Completion or Recomplement Report and Log form.) any proposed work. If well is directionally drilled give subsurface
locations and measured and true vertical depths for all marker	s and zones pertinent to this work)*	The B Constant
Sand well @ 0.00 c m 12/26/	/05	
Spud well @ 9:00 a.m., 12/26/		
	as follows: 15 jts 8 5/8", 24#, J-55, 870 5	
	vs: Lead w/200 sx 35/65 POZ "C" + 6% gg	
	d 1.86 cft/sk. Tailed in w/200 sx Class "C"	+2% CaCl ₂ , wt 14.8 ppg, yield
1.32 cft/sk. Circ	c'd cmt to surface.	
D1-1 TD -6 45051 1/2/0	5	
Reached TD of 4505' on 1/3/9		5 0 1 T T O O O O O O O O O O O O
	csg as follows: 105 jts 5 1/2", 15.50#, J-5	
	59'. Top - 95 jts, 4103.35'; middle - 1 jt, 1	
	vs: Lead w/700 sx 65/35 POZ "C" + 4% ge	
	1.76 cft/sk. Tailed in w/425 sx Class "H" +	F 10% Gypsum + 1/4 lb/sk celloseal,
wt 14.5 ppg, yiel	d 1.52 cft/sk. Circ'd cmt to surface.	
4. I hereby certify that the foregoing is true and correct		
. Thoroby corting diat the foregoing is true and correct	KAREN BYERS	
igned Karen Buero	Title ENGINEERING TECHNICIAN	Date 1/9/96
This space for Federal or State office use		Contracting many contracting and property of the contracting and the contracting of the c
pproved by	Tiela	
onditions of approval, if any:	Title	Date
		V = ~1/7////