Form 3160 5 (June 1990)

UNIT STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT



FORM APPROVED

		Budget Bureau No. 1004-0135 Expires March 31, 1993
SUNDRY NOTICES AND REPORTS ON WELLS		5. Lease Designation and Serial No.
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals SUBMIT IN TRIPLICATE 1. Type of Well		LC-054908
		6. If Indian, Allottee or Tribe Name
		N/A
		7. If Unit or CA, Agreement Designation
Type of Well		N/A
2. Name of Operator		8. Well Name and No.
DEVON ENERGY OPERATING CORPORATION		Hudson Federal #9
3. Address and Telephone No.		9. API Well No.
20 NORTH BROADWAY, SUITE 1500, OKLAHOMA CITY, OKLAHOMA 73102 (405)552-4527		30-015-28790
Location of Well (Footage, Sec., T., R., M., or Survey Description)		10. Field and Pool, or Exploratory Area
2310' FNL & 110' FEL, Sec. 18-17S-31E		Grayburg Jackson Q, SR, GB, SA
		11. County or Parish, State
		Eddy County, NM
) TO INDICATE NATURE OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	3-9 3
Notice of Intent	Abandonment	Change of Plans
_	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
Final Abandonment Notice	Casing Repair Altering Casing	Non-Routine Fracturing Water Shut-Off
	Other Spud, TD'd & set csgr	Conversion to Injection Dispose Water
	i d	(Note: Report results of multiple completion on Well
3 Describe Proposed or Completed Operations (Clearly state all per locations and measured and true vertical depths for all market	tinent details, and give pertinent dates, including estimated date of the day p	opposed work. If well is directionally drilled, give subsurface
iocations and measured and true vertical deputs for all markers	s and zones pertinent to this work.)*	08.134
Smard and (2.20 2/1/07	. Oll. 60	图,但2006
Spud well @ 3:30 p.m., 3/1/96		
Ran 8 5/8" surface csg as follows: 10 jts 8 5/8", 24#, J-55, 8rd \$T&C, 420.35'. Csg shoe @ 437'.		
Cemented csg as follows: Lead - 300 sx 65/35 POZ "C" + 6% gel + 1/4 lb/sk celloseal + 2% CaCl ₂ ,		
(wt 12.7 ppg, yield 1.93 cft/sk). Tail - 200 sx Class "C" + 2% CaCl ₂ , (wt 14.8 ppg, yield 1.32		
cti/sk). Circ'a	cmt to surface.	
Reached TD of 3810' on 3/7/90		
coller @ 2762'	follows: 90 jts 5 1/2", 15.50#, J-55, 8rd LT&	C. Csg shoe @ 3809', float
Camented as as follows	Top - 80 jts, 3414.98'; middle 1 jt, 18.53'; bot	ttom 9 jts, 380.01'.
(vet 12 nng viold	s: Lead - 800 sx 35/65 POZ "C" + 4% gel + 1	5% salt + 1/4 lb/sk celloflake,
(wt 14 5 ppg, yield	1.76 cft/sk). Tail - 300 sx Cl "H" + 10% This	kad + 1/4 lb/sk celloflake,
(wt 14.3 ppg, yie	ld 1.52 cft/sk). Circ'd cmt to surface.	
4. I hereby certify that the foregoing is true and correct		
\mathcal{O}	KAREN BYERS	
igned March Bullo	Title ENGINEERING TECHNICIAN	Date 3/12/96
This space for Federal or State office use)		
pproved by	Title	Date
onditions of approval, if any:		
		₹8
		- When a

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.