(June 1990) DEPARTM	NIT STATES EN'I OF THE INTERIOR F LAND MANAGEMENT	OIL CON 11 811 S. 1st ST. ARTESIA, NM	ATION DIV 88210-2834M APPROVED Budget Bureau No 1004-0135 Expires March 31, 1993
Do not use this form for proposals to de	ES AND REPORTS ON WELLS ill or to deepen or reentry to a different FOR PERMIT—" for such proposals		5. Lease Designation and Serial No. LC-054908 6. If Indian, Allottee or Tribe Name
SUBMIT IN TRIPLICATE			<ul> <li>N/A</li> <li>7. If Unit or CA, Agreement Designation</li> </ul>
1. Type of Well ⊠ Oti Well Gas Other Well Other			N/A 8. Well Name and No.
2. Name of Operator DEVON ENERGY OPERATING CORPORATION			Hudson Federal #7
<ol> <li>Address and Telephone No.</li> <li>20 NORTH BROADWAY, SUITE 1500, OKL</li> </ol>	AHOMA CITY, OKLAHOMA 73102 (405)552-	4527	9. API Well No. 30-D15-28961
4. Location of Well (Footage. Sec., T., R., M., or Survey Description)           10' FNL & 150' FEL, Sec. 18-17S-31E		<ol> <li>Field and Pool, or Exploratory Area</li> <li>Grayburg Jackson</li> <li>County or Parish, State</li> </ol>	
		<del>en anter de la composition de</del>	Edcy County, NM
CHECK APPROPRIATE BO	X(s) TO INDICATE NATURE OF	NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION		
Notice of Intent	Abandonment Recompletion		Change of Plans
Subsequent Report	Plugging Back Casing Repair		Non-Routine Fracturing Water Shut-Off
Final Abandonment Notice	Altering Casing Other Spud, TD'd & set cs	0	Conversion to Injection Dispose Water Note: Report results of multiple completion on Well Completion Recompletion Report and Los form )

13 Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

## Spud well @ 2:30 p.m., 5/19/96.

Ran surface csg as follows: 10 jts 8 5/8", 24#, J-55, ST&C, 418.38'. Csg shoe @ 434'. Cemented csg as follows: Lead - 300 sx PSL "C" + 6% gel + 1/4 #/sk celloseal + 2% CaCl<sub>2</sub>, (wt 12.7 ppg, yield 1.86 cft/sk). Tail - 200 sx Class "C" + 2% CaCl<sub>2</sub>, (wt 14.8 ppg, yield 1.32 cft/sk). Circ'd cmt to surface.

## Reached TD of 3835' @ 4:00 p.m., 5/25/96.

Ran prod csg as follows: 90 jts 5 1/2", 15.5#, J-55, LT&C. Csg shoe @ 3834', float collar @ 3788'. Top - 80 jts, 3422.35'; middle - 1 jt, 15.10'; bottom - 9 jts, 394.55'.

Cemented csg as follows: Lead - 550 sx PSL "C" + 4% gel + 5% salt + 1/4 #/sk celloseal, (wt 13 ppg, yield 1.76 cft/sk). <u>Tail</u> - 350 sx Class "H" + 10% Gypsum + 1/4 #/sk celloseal, (wt 14.5 ppg, 1.52 cft/sk). Circ'd cmt to surface.

14. I hereby certify that the foregoing is true and correct Signed Karlon Byles	KAREN BYERS Title ENGINEERING TECHNICIAN	Date <u>06/07/96</u>	
(This space for Federal or State office use)			
Approved by Conditions of approval, if any:	Title	Date	
		foms	
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.			