

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPPLICATE *
(Other Instructions on
reverse side)

Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT - " for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		N.M. Oil Cons. Division 811 S. 1st Street Artesia, NM 88210-2834		5. LEASE DESIGNATION AND SERIAL NO. LC-029420-A
2. NAME OF OPERATOR The Wiser Oil Company				6. IF INDIAN, ALLOTTEE OR TRIBE NAME
3. ADDRESS OF OPERATOR P.O. Box 2568 Hobbs, New Mexico 88241				7. UNIT AGREEMENT NAME Skelly Unit
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface 1354' FSL & 1300' FWL Sec. 15-T 17S-R31E Unit L		ACCEPTED FOR RECORD FEB 19 1997 BLM		8. API WELL NO. 30-015-29013
14. PERMIT NO		15. ELEVATIONS (Show whether DF, RT, GR, etc.) 3860' GR		9. WELL NO. 198
				10. FIELD AND POOL, OR WILDCAT Grayburg Jackson 7-Rivers
				11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 15-T17S-R31E
		12. COUNTY OR PARISH Eddy		13. STATE NM

16. Check Appropriate Box to indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT * <input checked="" type="checkbox"/>

(Other) Perforate & Acidize

(Note: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS: (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

11/13/96 Halliburton perforated San Andres Three Fingers f/3675', 76', 77', 80', 81', 82', 84', 95', 3709', 13'-17', 23', 40'-44', 46', 47' & 48 w/1 SPF (23 holes). Acidized San Andres Three Fingers w/3500 gals. 15% NE-FE acid & 46 ball sealers. Formation broke @ 3417#. Good ball action. Did not ball out. MTP 4170# @ 4.7 bpm. ATP 2800# @ 3.8 bpm. ISIP 2331#. 5 min. 2068#. 10 min. 1988#. 15 min. 1872#.

11/14/96 Halliburton perforated San Andres Lower Vacuum f/3537', 38', 39', 46'-52', 55'-58', 61', 62', 68' & 70' w/1 SPF (18 holes). Acidized San Andres Lower Vacuum w/2700 gals. 15% NE-FE acid & 36 ball sealers. Formation broke @ 3276#. Balled out with 50 bbls. in formation. MTP 4410# @ 5 bpm. ATP 3800# @ 3.5 bpm. ISIP 2058#. 5 min. 2001#. 10 min. 1991#. 15 min. 1984#.

11/15/96 Halliburton perforated San Andres Upper Vacuum f/3483', 84' & 85' w/1 SPF. Broke San Andres Upper Vacuum perms. w/3400# @ 1 bpm. Perforated remaining Vacuum & Grayburg f/3252'-55', 3319', 20', 21', 83'-87', 88'-91', 3451', 52', 53', 65', 66', & 67' w/1 SPF (Total of 25 holes).

11/18/96 Halliburton acidized San Andres Upper Vacuum & Grayburg perms. f/3225'-3485' w/3600 gals. 15% NE-FE acid & 50 ball sealers. Formation broke @ 3400#. Very little ball action. MTP 3920# @ 6.7 bpm. ATP 2612# @ 4.5 bpm. ISIP 2058#. 5 min. 1883#. 10 min. 1841#. 15 min. 1811#.

18. I hereby certify that the foregoing is true and correct.

SIGNED Mary Sue Turner TITLE Completion Department DATE January 3, 1997

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

*See Instruction On Reverse Side