(June 1990) DEPART BUREAU SUNDRY NOTIC	NITED STATES PNT OF THE INTERIOR LAND MANAGEMENT ES AND REPORTS ON WELLS	
Do not use this form for proposals to dr Use "APPLICATION	LC-029395-B 6. If Indian, Allottee or Tribe Name	
	IIT IN TRIPLICATE	
1. Type of Well Gil Gas Other Well Other	100 100 100 100 V	7. If Unit or CA, Agreement Designation
2. Name of Operator DEVON ENERGY CORPORATION (NE		8. Well Name and No.
	Turner "B" #134	
3. Address and Telephone No.	9. API Well No.	
20 NORTH BROADWAY, SUITE 1500,	30-015-29620	
4. Location of Well (Footage. Sec., T., R., M., or Survey	10. Field and Pool, or Exploratory Area	
1350' FNL & 85' FEL, Sec. 20-17S-31E	Grayburg Jackson	
	11. County or Parish, State	
	Eddy County, NM	
CHECK APPROPRIATE BO>	(s) TO INDICATE NATURE OF NOTICE, REPO	
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
_	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	Other Spud, TD'd & set casing	Dispose Water
		Olater Demost secults of multiple security lating on 117-11

Completion or Recompletion Report and Log form.)

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Spud well at 5:15 p.m. on 9/14/97.

Ran surface casing as follows: 10 jts 8 5/8", 24#, J-55, STC/8rd; set at 440'.

Cemented casing as follows: Lead - 175 sx of 35/65 "C" POZ w/6% gel, 2% CaCl2, & ¼ #/sk celloflake, wt 12.7 ppg, yield 1.87 cft/sk. Tail – 200 sx "C" w/2% CaCl2, wt 14.8 ppg, yield 1.32 cft/sk. Circ'd cement to surface.

Reached TD of 3710'.

Ran production casing as follows: 81 jts 5 ¹/₂", 15.5#, J-55, LT&C/8rd; set at 3709', float collar at 3661'.

Cemented casing as follows: Lead – 1025 sx 35/65 Lite "C" w/4% gel, 5% salt & ¼ lb/sk celloflake, wt 13.05 ppg, yield 1.75 cft/sk. Tail – 275 sx "H" w/10% Gypsum, 5% slat & ¼ lb/sk celloflake, wt 14.5 ppg, yield 1.52 cft/sk, 7.33 gps H2O. Circ'd cement to surface.

14. I hereby certify that the foregoing is true and correct		e en la fille de la constant de la c	
V P		Karen Byers	
Signed Ranen Duero	Title	Engineering Technician	Date <u>9/30/97</u>
(This space for Federal or State office use)			
Approved by	Title	ACCEPTED FIR RECORD	Date
Conditions of approval, if any:	-	DET 0 7 1997	
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to matter within its jurisdiction.	make to an	department or agentic of the United States any false,	fictitious or fraudulent statements or representations as to

RECEIVED 1991 OCT -2 A IO: 14 DUREAU OF LAND MGMT. ROSWELL OFFICE

-

en 11. -