

50-Q15-30678

Grid - 13837

Prop - 6143

Pool -

NSL-4357(SD)
9-14-99

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

N.M. Oil Cons. Division
811 S. 1st St. S.W.
Artesia, NM 88210-2834

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1 Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2 Name of Operator

Mack Energy Corporation

3 Address and Telephone No

P.O. Box 960, Artesia, NM 88211-0960

4 Location of Well (Footage, Sec., T. R., M. or Survey Description)

Sec-17, T17S-R30E 990 FSL & 330 FSL

5. Lease Designation and Serial No.

NM-86025

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8 Well Name and No.

McIntyre DK Fed. #12

9 API Well No.

30-015-30678

10. Field and Pool, or Exploratory Area

Loco Hills Paddock

11. County or Parish, State

Eddy, NM

12 CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☒ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other Spud & Cement Casings P&A

- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13 Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)*

8/16/1999 MIRU L&M #3. Spud 17 1/2" hole @ 4PM.
8/17/1999 TD 17 1/2" hole @ 431' @ 7AM. RIH w/11 jts 48-68# K-55 13 3/8" ST&C csg landed @ 428' (verbal from Armando Lopez). C/w 425sx Class C 2% CC. Circ 68sx. Plug down @ 10:30AM.
8/18/1999 TD 12 1/4" hole @ 1:00PM @ 1042'. RIH w/23 jts 8 5/8" 24# J-55 ST&C landed @ 1038'. C/w 275sx 35-65-6 3# salt 1/4# CF & 200sx Class C 2% CC. Circ 68sx. Plug down @ 5:30PM.
8/23/1999 7 7/8" hole @ 3001. POH change bit, could not get back in hole, went to 968' worked on tried to roll off acts like parted casing. POH lay bit down RIH open ended with 6" tapered drill collar painted up 4' on side went in hole tag up again at 968' work hard to move down about 4' solid, POH bottom of open end did not touch side of painted area all scrapped off, on outside of casing shut down operation, Call BLM on procedure to plug and skid rig, rig up BJ Service set 100' plug from 968 back to 868'. Will finish plugging well with pulling unit as follows 100' plug in and out of 13 3/8" shoe @ 428' and 50' plug at surface. Prep to Skid rig, dig new cellar, dig mouse and rat hole.

Post TD-2
10-15-99
P&A

ACCEPTED FOR RECORD



14. I hereby certify that the foregoing is true and correct

Signed

Crisian D. Carter

Title

Production Analyst

Date

8/24/1999

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

•See Instruction on Reverse Side

