				//
Submit 3 Copies To Appropriate District	State of New Mexico		051	Form C-103
Office <u>District I</u>	Energy, Minerals and Natural Resources			Revised March 25, 1999
1625 N. French Dr., Hobbs, NM 88240 District II			WELL API NO. 30-015-30921	1
811 South First, Artesia, NM 88210	OIL CONSERVATION		5. Indicate Type	of Lease
<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410	c, NM 87410 2040 South Pacheco		STATE	
District IV Santa Fe, NM 87505 2040 South Pacheco, Santa Fe, NM 87505			6. State Oil &	Gas Lease No.
SUNDRY NOTICES AND REPORTS ON WELLS			B6846	or Unit Agreement Name:
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A			/. Lease Name (n Omit Agreement Name.
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)			STATE '20	В'
1. Type of Well: Oil Well □ Gas Well □ Other			(25235)	
Oil Well Gas Well Other 2. Name of Operator Other			8. Well No.	
Clayton Williams Energy, Inc.			o. Well 110.	4
3. Address of Operator	111 T 70705		9. Pool name or	(- · · ·)
Six Desta Drive, Suite 3000, Midland, Texas 79705 Grayburg Jackson-7R's,QN,GB,SA 4. Well Location				
Unit Letter H: 1650	feet from the <u>north</u>	line and990	feet from the _	east line
Section 20	Township 17S	Range 29E	NMPM]	Eddy County
	10. Elevation (Show whether D.			,
3606'				
11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:				
PERFORM REMEDIAL WORK		REMEDIAL WOR		ALTERING CASING
	<u>. </u>			
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRI	LLING OPNS.	PLUG AND ABANDONMENT
	MULTIPLE	CASING TEST AN	4D 🗀	· · · · · · · · · · · · · · · · · · ·
	COMPLETION	CEMENT JOB		
OTHER:			mpletion	
12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date				
of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.				
•				
July 8 thru 17, 2000				
1. Set RBP @ 3840' and temper	orarily abandon Yeso perfs.			
2. Perforate Lower San Andres 3506'-3768', 23 shots. Stimulate Lower San Andres.				
 Set RBP @ 3200'. Perforate Upper San Andres 2449'-3081', 26 shots. Stimulate Upper San Andres. 				
5. Set RBP @ 2410'.				
6. Perforate Grayburg Jackson 1865' - 2356', 20 shots. Stimulate Grayburg Jackson.				
7. Retrieve RBP's at 3200' and 2410'. Clean out to BP at 3840'.				
8. Run tubing, rods and pump.				
9. Start pumping load water.				
I hereby certify that the information above is true and complete to the best of my knowledge and belief.				
SIGNATURE (tsy	Lune TITLE	Engineering Tec	hnician	DATE 7/27/00
1				
Type or print name Betsy L		•	Telephone No.	(915) 682-6324
(This space for State use)	IAL SIGNED BY TIM W. GUI	м		110 = 7 Mari
APPPROVED BY DISTRICT II SUPERVISOR TITLE DATE				
Conditions of approval, if any:				

and the state of t