		MENT STATE OR REENTERS		FORM APPOMB No. 10 Expires Novem Lease Serial No. LC029338-/ If Indian, Allottee or Tri	004-0136 nber 30, 2000 A (drillsite)
		NTER	68L9G	7. If Unit or CA Agreeme	nt, Name and No.
1a.	Type of Work: X DRILL		-	O Lease Name and Well	No 25731
				8. Lease Name and Well Oak Lake "11"	Federal Com No. 1
1b.	Type of Well: Oil Well Gas Well Other	Single Zone Multip		9. API Well No.	
2.	Name of Operator			30-01-	5-31111
	EOG Resources, Inc. 7377	3b. Phone No. (include area c	ode)	10. Field and Pool, or Ex	
3a.	Address		<i>oue,</i>	N. Cedar Lake	^
		(915)686-3714	s *)	11. Sec., T., R., M., or Bli	
4.	Location of Well (Report location clearly and in accordant	ce with any State requirement	<i>.</i> ,		
	At surface 1,070' FSL & 860' FEL (Unit Letter P)			Sec. 11, T179	S, R30E
	At proposed prod. Zone Same as surface			12. County or Parish	13. State
14.	Distance in miles and direction from nearest town or post	t office*		Eddy	NM
	Two miles northeast from Loco Hills		47 Sansin	g Unit dedicated to this w	
15.	Distance from proposed*	16. No. of Acres in lease LC-029338-A - 40 ac	17. Spacin	g offic acaioator to time to	
	location to nearest	NM2746 - 40 ac		S/2 320 ac	
	property of lease line, it.	NM74939 - 240 ac			
	(Also to nearest drig. Offic line, if drift)	19. Proposed Depth	20. BLM/B	IA Bond No. on file	
18.	Distance from proposed location* to nearest well, drilling, completed				
		11,200'		MT-0748	
	applied for, on this lease, ft.	on Aimete date work W	ill start*	23. Estimated duration	

The following completed in accordance with the requirements of Onshore Oil an Gas Order No. 1, shall be attached to this form:

1. Well plat certified by a registered surveyor.

GL-3737

2. A Drilling Plan.

Form 3160-3 (August 1999)

3a.

Elevations (Show whether DF, KDB, RT, GL, etc)

3. A Surface Use Plan (if the location is on National Forest Sytem Lands, the SUPO shall be filed with the appropriate Forest Service Office)

4. Bond to cover the operations unless covered by an existing bond on file (see Item 20 above)

30 days

- Operator certification.
- 6. Such other site specific information and/or plans as may be required by the authorized officer.

25. Signature Meke Zunner		Name <i>(Printed/Typed)</i> Mike Francis	Date 3/22/2000		
Title Agent		Name (Printed/Typed)	Date ADD 0 5 2000		
Approved t	Assistant Field Manager,	Office			
ınıe	Assistant Fred Wallager,	MANNELL (ELD) OFFICE	Id add the applicant to conduct		

22. Approximate date work will start*

5/2/2000

24. Attachments

Lands And Minerals

Application approval does not warrant or certify the applicant holds legal or equitable title to those rightes in the subject lease which would entitle the applicant to conduct operations theron.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United

States any false, fictitious or fraudulent statements or representations as to any matter within its jurisidiction

*(Instructions on reverse)

APPROVAL SUBJECT TO GENERAL REQUIREMENTS AND SPECIAL STIPULATIONS

ROSWELL, NM BLM

MAR 23 2000

BECEINED

District I
PO Box 1980, Hobbs, NM 88241-1980
District II
PO Drawer DD, Artesia, NM 88211-0719
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
PO Box 2088, Santa Fe, NM 87504-2088

'API Number

State of New Mexico Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION PO Box 2088 Santa Fe, NM 87504-2088 Form C-102
Revised February 21, 1994
Instructions on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

Marrow

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

Pool Code Pool Name

N. Cedar Lake

⁴ Property	Code	Property Name Well Nu					Well Number			
•		OAK LAKE "11" FEDERAL COM						1		
OGRID	No.	*Operator Name						Elevation		
7377		EOG RESOURCES INC.						3737		
¹⁰ Surface Location										
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet	from the	East/West li	ine County
Р	11	17-S	30-E		1070	SOUTH	8	360	EAST	EDDY
_	11 Bottom Hole Location If Different From Surface									
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet	from the	East/West]	line County
12 Dedicated Acr	13 Toint	or Infill 14(Consolidation	Code 15	Order No.		<u> </u>			
Syc.	es Joint	or mm	onsondation	ı code	order no.					
NO ALLOW	ABLE W	TLL BE A	SSIGNED	TO TH	IIS COMPLETI	ON UNTIL ALL	INTE	RESTS	HAVE BEE	N CONSOLIDATED
		OR A	NON-STA	ANDARD	UNIT HAS E	BEEN APPROVE	D BY	THE D	IVISION	
16								¹⁷ OPE	RATOR C	ERTIFICATION
		i i								mation contained herein is
							1	true and con	iplete to the best	of my knowledge and ballef.
								Me	fe Zu	an
							3	Signature		
							Ī	Mike Fi	ancis me	
					•			Agent Ntle		
								3/22/00)	
							Ī	3/22/00 Date		
1	7 7	7 1	7 7	1/ /	7 1 7	11/1		¹⁸ SUR	VEYOR (CERTIFICATION
										location shown on this plat of actual surveys made by me
								or under my		that the same is true and
							~		MARCH &	ES FOTOMPKING
								Date of Su	rvey	W MEL TO
								Signature	and see of Pi	essional Surveyor
			EOC	RESOURCE	S INC.	860'			STE	(14729) KL
			<i>OAF</i> ELE	⟨ <i>LλKE "11"</i> V.≡ 3737	FEDERAL COM No. 26	1		\wedge	THE CONTRACTOR	
			V→	671191.152 621954.08 32°50'40	/1				ZO _F	ESSIONAL
			ĽÓŃ	iG. = 103°56	3'10. 4 8"	1070	-	Xam	60	Confleren
							7	Certificate	Number	14720
		1,			\ \ \ \					14729

EOG RESOURCES, INC. OAK LAKE 11 FEDERAL COM NO. 1 1,070' FSL & 860' FEL SEC. 11, T17S, R30E EDDY COUNTY, NM

1. GEOLOGIC NAME OF SURFACE FORMATION:

Permian

2. ESTIMATED TOPS OF IMPORTANT GEOLOGICAL MARKERS:

Queen	2500'
San Andres	3300'
Abo	6,500'
Wolfcamp	8000'
Lower Strawn	9875'
Atoka	10175'
Morrow Clastics	10600'
Chester	11000'

3. ESTIMATED DEPTHS OF ANTICIPATED FRESH WATER, OIL OR GAS:

O:1
Oil
Oil
Gas
Gas

4. CASING PROGRAM

4. CASING I NO	I AZ KIVI		
Hole Size	Interval_	OD Casing	Weight Grade Jt. Cond. Type
WITNESS	0-650'	11 3/4"	42# H-40 ST&C
11''	0-3500°	8 5/8"	32# J-55 LT&C
7 7/8"	0-11000'	5 1/2"	17# S95/P110 L&TC

Cementing Program:

WITNES 3/4" Surface Casing:

Cement to surface with 200 sx Prem Plus, 3% Econolite, 25 Calcium Chloride, 0.25#/sx Flocele,

150 sx Prem Plus, 2% Calcium Chloride

8 5/8" Intermediate:

Cement to surface with 800 sx Interfill C, .25#/sx flocele, 250 sx Premium Plus, 2% Calcium Chloride

5 ½" Production:

Cement w/930 sx Premium, 3% Econolite, 5#/sx Salt (3%), 0.2% HR5, .25#/sk Flocele, 250 sx Prem 50/50 Poz mix 'A', 2% Halliburton-Gel First 2%, 0.5% Halad-322. This is designed to bring TOC to

4500'.

EOG RESOURCES, INC.
OAK LAKE 11 FEDERAL COM NO. 1
1,070' FSL & 860' FEL
SEC. 11, T17S, R30E
EDDY COUNTY, NM

5. MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL:

(SEE EXHIBIT #1)

The blowout preventer equipment (BOP) shown in Exhibit #1 will consist of a double ram-type (5000 psi WP) preventer and an annular preventer (5000-psi WP). Units will be hydraulically operated and the ram-type will be equipped with blind rams on top and drill pipe rams on bottom. All BOP's and accessory equipment will be tested to 600 psi before drilling out of surface casing. Before drilling out of 1st intermediate casing, the ram-type BOP and accessory equipment will be tested to 5000/1000 psi and the annular to 3500/5000-psig pressure.

Pipe rams will be operationally checked each 24-hour period. Blind rams will be operationally checked on each trip out of the hole. These checks will be noted on the daily tour sheets.

6. TYPES AND CHARACTERISTICS OF THE PROPOSED MUD SYSTEM:

The well will be drilled to TD with a combination of brine, cut brine, and polymer/KCL mud system. The applicable depths and properties of this system are as follows:

		Wt	Viscosity	Waterloss
<u>Depth</u>	Type	(PPG)	(sec)	<u>(cc)</u>
0-650'	Fresh Water (spud)	8.5	40-45	N.C.
650'-3500'	Brine Water	10.0	30	N.C.
3500'- TD	Cut Brine + Polymer/KC	L $8.8 - 9.2$	32	10

Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept at the wellsite at all times.

7. AUXILIARY WELL CONTROL AND MONITORING EQUIPMENT:

- (A) A kelly cock will be kept in the drill string at all times.
- (B) A full opening drill pipe-stabbing valve (inside BOP) with proper drill pipe connections will be on the rig floor at all times.
- (C) A mud logging unit complete with H2S detector will be continuously monitoring drilling penetration rate and hydrocarbon shows from 5000' to TD.

EOG RESOURCES, INC.
OAK LAKE 11 FEDERAL COM NO. 1
1,070' FSL & 860' FEL
SEC. 11, T17S, R30E
EDDY COUNTY, NM

8. LOGGING, TESTING AND CORING PROGRAM:

Electric logging will consist of GR-Dual Induction Focused and GR-Compensated Density-Neutron from TD to intermediate casing with a GR-Compensated Neutron run from intermediate casing to surface and optional Sonic from TD to Intermediate casing.

Possible sidewall cores based on shows.

9. ABNORMAL CONDITIONS, PRESSURES, TEMPERATURES AND POTENTIAL HAZARDS:

The estimated bottom hole temperature (BHT) at TD is 175 degrees F with an estimated maximum bottom-hole pressure (BHP) at TD of 5000 psig. No hydrogen sulfide or other hazardous gases or fluids have been encountered, reported or are known to exist at this depth in this area. No major loss circulation zones have been reported in offsetting wells.

10. ANTICIPATED STARTING DATE AND DURATION OF OPERATIONS:

The drilling operation should be finished in approximately one month. If the well is productive, an additional 30-60 days will be required for completion and testing before a decision is made to install permanent facilities.

EOG RESOURCES, INC.
OAK LAKE 11 FEDERAL COM NO. 1
1,070' FSL & 860' FEL
SEC. 11, T17S, R30E
EDDY COUNTY, NM

SURFACE USE AND OPERATIONS PLAN

1. EXISTING ROADS:

Access to location will be made as shown on Exhibit #2

Routine grading and maintenance of existing roads will be conducted as necessary to maintain their condition as long as any operations continue on this lease.

2. PROPOSED ACCESS ROAD:

300' of new road is required. Exhibit #2A

No turnouts necessary.

No culverts, cattleguards, gates, low-water crossings are necessary.

Surfacing material consists of native caliche to be obtained from the nearest BLM-approved caliche pit. Any additional materials required will be purchased from the dirt contractor.

3. LOCATION OF EXISTING WELLS:

Exhibit #3 shows all existing wells within a one-mile radius of this well.

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES:

There are no existing production facilities. If production is encountered, a temporary facility will be established on the drill pad, and if warranted, a production facility would be built at a later date in the immediate area of the drill pad location. If the well is productive, the flowline would also be located on the drill-pad site and no additional disturbance will occur.

5. LOCATION AND TYPE OF WATER SUPPLY:

Fresh water and brine water for drilling will come from commercial sources and transported to the well site over the roads as shown on Exhibit #2.

EOG RESOURCES, INC.
OAK LAKE 11 FEDERAL COM NO. 1
1,070' FSL & 860' FEL
SEC. 11, T17S, R30E
EDDY COUNTY, NM

6. PLANS FOR RESTORATION OF THE SURFACE:

After completion of drilling and/or completion operations, all equipment and other material not needed for operations will be removed. Location will be cleaned of all trash and junk to leave the well in an aesthetically pleasing condition as possible.

Any unguarded pits containing fluid will be fenced until they are dry and back filled.

After abandonment of the well, surface restoration will be in accordance with current federal laws and regulations. Location will be cleaned, and The wellpad removed to promote vegetation and disposal of human waste will be complied with. Trash, waste paper, garbage and junk will be hauled to an approved disposal site in an enclosed trash trailer.

All trash and debris will be removed from the well site within 30 days after finishing drilling and/or completion operations.

ANCILLARY FACILITIES:

No airstrip, campsite, or other facilities will be built.

WELL SITE LAYOUT:

Exhibit #4 shows the relative location and dimensions of the well pad.

EOG RESOURCES, INC.
OAK LAKE 11 FEDERAL COM NO. 1
1,070' FSL & 860' FEL
SEC. 11, T17S, R30E
EDDY COUNTY, NM

OTHER INFORMATION:

The area around the well site is grassland and the topsoil is duned and sandy. The vegetation is native scrub grasses with abundant oakbrush, sagebrush, yucca, and prickly pear.

CERTIFICATION:

I HEREBY CERTIFY that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by EOG Resources, Inc. and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

Randy Szenasy Sr. Drilling Foreman

Date franchy francos

EOG RESOURCES, INC. OAK LAKE 11 FEDERAL COM NO. 1 1,070' FSL & 860' FEL SEC. 11, T17S, R30E EDDY COUNTY, NM

ATTACHMENT TO EXHIBIT #1

- 1. Wear ring to be properly installed in head.
- 2. Blow out preventer and all fittings must be in good condition, 5000 psi W.P. minimum. Exhibit #1.
- 3. All fittings to be flanged
- 4. Safety valve must be available on rig floor at all times with proper connections, valve to be full bore 5000 psi W.P. minimum.
- 5. All choke and fill lines to be securely anchored especially ends of choke lines.
- 6. Equipment through which bit must pass shall be at least as large as the diameter of the casing being drilled through.
- 7. Kelly cock on kelly.
- 8. Extension wrenches and hand wheels to be properly installed.
- 9. Blow out preventer control to be located as close to driller's position as feasible.
- Blow out preventer closing equipment to include minimum 40-gallon accumulator, two independent sources of pump power on each closing unit installation, and meet all API specifications.

Oak Lake "11" Federal Com No. 1





Exhibit 1

VICINITY MAP



SCALE: 1" = 4 MILES

WTC 45822

SEC. __11 __TWP. __17-S __RGE. __30-E __

SURVEY ___N.M.P.M. ___

COUNTY ___EDDY ___STATE __NM __

DESCRIPTION __1070 FSL & 860 FEL ___

ELEVATION __3737 ___

OPERATOR __EOG RESOURCES, INC. ___

LEASE __OAK LAKE "11" FEDERAL COM No. 1

Exhibit 2


WEST TEXAS CONSULTANTS, INC.

ENGINEERS-PLANNERS-SURVEYORS

MIDLAND, TEXAS

915-685-3800

SECTION 11, TO\ 4SHIP 17 SOUTH, RANGE 30 EA . N.M.P.M. **NEW MEXICO** EDDY COUNTY,



CENTERLINE DESCRIPTION OF A PROPOSED ROAD:

BEGINNING at a point in an existing road, from which point the southeast corner of Section 11, T-17-S, R-30-E, N.M.P.M., Eddy County, New Mexico, bears S 00° 11' 31" E, 570.0 feet and N 89° 56' 18" E, 710.0 feet; THENCE N 00° 11' 31" W, with the centerline of proposed road, 300.0 feet to a point in the south line of a well pad for EOG Resources, Inc. OAK LAKE "11" FEDERAL COM No. 1, for the end of this road, from which point the

southeast corner of said Section 11 bears N 89° 56' 18" E, 710.0 feet and S 00° 11' 31" E, 870.0 feet.

MRVEYOR.

Exhibit 2-A

PROPOSED ROAD TO SERVE OAK LAKE "11" FEDERAL COM No. 1

I hereby certify that this plat was prepared from an actual survey made on the ground and meets or exceeds all requirements for land surveys as specified by the state of

EOG RESOURCES INC.

300.0 feet of proposed road in Section 11, T-17-S, R-30-E, N.M.P.M., **Eddy County, New Mexico**

S WEST TEXAS CONSULTANTS, INC. POFESSIONALLA

ENGINEERS-PLANNER	MIDLAND, TEXAS		
Survey Date: 3-6-00	Date: 3-7-00	Scale: 1" = 1000'	
WTC No. 45822	Drawn By: JRS II	Sheet 1 of 1	

New Mexico. SAMES E. TOMOKING

JÁMES E. TOMPKINS

Registered Professional Surveyor New Mexico Certificate No. 14729





Exhibit 4

Oak Lake "11" Federal Com No. 1

WORTH



ţ

Statement Accepting Responsibility For Operations

Operator Name:

EOG Resources, Inc.

Street or Box: P.O. Box 226 City, State: Midland, TX

P.O. Box 2267

City, State: Zip Code:

79702

The undersigned accepts all applicable terms, conditions, stipulations, and restrictions concerning operations conducted on the leased land or portion thereof, as described below:

Lease No.:

LC 029338-A

NM 2746 NM 74939

Legal Description of Land: S/2 Section 11, T26S, R30E, NMPM

Eddy Co., NM

Formation(s) (if applicable):

Bond Coverage: (State if individually bonded or another's bond)

Individually

BLM Bond File No.: MT-0748 with endorsement to State of NM

Authorized Signature: Mike Trans

Title: Agent

Date: 3/22/00