

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE

(See other in-
structions on
reverse side)

FORM APPROVED
OMB NO. 1004-0137
Expires: February 28, 1995

4517

5. LEASE DESIGNATION AND SERIAL NO.

NM-0384577

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME, WELL NO.

PARKE MCINTYRE FED #10

9. API WELL NO.

30-015-31155

10. FIELD AND POOL, OR WILDCAT
LOCO HILLS PADDOCK

11. SEC., T., R., M., OR BLOCK AND SURVEY
OR AREA

SEC 15-T17S-R30E

12. COUNTY OR PARISH 13. STATE

EDDY NM

1a. TYPE OF WELL:

OIL WELL ☒ GAS WELL ☐ DRY ☐ Other ☐

b. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other ☐

2. NAME OF OPERATOR

PREMIER OIL AND GAS, INC.

3. ADDRESS AND TELEPHONE NO.

PO BOX 1246, ARTESIA, NM 88210 505-748-2093

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)

At surface

1650 FSL 330 FWL UNIT L

At top prod. interval reported below

SAME

At total depth

SAME

14. PERMIT NO.

15. DATE SPUDDED

04/24/01

16. DATE T.D. REACHED

05/06/01

17. DATE COMPL. (Ready to prod.)

06/21/01

18. ELEVATIONS (DF, RKB, RT, GE, ETC.)*

3683' GR

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD

4934'

21. PLUG, BACK T.D., MD & TVD

4921'

22. IF MULTIPLE COMPL.,
HOW MANY*

23. INTERVALS
DRILLED BY

ROTARY TOOLS

0-4934'

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION-TOP, BOTTOM, NAME (MD AND TVD)*

4378' - 4758' PADDOCK

25. WAS DIRECTIONAL
SURVEY MADE

No

26. TYPE ELECTRIC AND OTHER LOGS RUN

DLL, CSNG

27. WAS WELL CORED

No

28. CASING RECORD (Report all strings set in well)

CASING SIZE/GRADE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	TOP OF CEMENT, CEMENTING RECORD	AMOUNT PULLED
13 3/8" J55	48#	446'	17 1/2"	450 SX	CIRC 100 SX
8 5/8" J55	24#	1230'	12 1/4"	900 SX	CIRC 125 SX
5 1/2" J55	17#	4935'	7 7/8"	800 SX	CIRC 65 SX

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 7/8"	4327'	

31. PERFORATION RECORD (Interval, size and number)

4378' - 4758' (20 SHOTS)

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)

4378-4758'

AMOUNT AND KIND OF MATERIAL USED

ACIDIZE W/ 2000 GAL 15% HCL W/ ADD

33. * PRODUCTION

DATE FIRST PRODUCTION

06/28/01

PRODUCTION METHOD (Flowing, gas lift, pumping--size and type of pump)

FLOWING

WELL STATUS (Producing or shut-in)

PROD

DATE OF TEST

06/29/01

HOURS TESTED

24

CHOKE SIZE

PROD'N FOR TEST PERIOD

OIL---BBL.

29

GAS---MCF.

871

WATER---BBL.

1891

GAS-OIL RATIO

FLOW. TUBING PRESS.

CASING PRESSURE

CALCULATED
24-HOUR RATE

OIL---BBL.

GAS---MCF.

WATER---BBL.

OIL GRAVITY-API (CORR.)

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

SOLD

ACCEPTED FOR RECORD
(ORIG. SGD.) DAVID R. GLASS

JUL 9 2001

TEST WITNESSED BY
LENDELL HAWKINS

35. LIST OF ATTACHMENTS

LOGS, DEVIATION SURVEY

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

David R. Glass

DAVID R. GLASS
PETROLEUM ENGINEER

DATE 07/06/01

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

RECEIVED

2001 JUL -9 AM 10:01

BUREAU OF LAND MGMT.
ROSWELL OFFICE

37. SUMMARY OF POROUS ZONES: (Summarize all important zones of porosity and contents of; cored intervals; and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
-----------	-----	--------	-----------------------------

38.

GEOLOGICAL MARKERS

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH
YATES	1244'	
QUEEN	2128'	
SAN ANDRES	2848'	
GLORIETA	4298'	

38.

GEOLOGICAL MARKERS

NAME	TOP	
	MEAS. DEPTH	TRUE VERT. DEPTH

RECEIVED

2001 JUL - 9 AM 10: 01

BUREAU OF LAND MGMT.
ROSWELL OFFICE

L & M DRILLING, INC.

OIL WELL DRILLING CONTRACTORS

PO BOX 1370 ARTESIA, NEW MEXICO 88211-1370
(505) 746-4405 746-3518 748-2205

May 11, 2001

Premier Oil & Gas
PO Drawer 227
Artesia, NM 88211-0227


RE: Parke McIntyre Fed #10
1650' FSL & 330' FWL
Sec. 15, T17S, R30E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION	DEPTH	DEVIATION
320'	1/4°	2948'	1 1/4°
695'	1°	3445'	1 1/4°
1055'	1°	3879'	1 1/4°
1307'	3/4°	4288'	3/4°
1801'	3/4°	4781'	1°
2301'	1°	4908'	1°
2454'	1°	4934'	1°


Very truly yours,



Eddie C. LaRue
Vice President

STATE OF NEW MEXICO }
COUNTY OF EDDY }

The foregoing was acknowledged before me
this 11th day of May, 2001


Notary Public

Aug. 30, 2001

RECEIVED

2001 JUL - 9 AM 10:01

BUREAU OF LAND MGMT.
ROSWELL OFFICE