une 1990)	DEPARTMENT BUREAU OF L	ED STATES OF THE INTERIOR AND MANAGEMENT AND REPORTS ON WE	LLS	FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993 CH2834 ignation and Serial No. NM-14847 6. If Indian, Allottee or Tribe Name
lo not use th	is form for proposals to drill Use "APPLICATION FOR	or to deepen or reent R PERMIT-" for such (	ry to a different reservoir proposals	•
SUBMIT IN TRIPLICATE				7. If Unit or CA, Agreement Designation 26582
Type of Well     Ges     Ges     Well     Well     Other				8. Well Name and No. Phillips 19 Federal #7
Clayton Williams Energy, Inc.			4 	9. API Well No. 30-015-31448
6 Desta Drive, Ste. 3000 Midland, TX 79705 (915) 682-6324				10. Field and Pool, or Exploratory Area
I. Location of Well (Footage, Sec., T., R., M., or Survey Desc 330' FNL & 2318' FEL; Sec. 19; T-17-S; R-29-E; Unit B		<b>ription)</b>	OCD ARTESIA	Empire, (Yeso) 11. County or Parish, State
				Eddy, NM
2. CH	ECK APPROPRIATE BOX(s)	TO INDICATE NATUR	E OF NOTICE, REPORT, O	DR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION		
Notice of Intent		Abandonment		Change of Plans
Subsequent Report		Recompletion     Plugging Back     Casing Repair		Non-Routine Fracturing  Water Shut-Off
Final Abandonment Notice		Altering Casing  Cother Spud, run & cement surface casing		Conversion to Injection     Dispose Water     (Note: Report results of multiple completion on Well     Completion or Report and Log form.)
	sed or Completed Operations (Clearly sta	te all pertinet details, and give pe	rtinent dates, including estimated date	of starting any proposed work. If well is
13. Describe Propo directionally dri 02/03/01 02/03-04/01	Spud 11" hole @ 7:45 p.m. Dr Drill 11" hole to 435'. Ran 10 j Circulate 25 sx to pit. WOC 4 Drilling plug, cement & formation	illing Contractor. Key Ener Is 8 5/8" 24# J-55 casing t hrs. Back out landing jt. N	gy, Rig #23 o 435'. Cement w/200 sx Clas	s "C"+2% CaCl2+1/4# CF.
directionally dri	led, give subsurface locations and measu Spud 11" hole @ 7:45 p.m. Dr Drill 11" hole to 435'. Ran 10 j Circulate 25 sx to pit. WOC 4 Drilling plug, cement & formation	illing Contractor. Key Ener Is 8 5/8" 24# J-55 casing t hrs. Back out landing jt. N	gy, Rig #23 o 435'. Cement w/200 sx Clas UBOP. Test BOP. TIH. Test of	s "C"+2% CaCl2+1/4# CF.
directionally dri 02/03/01 02/03-04/01 14. I hereby certify Signed	led, give subsurface locations and measu Spud 11" hole @ 7:45 p.m. Dr Drill 11" hole to 435'. Ran 10 j Circulate 25 sx to pit. WOC 4 Drilling plug, cement & formation	red and true vertical depuis for a lilling Contractor. Key Ener ls 8 5/8" 24# J-55 casing f hrs. Back out landing jt. N on to 728'.	gy, Rig #23 o 435'. Cement w/200 sx Clas UBOP. Test BOP. TIH. Test o O002027)	s "C"+2% CaCl2+1/4# CF. casing 1000# (ok).

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

## FEB 0 9 2001

## REULIVE

.