

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

N.M. C. Cons. Division
811 S. 1st Street
Artesia, NM 88210-2834

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993
Designation and Serial No.
NM 1487 14847

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT-" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well
☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

Mewbourne Oil Company

3. Address and Telephone No.

PO Box 5270 Hobbs, New Mexico 88241 (505) 393-5905

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

330' FSL & 1230' FWL
Sec.18 T-17S R-29E

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Empire 18 Federal #5

9. API Well No.

30-015-31449

10. Field and Pool, or Exploratory Area

East Empire Yeso

11. County or Parish, State

Eddy, NM

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐ Notice of Intent

☒ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☒ Other Spud, Surface & TD

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut-Off

☐ Conversion to Injection

☐ Dispose Water



(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

11/29/00...Spud 12 1/4" Hole @ 4:00 PM. TD'ed @ 433'. Ran 10 jts 8 5/8" J csg to 433'. Cemented w/ 300 sks 'C' w/ 2% CaCl2. Mixed @ 14.8 #/g & 1.33 yd. Circl 65 sks to pit. WOC 18 Hrs. Test stack to 1000 psi.

12/06/00...TD'ed 7 7/8" hole @ 4305'. Ran 5 1/2" J csg to 4305'. Cement as follow:
1st Stage w/ 250 sks 'C' w/ additives. Mixed @ 14 #/g & 1.35 yd. Circl 62 sks to pit.
2nd Stage w/ 825 sks 'C' w/ additives. Mixed @ 12.5 #/g & 1.98 yd & tailed w/ 100 sks 'C' neat. Circl 100 sks to pit.

12/07/00...Release Rig @ 7:00 pm.



14. I hereby certify that the foregoing is true and correct

Signed

NM Young District Manager

Date 12/08/00

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

RECEIVED
200 DEC 13 A 9:42
BUREAU OF LAND MANAGEMENT
ROSWELL OFFICE