

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

N.M. Oil Cons. V-Dist. 2
SUBMIT IN DUPLICATE
1301 W. Grand Avenue
Artesia, NM 88210

FORM APPROVED
OMB NO. 1004-0137
Expires: February 28, 1995
LEASE DESIGNATION AND SERIAL NO.

c15F

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL DRY Other
b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER DEEP-EN PLUG BACK DIFF. RESVR Other
2. NAME OF OPERATOR MARBOB ENERGY CORPORATION
3. ADDRESS AND TELEPHONE NO. PO BOX 227, ARTESIA, NM 88211-0227
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)
At surface 990 FNL 1650 FEL, UNIT B
At top prod. interval reported below SAME
At total depth SAME
14. PERMIT NO. DATE ISSUED
15. DATE SPUDDED 8/31/02 16. DATE T.D. REACHED 9/13/02 17. DATE COMPL. (Ready to prod.) 9/26/02
18. ELEVATIONS (DF, RKB, RT, GE, ETC.)* 3655' GL
20. TOTAL DEPTH, MD & TVD 4850' 21. PLUG, BACK T.D., MD & TVD 4837' 22. IF MULTIPLE COMPL., HOW MANY*
24. PRODUCING INTERVAL(S), OF THIS COMPLETION-TOP, BOTTOM, NAME (MD AND TVD)*
25. WAS DIRECTIONAL SURVEY MADE NO
26. TYPE ELECTRIC AND OTHER LOGS RUN DLL, CSNG
27. WAS WELL CORED NO

28. CASING RECORD (Report all strings set in well)
CASING SIZE/GRADE WEIGHT, LB./FT. DEPTH SET (MD) HOLE SIZE TOP OF CEMENT, CEMENTING RECORD AMOUNT PULLED
8 5/8" J55 24# 373' 12 1/4" 275 SX, CIRC 85 SX NONE
5 1/2" J55 17# 4848' 7 7/8" 1360 SX, CIRC 144 SX NONE

29. LINER RECORD
SIZE TOP (MD) BOTTOM (MD) SACKS CEMENT* SCREEN (MD) SIZE DEPTH SET (MD) PACKER SET (MD)
2 7/8" 4252'

31. PERFORATION RECORD (Interval, size and number) 32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.
4277' - 4624' (20 SHOTS) OCT 16 2002 DEPTH INTERVAL (MD) AMOUNT AND KIND OF MATERIAL USED
4277'-4624' ACDZ W/ 2000 GAL 15% HCL ACID

33. *
DATE FIRST PRODUCTION 9/29/02 PRODUCTION METHOD (Flowing, gas lift, pumping--size and type of pump) PUMPING
DATE OF TEST 9/30/02 HOURS TESTED 24 CHOKESIZE PROD'N FOR TEST PERIOD 80 OIL---BBL. GAS---MCF. WATER---BBL. PROD GAS-OIL RATIO
FLOW. TUBING PRESS. CASING PRESSURE CALCULATED 24-HOUR RATE OIL---BBL. GAS---MCF. WATER---BBL. OIL GRAVITY-API (CORR.)

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) SOLD
35. LIST OF ATTACHMENTS LOGS, DEVIATION SURVEY

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED [Signature] TITLE PRODUCTION ANALYST

DATE 10/10/02

*(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.
-----------	-----	--------	-----------------------------

38. GEOLOGICAL MARKERS			38. GEOLOGICAL MARKERS		
		TOP			TOP
NAME	MEAS. DEPTH	TRUE VERT. DEPTH	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
YATES	1157'				
QUEEN	2050'				
SAN ANDRES	2777'				
GLORIETA	4176'				

L & M DRILLING, INC.

OIL WELL DRILLING CONTRACTORS
PO BOX 1370 ARTESIA, NEW MEXICO 88211-1370
(505) 746-4405 746-3518 748-2205

September 24, 2002

Marbob Energy Corporation
PO Drawer 227
Artesia, NM 88211-0227

RE: Thunder Road Federal #6
990' FNL & 1650' FEL
Sec. 20, T17S, R30E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.


DEPTH	DEVIATION	DEPTH	DEVIATION
337'	3/4°	3429'	2°
689'	3/4°	3656'	2°
1195'	1 1/4°	3866'	1 1/2°
1682'	1°	4364'	2 1/2°
1779'	1°	4479'	2 3/4°
2276'	3/4°	4603'	2°
2742'	1°	4736'	2°
2949'	1 1/4°	4850'	2°

Very truly yours,


Eddie C. LaRue
Vice President

STATE OF NEW MEXICO }
COUNTY OF EDDY }

The foregoing was acknowledged before me
this 24th day of September, 2002.


Regina L. Garner
Notary Public

