

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE

(See other in-
structions on
reverse side)

FORM APPROVED
OMB NO. 1004-0137
Expires: February 28, 1995

5. LEASE DESIGNATION AND SERIAL NO.

NMLC028793C

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

NMNM88525X

8. FARM OR LEASE NAME, WELL NO.

BURCH KEELY UNIT #329

9. API WELL NO.

30-015-32426 SI

10. FIELD AND POOL, OR WILDCAT

GRBG JACKSON SR Q GRBG SA

11. SEC., T., R., M., OR BLOCK AND SURVEY
OR AREA

SEC. 18-T17S-R30E

12. COUNTY OR PARISH 13. STATE

EDDY

NM

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL:

OIL WELL ☒ GAS WELL ☐ DRY ☐ Other ☐

b. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other ☐

2. NAME OF OPERATOR

MARBOB ENERGY CORPORATION

3. ADDRESS AND TELEPHONE NO.

PO BOX 227, ARTESIA, NM 88211-0227

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)

At surface 1650 FSL 1295 FEL, UNIT I

At top prod. interval reported below

SAME

At total depth

SAME

14. PERMIT NO.

DATE ISSUED

15. DATE SPUDDED

16. DATE T.D. REACHED

17. DATE COMPL. (Ready to prod.)

18. ELEVATIONS (DF, RKB, RT, GE, ETC.)*

19. ELEV. CASINGHEAD

10/24/02

11/4/02

11/20/02

3644' GL

20. TOTAL DEPTH, MD & TVD

21. PLUG, BACK T.D., MD & TVD

22. IF MULTIPLE COMPL.,
HOW MANY*

23. INTERVALS
DRILLED BY

ROTARY TOOLS

CABLE TOOLS

4825'

4813'

0 - 4825'

24. PRODUCING INTERVAL(S), OF THIS COMPLETION-TOP, BOTTOM, NAME (MD AND TVD)*

25. WAS DIRECTIONAL
SURVEY MADE

NO

26. TYPE ELECTRIC AND OTHER LOGS RUN

27. WAS WELL CORED

NO

DLL, CSNG

28. CASING RECORD (Report all strings set in well)

CASING SIZE/GRADE

WEIGHT, LB./FT.

DEPTH SET (MD)

HOLE SIZE

TOP OF CEMENT, CEMENTING RECORD

AMOUNT PULLED

8 5/8" J55

24#

365'

12 1/4"

300 SX

NONE

5 1/2" J55

17#

4825'

7 7/8"

1125 SX, CIRC 219 SX

NONE

29.

LINER RECORD

30.

TUBING RECORD

SIZE

TOP (MD)

BOTTOM (MD)

SACKS CEMENT*

SCREEN (MD)

SIZE

DEPTH SET (MD)

PACKER SET (MD)

2 7/8"

4221'

31. PERFORATION RECORD (Interval, size and number)

32.

ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

4238' - 4490' (20 SHOTS)

DEPTH INTERVAL (MD)

AMOUNT AND KIND OF MATERIAL USED

DEC 9 2002

4238' - 4490'

ACDZ W/ 2000 GAL 15% HCL

33.

DATE FIRST PRODUCTION

PRODUCTION METHOD (Flowing, gas lift, pumping--size and type of pump)

WELL STATUS (Producing or shut-in)

11/24/02
DATE OF TEST

HOURS TESTED

PUMPING

CHOKE SIZE

PROD'N FOR
TEST PERIOD

OIL---BBL.

GAS---MCF.

WATER---BBL.

PROD

GAS-OIL RATIO

11/28/02
FLOW. TUBING PRESS.

24

CASING PRESSURE

CALCULATED
24-HOUR RATE

OIL---BBL.

GAS---MCF.

WATER---BBL.

OIL GRAVITY-API (CORR.)

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

TEST WITNESSED BY

LENDELL HAWKINS

35. LIST OF ATTACHMENTS

LOGS, DEVIATION SURVEY

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

TITLE

PRODUCTION ANALYST

DATE 12/5/02

*(See Instructions and Spaces for Additional Data on Reverse Side)

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

RECEIVED
2011-09-13 10:02
2011-09-13 10:02

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

38. GEOLOGICAL MARKERS			38. GEOLOGICAL MARKERS		
NAME	MEAS. DEPTH	TOP TRUE VERT. DEPTH	NAME	MEAS. DEPTH	TOP TRUE VERT. DEPTH
YATES	1122'				
QUEEN	2000'				
SAN ANDRES	2702'				
GLORIETA	4114'				

L & M DRILLING, INC.

OIL WELL DRILLING CONTRACTORS

PO BOX 1370 ARTESIA, NEW MEXICO 88211-1370
(505) 746-4405 746-3518 748-2205

November 13, 2002

Marbob Energy Corporation
PO Drawer 227
Artesia, NM 88211-0227

RE: Burch Keely Unit #329
1650' FSL & 1295' FEL
Sec. 18, T17S, R30E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION	DEPTH	DEVIATION
494'	1°	2397'	1 1/4°
1030'	3 1/2°	2679'	1 1/4°
1133'	3°	3164'	1 1/4°
1258'	2°	3629'	1°
1343'	2°	4120'	1°
1466'	1 1/2°	4615'	2 1/4°
1683'	1/2°	4801'	2 1/2°
1940'	1°	4825'	2 1/2°


Very truly yours,



Eddie C. LaRue
Vice President

STATE OF NEW MEXICO }
COUNTY OF EDDY }

The foregoing was acknowledged before me
this 13th day of November, 2002.


Notary Public