

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYLand Office Santa FeLease No. LC 070390Unit RECEIVED

FEB 16 1965

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	X
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 18, 1963

Federal "AA" ✓

Well No. 1 is located 660 ft. from S line and 660 ft. from E line of sec. 27SE $\frac{1}{4}$ SE $\frac{1}{4}$ Section 27 18S. 24E. N.M.P.M.
($\frac{1}{4}$ Sec. and Sec. No.) (Twp.) (Range) (Meridian)Wildcat

(Field)

Eddy

(County or Subdivision)

New Mexico

(State or Territory)

The elevation of the derrick floor above sea level is 3713 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Cement plugs were set in the following intervals:

0 - 20	3750 - 3850
500 - 600	5150 - 5250
880 - 980	6775 - 6875
2400 - 2500	8400 - 8500

Heavy mud is contained between the above plugs. A marker was set to designate the well site.

I understand that this plan of work must receive approval in writing by the Geological Survey before operation may be commenced.

Company YATES PETROLEUM CORPORATIONAddress 309 Carper BuildingArtesia, New MexicoBy R. L. NormanTitle Geologist