

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30-015-00194
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name ATOKA SAN ANDRES UNIT
8. Well No. 131
9. Pool name or Wildcat ATOKA SAN ANDRES

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER INJECTION
2. Name of Operator PENNZOIL EXPLORATION & PRODUCTION COMPANY
3. Address of Operator P O BOX 50090 MIDLAND TEXAS 79710-0090
4. Well Location Unit Letter B : 990 Feet From The NORTH Line and 1650 Feet From The EAST Line Section 14 Township 18S Range 26E NMPM EDDY County
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 3305' GL

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: <input type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Pull out of hole with tbg. & pkr. Clean out to 1687'.
2. Run GR/CNL log from 1687' to 600'.
3. Perf San Andres based on GR/CNL log.
4. Acidize and fracture treat based on perforation procedure.
5. Install injection assembly, perform mechanical integrity test and place well on injection.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Sharon Hindman TITLE Production Assistant DATE 7/14/97
TYPE OR PRINT NAME Sharon Hindman TELEPHONE NO. 915 686-3505

(This space for State Use)

APPROVED BY _____ TITLE _____ DATE JUL 17 1997
CONDITIONS OF APPROVAL, IF ANY: