

## NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

## NOTICE OF INTENTION TO DRILL OR RECOMPLETE

Notice must be given to the District Office of the Oil Conservation Commission and approval obtained before drilling or recompletion begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in QUINTUPLICATE. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission.

**Hobbs, New Mexico**

(Place)

**April 4, 1957**

(Date)

OIL CONSERVATION COMMISSION  
SANTA FE, NEW MEXICO

Gentlemen:

You are hereby notified that it is our intention to commence the (Drilling) (Recompletion) of a well to be known as

**Pan American Petroleum Corporation**

(Company or Operator)

**J. G. Rogers**

(Lease)

Well No. **1**, in **A** (Unit) The well islocated **405** feet from the **North** line and **990** feet from the**East**line of Section **23**, T. **18-S**, R. **26-E**, NMPM.(GIVE LOCATION FROM SECTION LINE) **"Atoka"** Pool, **Eddy** CountyIf State Land the Oil and Gas Lease is No. **109262**If patented land the owner is **J. G. Rogers**Address **Artesia, New Mexico**We propose to drill well with drilling equipment as follows: **Rotary tools from surface to total depth.**The status of plugging bond is **Blanket Bond on File with Commission**Drilling Contractor **Gackle Drilling Corporation**  
**Fort Worth, Texas**We intend to complete this well in the **San Andres "Atoka"** formation at an approximate depth of **1900** feet.

## CASING PROGRAM

We propose to use the following strings of Casing and to cement them as indicated:

Size of Hole	Size of Casing	Weight per Foot	New or Second Hand	Depth	Sacks Cement
<b>11</b>	<b>8-5/8"</b>	<b>24#</b>	<b>New</b>	<b>1250</b>	<b>*</b>
<b>7-7/8</b>	<b>5-1/2"</b>	<b>14#</b>	<b>New</b>	<b>1900</b>	<b>150 to circ. 50'</b>
					<b>above bottom of</b>
					<b>8-5/8" csg. as</b>
					<b>verified by temp.</b>
					<b>survey.</b>

If changes in the above plans become advisable we will notify you immediately.

ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)

\* **450sx of 2% gel + 1 pound tuf plug per sack and 100 sx neat circulated to surface.**

APR 8 1957

Approved....., 19.....  
Except as follows:

Sincerely yours,

**Pan American Petroleum Corporation**  
(Company or Operator)By **Ralph Hendrickson**Position **Field Superintendent**  
Send Communications regarding well toName **R. L. Hendrickson**Address **Box 68**  
**Hobbs, New Mexico**

OIL CONSERVATION COMMISSION

By **M. L. Armstrong**Title **OIL AND GAS INSPECTOR**

NEW MEXICO  
OIL CONSERVATION COMMISSION

30-015-00224

Form C-128

Well Location and/or Gas Proration Plat

Date 2-20-57

Operator Pan American Petroleum Corp. Lease J. G. Rogers


Well No. 1 Section 23 Township 18 S Range 26 E NMPM

Located 405 Feet From North Line, 990 Feet From East Line,

Eddy County, New Mexico. G. L. Elevation \_\_\_\_\_

Name of Producing Formation \_\_\_\_\_ Pool \_\_\_\_\_ Dedicated Acreage \_\_\_\_\_

(Note: All distances must be from outer boundaries of Section)



SCALE: 1"=1000'

1. Is this Well a Dual Comp. ? Yes      No     .
2. If the answer to Question 1 is yes, are there any other dually completed wells within the dedicated acreage? Yes      No     .

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Name \_\_\_\_\_  
Position \_\_\_\_\_  
Representing \_\_\_\_\_  
Address \_\_\_\_\_

Date Surveyed 1-31-57

John W. West  
Registered Professional Engineer and/or  
Land Surveyor

## JOHN W. WEST ENGINEERING COMPANY

412 NORTH DAL PASO  
HOBBS, NEW MEXICO

February 1, 1957

Pan American Petroleum Corp.  
Hobbs, New Mexico

Gentlemen:

On January 31, 1957, a survey was made to locate your J. G. Rogers lease, well No. 1 at a point 405 feet from the north and 990 feet from the east lines of section 23, Twp. 18 South, Range 26 East, N.P.M., Eddy County, New Mexico.

A flag was set at a 3" pipe, the northeast section corner marker for section 24 and the transit was set at a bolt that marks the northeast corner of section 23 and the survey was started at this point, thence west 990.0 feet, thence south 330.0 feet for the location. Since this location fell within one foot of a ~~permanent~~ irrigation ditch an extra alternant location was made 75 feet on south being 405 feet from the north line. We then chained east from the original location 990 feet thence north 330 feet to the northeast corner of section 23, checking in with a minimum error.

I hereby certify that the foregoing survey was made in the field under my supervision and that the same is true and correct to the best of my knowledge and belief.

Respectfully submitted,



John W. West