

NEW MEXICO OIL CONSERVATION COMMISSION
DRAWER DD
ARTESIA, NEW MEXICO

East well

FIELD REPORT FOR ~~CEMENTING~~ ^{PLUGGING} OF WELLS

Operator <u>R.D. Collier</u>		Lease <u>SCRIPPS</u>		Well # <u>3</u>	
Location of Well	Unit <u>NW SE</u>	Section <u>25</u>	Township <u>19</u>	Range <u>26E</u>	County <u>EDDY</u>
Drilling Contractor	<u>L.V. Pennington</u>		Type of Equipment <u>Pulling unit</u>		

APPROVED CASING PROGRAM in Hole

Size of Hole	Size of Casing	Weight Per Foot	New or Used	Depth	Sacks Cement
	<u>9 5/8"</u>			<u>300'</u>	<u>?</u>
	<u>7"</u>			<u>912'</u>	<u>circulated 150 sks. + 300</u>
	<u>4 1/2"</u>			<u>1923'</u>	<u>circulated</u>

Casing Data:

Surface _____ joints of _____ inch _____ # Grade _____
(Approved) (Rejected) _____

Inspected by _____ date _____

Cementing Program

Size of hole _____ Size of Casing _____ Sacks cement required _____

Type of Shoe used _____ Float collar used _____ Btm 3 jts welded _____

TD of hole 1923 Set _____ Feet of _____ Inch _____ # Grade _____

New-used csg. @ _____ with _____ sacks neat cement around shoe

+ _____ sax _____ additives _____

Plug down @ _____ (AM) (PM) Date _____

Cement circulated _____ No. of Sacks _____

Cemented by Denton Witnessed by LOBLEY-12-13-62

Temp. Survey ran @ _____ (AM) (PM) Date _____ top cement @ _____

Casing test @ _____ (AM) (PM) Date _____

Method Used _____ Witnessed by _____

Checked for shut off @ _____ (AM) (PM) Date _____

Method used _____ Witnessed by _____

Remarks: _____

Well to be loaded with mud
& plugged as follows.

No. 1 25 sks at 1923' T.D. O.K.

No. 2 20 sks. at 700' O.K.