REPORT ON BEGINNING DRILLING OPERA-

OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Oil Conservation Commission or its proper agent within ten days after the work specified is completed. It should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shooting well, results of test of casing shut off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission. Indicate nature of report by checking below.

REPORT ON REPAIRING WELL

TIONS		
REPORT ON RESULT OF SHOOTING OR CHEM- ICAL TREATMENT OF WELL	REPORT ON PULLING OR ALTERING CASING	OTHERWISE
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	REPORT ON DEEPENING V	VELL
REPORT ON RESULT OF PLUGGING OF WELL		
8,1	6/48 :rte	sia. New Mexico
	Date	Place
OIL CONSERVATION COMMISSION, SANTA FE, NEW MEXICO Gentlemen:		
Following is a report on the work done and the results	s obtained under the heading noted above Kindle Well No	e at thein the
Company or Operator	Lease	
SWŁ of NEE of Sec. 26	, T 18 , R	<u>26</u> , N. M. P. M.,
	Eddy	County.
The dates of this work were as follows:		
Notice of intention to do the work was (was not) s	ubmitted on Form C-102 on	19
DETAILED ACCOUNT OF W	VORK DONE AND RESULTS OBTAIN	ED
Changed Operators as of as Brewer Drilling Co Kindle #	_	formerly known
Witnessed byName	Company	Title
Subscribed and sworn before me this	I hereby swear r affirm that the is true and correct Name Position Representing	e information given above
Subscribed and sworn before me this	I hereby swear r affirm that the is true and correct Name Position	e information given above
Subscribed and sworn before me this	I hereby swear r affirm that the is true and correct Name Position Representing Company or Comp	e information given above

製造器 (1) 10 mm (1) 10 mm (2) 10 mm

Fig. 1. Super Machine Methods (1997). The first of the control of the control