

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-73

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.O.S.	
LAND OFFICE	
OPERATOR	1

5a. Indicate Type of Lease
State <input type="checkbox"/> Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.

RECEIVED
AUG 28 1980

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. <input checked="" type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-	7. Unit Agreement Name
2. Name of Operator Yates Petroleum Corporation	8. Farm or Lease Name Platt
3. Address of Operator 207 South 4th Street - Artesia, NM 88210	9. Well No. 4
4. Location of Well UNIT LETTER M 660 FEET FROM THE South LINE AND 485' FEET FROM THE West LINE, SECTION 26 TOWNSHIP 18S RANGE 26S NMPM.	10. Field and Pool, or Wildcat Undes Yeso
15. Elevation (Show whether DF, RT, GR, etc.) 3333' GR	12. County Eddy

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER Plug Back, perf. & treat <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

TD 6405' - Pulled rods and tubing out of hole. WIH w/CIBP on wireline, set at 5400' - dumped 35 sacks of cement on top of plug. POOH. WOC.
TD 6405'; PBTD 5365'. WIH w/Strip gun on wireline and perforated 2758-2841' w/12 .50" holes as follows: 2758, 60, 63, 65, 67, 88, 89, 90, 91, 2830, 35 and 41'. POOH. WIH w/RBP on tubing set at 2904'. POOH. Sand Frac'd perforations w/3000 gallons 15% acid, 59800 gallons gelled 1% KCL water, 90000# sand (10000# mesh & 80000# 20-40 sand) w/ball sealers. Pulled RBP and installed pumping equipment.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Christine Johnson TITLE Geol. Secty. DATE 8-25-80

APPROVED BY W.A. Gussert TITLE SUPERVISOR DISTRICT II DATE AUG 28 1980

CONDITIONS OF APPROVAL, IF ANY: