

**Santa Fe, New Mexico**

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

**E. P. Campbell**  
(Company or Operator)

**Kleiman**  
(Lease)

Well No. 1-A, in SE  $\frac{1}{4}$  of SE  $\frac{1}{4}$ , of Sec. 27, T. 18 South, R. 26 East, NMPM.

Undesignated Pool, Eddy County.

Well is ~~200~~ <sup>660</sup> feet from South line and 330 feet from East line.

of Section 27 If State Land the Oil and Gas Lease No. is.....

Drilling Commenced.....**Sept. 24, 1958**....., 19..... Drilling was Completed.....**April 28**....., 19**59**.....

Name of Drilling Contractor.....**E. P. Campbell**.....

Address.....1603 South Broadway, Lubbock, Texas.....

Elevation above sea level at Top of Tubing Head.....33331..... The information given is to be kept confidential until

~~not confidential~~....., 19.....

No. 1, from 5302 to 6160 No. 4, from \_\_\_\_\_ to \_\_\_\_\_

No. 2, from.....to..... No. 5, from.....to.....

No. 3, from.....to..... No. 6, from.....to.....

**Include data on rate of water inflow and elevation to which water rose in hole.**

No. 1, from 450 to 500 feet.

No. 2, from 920 to 950 feet.

No. 3, from.....to.....feet. ....

No. 4, from ..... to ..... feet. ....

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8-5/8"	2 1/4#	New	1010	Comb. float			Surface Csg.
5-1/2"	1 1/4#	New	6425	Comb. float		5302-61601	Prod. String

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
12 1/4"	8-5/8"	1010'	500	Cemented		
7 7/8"	5-1/2"	6425	1300	Cemented		

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

(see attached sheet)

### Result of Production Stimulation.....

..Depth Cleaned Out.....6271

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 6488 feet, and from feet to feet.  
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing April 28, 1959  
OIL WELL: The production during the first 24 hours was 10 barrels of liquid of which 100% was oil; 47% was emulsion; % water; and % was sediment. A.P.I. Gravity.  
GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.  
Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy	T. Devonian	T. Ojo Alamo
T. Salt	T. Silurian	T. Kirtland-Fruitland
B. Salt	T. Montoya	T. Farmington
T. Yates	T. Simpson	T. Pictured Cliffs
T. 7 Rivers	T. McKee	T. Menefee
T. Queen	T. Ellenburger	T. Point Lookout
T. Grayburg 870	T. Gr. Wash	T. Mancos
T. San Andres 1120	T. Granite	T. Dakota
T. Glorieta 2650	T.	T. Morrison
T. <del>Permian</del> 2990 - Blinabry	T.	T. Penn
T. <del>Permian</del> 3990 - Bone Spring	T.	T.
T. Abo 5290	T.	T.
T. Penn	T.	T.
T. Miss	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	6488	6488	limestone				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

April 28, 1959  
Company or Operator E. P. Campbell Address 1603 So. Broadway, Lubbock, Texas  
Name E. P. Campbell Position Title Geologist