

OIL CONSERVATION DIVISION

P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

RECEIVED

Form C-103
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.O.S.	
LAND OFFICE	
OPERATOR	

JUN 11 1981

5a. Indicate Type of Lease
State ☐ For ☒

5. State Oil & Gas Lease No.

O. C. D.

ARTESIA, OFFICE

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

OIL WELL ☒ GAS WELL ☐ OTHER- Plugback

Name of Operator

Yates Petroleum Corporation ✓

Address of Operator

207 South 4th St., Artesia, NM 88210

Location of Well

UNIT LETTER P 660 FEET FROM THE South LINE AND 330 FEET FROM
THE East LINE, SECTION 27 TOWNSHIP 18S RANGE 26E NMPM.

7. Unit Agreement Name

8. Farm or Lease Name

Kleeman "PB"

9. Well No.

2

10. Field and Pool, or Wildcat
Atoka-Yeso

15. Elevation (Show whether DF, RT, GR, etc.)

3333' GR

12. County
Eddy

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

REMEDIAL WORK ☐

ALTERING CASING ☐

TEMPORARILY ABANDON ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☐

DRILL OR ALTER CASING ☐

CHANGE PLANS ☐

CASING TEST AND CEMENT JOBS ☐

OTHER Status report, perforate, treat ☒

OTHER ☐

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

WELL NAME CORRECTION: FROM: Kleeman "QV" #2
TO: Kleeman "PB" #2

Pulled rods & tubing. WIH w/CIBP on wireline. Set CIBP at 5100' w/35' cement on top. Ran Gamma Ray Neutron log w/casing collars & cement bond log. WIH w/wireline gun & perforated Yeso from 3834-52' w/10 .50" holes as follows: 3834, 36, 38, 40, 42, 44, 46, 48, 50, & 52'. WIH w/Guiberson packer & seating nipple on 122 jts of 2-7/8" tubing. Set packer at 3804'. Treated perms (via tubing) w/2500 gals 15% regular acid. Swabbed well. Pulled tubing & packer. WIH w/wireline gun & perforated 3516-24' w/9 .50" holes as follows: 3516, 17, 18, 19, 20, 21, 22, 23, 24'. WIH w/packer & RBP. Set RBP at 2652'. Set packer above perms at 3463'. Treated w/1500 gals 15% regular acid. Perforated next Yeso zone at 3350-3414' w/casing gun w/21 .45" holes as follows: 3350, 51, 52, 53, 54, 55, 69, 70, 71, 72, 73, 3403, 04, 05, 06, 07, 08, 09, 10, 11, 12'. WBIH w/packer & RBP. Set RBP at 3505'. Acidized perms 3350-3414' w/2000 gals 15% regular acid. Show of oil & gas. Will continue testing well.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Quanta Goodwin

TITLE Engineering Secretary

DATE 6/10/81

APPROVED BY W.A. Gussot

TITLE SUPERVISOR, DISTRICT II

DATE JUN 11 1981

CONDITIONS OF APPROVAL, IF ANY: