

Santa Fe, New Mexico

WELL RECORD

AREA 640 ACRES
LOCATE WELL CORRECTLY

Everest

.....
(Company or Operator)

(Lease)

Well No. 2 in NW $\frac{1}{4}$ of SW $\frac{1}{4}$ of Sec 14, T 18 S, R 26 E., NMPM.

Atoka

Eddy

Pool

..County.

Well is 2310 feet from South line and 990 feet from West line

of Section 14..... If State Land the Oil and Gas Lease No. is.....

Drilling Commenced Nov. 18 1957 Drilling was Completed Nov. 29, 1957

Name of Drilling Contractor..... **Waters Drilling Co.**

Address.....Artesia, N. Mex.

Elevation above sea level at Top of Tubing Head 3337 KB The information given is to be kept confidential until

....., 19.....

No. 1. from 1666 to 1674 No. 4. from _____ to _____

No. 2. from to No. 5. from to

No. 3. from to No. 6. from to

[illegible]

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 0 to 710 feet. Possible.

No. 2, from 1045 to 1100 feet.

No. 3, from to feet.

No. 4, from to feet.

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8 5/8	24#	New	1087				Surface string
5 1/2	14#	New	1731				Production str

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. BAGS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
	8 5/8	1087	475	Halliburton		
	5 1/2	1731	450	Halliburton		

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Perforated 5½" casing from 1666 to 1674 with 4 shots per foot.

Sand-fractured well from 1666 to 1674 with 10,000 gallons heavy oil and 10,000 pounds heavy sand, running 250 gallons MCA ahead of fracturing treatment.

Result of Production Stimulation..... 100 barrels of oil and no water in 24 hours.

.....1733 KB

ORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 1743 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing December 7, 1957.

OIL WELL: The production during the first 24 hours was 100 barrels of liquid of which 100 % was oil; % was emulsion; % water; and % was sediment. A.P.I. Gravity 38


GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of liquid Hydrocarbon. Shut in Pressure lbs.
Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy.	T. Devonian	T. Ojo Alamo	
T. Salt	T. Silurian	T. Kirtland-Fruitland	
B. Salt	T. Montoya	T. Farmington	
T. Yates	T. Simpson	T. Pictured Cliffs	
T. 7 Rivers	T. McKee	T. Menefee	
T. Queen	T. Ellenburger	T. Point Lookout	
T. Grayburg	T. Gr. Wash	T. Mancos	
T. San Andres 969	T. Granite	T. Dakota	
T. Glorieta	T.	T. Morrison	
T. Drinkard	T.	T. Penn	
T. Tubbs	T.	T.	
T. Abo	T.	T.	
T. Penn	T.	T.	
T. Miss	T.	T.	

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	460	460	Clay, mud, gravel, anhydrite & lost circulation material.				
460	763	303	Anhydrite & sand				
763	1010	247	Anhydrite				
1010	1112	102	Anhydrite & lime				
1112	1388	276	Lime				
1388	1743	355	Lime & dolomite.				
1743	Total	Depth					



ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

December 31, 1957 (Date)
Company c- Operator Martin Yates, III Address 312 Carper Bldg., Artesia, N.Mex.
Name Nola Carder Position or Title Bookkeeper