

		990					
2310	.						

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES
LOCATE WELL CORRECTLY

STANDARD OIL COMPANY OF TEXAS
(Company or Operator)

Paul Terry
(Lease)

Well No. 2, in NE 1/4 of NW 1/4, of Sec. 14, T. 18S, R. 26E, NMPM.

Undesignated

Pool, Eddy

County.

Well is 2310 feet from West line and 990 feet from North line

of Section 14. If State Land the Oil and Gas Lease No. is - - -

Drilling Commenced November 9, 1956 Drilling was Completed November 22, 1956

Name of Drilling Contractor Waters Drilling Company

Address P. O. Box 144, Artesia, New Mexico

Elevation above sea level at Top of Tubing Head 3314 The information given is to be kept confidential until - - -, 19 - - -

OIL SANDS OR ZONES

No. 1, from 1494 to 1502	No. 4, from 1678 to 1684
No. 2, from 1578 to 1588	No. 5, from 1703 to 1712
No. 3, from 1636 to 1665	No. 6, from - - - to - - -

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from None tested to - - - feet.
No. 2, from - - - to - - - feet.
No. 3, from - - - to - - - feet.
No. 4, from - - - to - - - feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8 5/8	24	New	1181	Floot	None	None	Surface string
5 1/2	14	New	1718	Floot	None	1634-1666	Oil string

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
11	8 5/8	1192	450	Pump and plug	10.3 lbs. per gal.	Hole full
7 7/8	5 1/2	1727	350	Pump and plug	8.9 lbs. per gal.	Hole full

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Acid washed perforated interval with 500 gallons of mud acid and fractured with 10,000 gallons crude oil and 10,000 pounds of sand.

Result of Production Stimulation Flow 179 barrels oil, 24 hours, 17/64 choke, TP 300 psi, CP 430 psi.

Depth Cleaned Out 1732

CORD OF DRILL-STEM AND SPECIAL TF

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from surface feet to 1730 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing November 25, 1956

OIL WELL: The production during the first 24 hours was 460 barrels of liquid of which 98.0 % was
was oil; % was emulsion; % water; and 2.0 % was sediment. A.P.I.
Gravity 38.6

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of
liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy	T. Devonian	T. Ojo Alamo
T. Salt	T. Silurian	T. Kirtland-Fruitland
B. Salt	T. Montoya	T. Farmington
T. Yates	T. Simpson	T. Pictured Cliffs
T. 7 Rivers	T. McKee	T. Menefee
T. Queen	T. Ellenburger	T. Point Lookout
T. Grayburg	T. Gr. Wash	T. Mancos
T. San Andres 954	T. Granite	T. Dakota
T. Glorieta	T.	T. Morrison
T. Drinkard	T.	T. Penn
T. Tubbs	T.	T.
T. Abo	T.	T.
T. Penn	T.	T.
T. Miss	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
-0-	10	10	Drive bushing to ground				
10	896	886	Sand and gravel				
896	1190	294	Dolomite				
1190	1730	540	Anhydritic dolomite				
							5
							1
							2
							1
							1
							✓

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator Address Bin B, Royalty, Texas

Name Position or Title District Engineer

December 10, 1956
(Date)