<u></u>				•			,	C	(Perm C-165)
		╞╼╋╸			NEW MEXIC	XO OIL CO	NSERVATION G	OMMESSION	
-┼╄-		┟╶┼╸	+			Santa Fe	, New Mexico		
-+-+						٩		N .	~ <b>G</b> \$7
0					i	WELL	RECORD		
7									lan ser
980							Commission, to whi		
							well. Follow instruct ICATE, If Sta		
LOCA	AREA 640 AC Te well co	res Recti	.т						
		(Compa	ny or Operal	tor)	10 <sup>-1</sup>		Lease)		
1 No		ر و , in	<b>I</b> V			<b>k</b> , :	r. <b>185</b>	R. 265	, NMPM
					•				-
l is	1960	fa	et from	South	line and	660	feet from	Vert	line
-							ted		
	-								
			•						
		-	-	Head		The	information given i	is to be kept con	fidential until
	•••••••••••••••••••••••••••••••••••••••			, 19					
					OIL SANDS OR 2				
•									
									••••••••••••••••••••••
3, from			to.		No. (	5, from	•••••••	to	
				IMP	ORTANT WATE	SANDS		~ .	
					ch water rose in ho				
-					<u></u>			ngton wtr s	
-					1200		260	6	
•							feet	•••••••	
4, irom				to		•••••	Icci,	•••••	·····
		<u> </u>			CASING RECO	RD		······	
SIZE	WEIG PER F		NEW OI USED	R AMOUN	t shoe	CUT AND PULLED FRO	M PERFORATIO	NS PUI	RPOSE
-3/8	540	5	Xer	1187.0	3 Lexitin			Wez, L	relucton.
<u>-5/8</u>	30	.23	<u>Nett</u>	2982.2	Beker	+	9079-9116	Protect	<u>i ve stri</u>
								le vir i	hut off
				WIDDI			D		
SIZE OF	SIZE OF	1277	<b>ERE</b>	NO. BACKS	METHOD		MUD	AMOUNT	OF
HOLE	CABING	8	ET	OF CEMENT	USED		GRAVITY	MUD US	
	<u>13-3/8</u> 6	1206	03 15	1500	Circ. Cat.	-/			
-3/4	1	9370	.00	600	Cast to 716				
		1						· · · · · · · · · · · · · · · · · · ·	
				RECORD O	F PRODUCTION	AND STIMU	LATION		
		()	Record the	e Process used,	No. of Qts. or Ga	ls. used, inter	val treated or shot.)	)	
		,		school w/FO	o gals mud a	4.23			
	Ne	<b>DO (</b>		DUOU W/ 2V	A Rar o way o				•••••••••

.....

Result of Production Stimulation.....

.....

## 

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

				Ţ	OOLS	USED				
Rotary too	ols were	used from	0 (	cet to 10,54	2	feet, and	d from		feet to	feet
Cable tool	ls were u	sed from		eet to		feet, and	d from		feet to	fee
				P	BODU	TION				
Put to Pro	oducing	simt i	a 9-21	, 19	57					
OIL WEI		-				÷	har	rels of lig	uid of which	(/
OIL WEI		-				:				
		-		·			% water	; and	% was s	ediment. A.P.
	×	-	******	•	-				· · · · · · · · · · · · · · · · · · ·	
GAS WEI	LL: Th	e productio	n during the first 2	4 hours was 23	,000.		I.C.F. pl	us. 12	Hols, 56°/mcf	barrels
	liq	uid Hydroc	arbon. Shut in Pres	surc <b>3670</b>	lbs.				producing as the	
Length of	f Time S	hut in <b>2</b>	lor potentia	1	•••••••	* *	marke	et at p	resent	
			-			TORMANC	E WITH	I GEOGB	APHICAL SECTION	··· <b>)F STATE</b> ):
<b>1</b>			Southeastern N						Northwestern New	
T. Anhy				T. Devonian		46 (65	74)	Т.	Ojo Alamo	
T. Salt		••••••	·			·····			Kirtland-Fruitland	
			· · · · · · · · · · · · · · · · · · ·	-		10, 167 (-7925) T. Farmington				
				-					Pictured Cliffs	
									Point Lookout	
T. Graył	burg			T. Gr. Wash	L	• •		<b>T</b> .	Mancos	••••••
			368)				· · - ·		Dakota	
T. Glori	eta <b>30</b> ,	2365(+ 91:09	977.)	T T					Morrison Penn	
				T T					renn	
				т						
			(-5368)	Т				Т.		•••••
T. Miss.	9427	(6083	)	T		N BRGO		Т.	••••••	••••••
			· ·	FORM.		N RECO	KD .		<u></u>	
From	То	Thickness in Feet	Fo	rmation		From	То	Thickness in Feet	Formatio	n
		_								
975	2366	1391	SanAndres							
	2492	126 2008	Glorietta <b>Ieso</b>			-				
1510			Abo	•				1. J. 1. 1.		
	9272 5427	561 155	Bend (Atek Barnett	a Sd)					MULOMMISSIO	N
	9916	189	Miss						CEFICE	<b></b>   <u>_</u>
	0367	451	Devoni.en				···•			
0,367	· ·		Montoya							
								· ·		_
								n en en l'ora : Non en la composition		
					÷		114	1	*	
					*					·
										-
						0			1	

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator STAL DARD
Name Chas. F. Darner H

10-26-57	
	(Date)
Address Prode Depte, Bin "BE, Roya ty,	
Position or Title	