NEW MEXICO OIL CONSERVATION COMMISSIC

Santa Fe, New Mexico

JUL 3 1 1957

## MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work picture is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or Net rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

## Indicate Nature of Notice by Checking Below

| NOTICE OF INTENTION<br>TO CHANGE PLANS TEMPORARILY ABANDON WELL |                     | NOTICE OF INTENTION<br>TO DRILL DEEPER  |  |
|---|---------------------|---|--|
| NOTICE OF INTENTION   |                     | Notice of Intention                     |  |
| TO PLUG WELL TO PLUG BACK                                       |                     | to Set Liner                            |  |
| Notice of Intention<br>to Squeeze to Acidize                    |                     | Notice of Intention<br>to Shoot (Nitro) |  |
| Notice of Intention   | NOTICE OF INTENTION | Notice of Intention                     |  |
| to Gun Perforate  | (Other)             | (Other)                                 |  |

OIL CONSERVATION COMMISSION SANTA FE, NEW MEXICO

Artesia (Place) 7-3-57

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the STANDARD OIL COMPANY OF

| TELAS                             | Stroup Well No. 1       | . C    |
|-----------------------------------|-------------------------|--------|
| (Company or Operator)             |                         | (Unit) |
| SW 1/4 BE 1/4 of Sec. 11. T' 18-S | , R. 26-E ,NMPM., Atoka | Pcol   |
| EddyCounty.                       |                         |        |

## FULL DETAILS OF PROPOSED PLAN OF WORK (FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

Sand-Acid Free, the interval from 1682' to 1700' some "c", San Andres with 30,000 gal. 715 HCL, MLT, Non-emulsion, 30,000# 20-40 mesh sand, and 4500# F-5, 10-15 CC water loss. fresh to it water is mixedial by volume with 15% HBI. The frac is to be down the caming with a maximum pressure of 2800# through 52", 14# ft casing. this is a set thru completion and frac is thru perfs four holes/ft.

| Approved                                | STANDARD OTL COMPANY OF TEXAS<br>By Chas. F. Durner                 |
|---|---|
| Approved<br>OIL CONSERVATION COMMISSION | PositionDISTRICT ENGINEER<br>Send Communications regarding well to: |
| By ML Unstrong<br>OIL AND GAS INSPECTOR | Name  |
| Title                                   | Address   |



:



.