form 9-331 a. (Feb. 1951)				A	udget Bureau No. 42-R30 pproval expires 12-31-60.
	<u> </u>	(SUBMIT	IN TRIPLICATE)	Land Offic	
	MAR 11		ED STATES	Lease No.	
ROVED	att			DIOD Unit	0
	GT + ANGINEER.		OF THE INTE	RIOR	RECEI
KAT	STATE ENGL	GEOLO	GICAL SURVEY		
Ľ	BOSWELL, NEW MEXICO	•			MAR 1 5
	SUNDRY N	NOTICES A	ND REPOR	rs on we	
				T OF WATER SHUT-OFF	ARTESIA, OF
	TENTION TO DRILL			T OF SHOOTING OR ACI	
-	NTENTION TO CHANGE PLANS			1	
	OF INTENTION TO RE-DRILL OR REPAIR WELL		T OF RE-DRILLING OR R	EPAIR	
NOTICE OF INTENTION TO RE-DRILL O			SUBSEQUENT REPOR	T OF ABANDONMENT	
1	TENTION TO PULL OR AL	1	SUPPLEMENTARY WI	ELL HISTORY	
1	TENTION TO ABANDON WI				
	INDICATE	ABOVE BY CHECK MARK	NATURE OF REPORT, NOT	CE, OR OTHER DATA)	
			Februar		. 19.
U.J.A.	I.H. Herbold		E. A.M. 1999	3 ••••)	, 19
•		. 330 / /	N. 16	50 (E)	
Well No.	is locate	d tt. trom	$\left\{ \begin{array}{c} \mathbf{N} \\ \mathbf{S} \end{array} \right\}$ line and \mathbf{M}	\mathbf{T} it. from \mathbf{T}	line of sec.
			()		
eu/L ez/	L Rec. 1L	Tw17=0	-27-1		
	and Sec. No.)		(Range)	(Meridian)	
(14 Bec.	and Sec. No.)	(Twp.)	(Range)	Hew Mass	
(14 Bec. Undesign	and Sec. No.) BLOG (Field)	(Twp.) Eddy (County o		State or T	erritory)
Underland Underland	and Bec. No.) Bted (Field) on of the derrick f	(Twp.) (County o floor above sea lev DETAI	(Range) r Bubdivision) rel is ft. LS OF WORK weights and lengths of	State or T (State or T Furnich Later	erritory)
(State names of We propo tost Abo Hole Sig	and Bec. No.) ated (Field) on of the derrick f and expected depths to c e to drill th formation. C	(Twp.) (County o (County o floor above sea lev DETAI bijective sands; show siz ing points, and all o above well	(Range) P Subdivision) rel is ft. LS OF WORK	State or T (State or T Furnich later f proposed casings; indic work)	erritory) • ate mudding jobs, cem
(State names of He propo test Abo Hole Sis 7-7/8"	and Bec. No.) ated (Field) on of the derrick f and expected depths to c e to drill th formation. C Casing Si	(Twp.) Iddy (County o County o floor above sea lev DETAI objective sands; show siz ing points, and all o sealing program <u>sealing program</u> <u>sealing program</u> <u>sealing program</u> <u>sealing program</u>	(Range) r Subdivision) rel is ft. LS OF WORK se, weights, and lengths of ther important proposed Le approximate	State or T (State or T Furnich later f proposed casings; indic work)	erritory) • ate mudding jobs, cem
(State names of We propotest Abo Hole Sig 7-7/8" Hote: Pl * Suffi.	and Bec. No.) ated (Field) on of the derrick f and expected depths to c e to drill th formation. C <u>Casing Si</u> <u>8-5/5</u> <u>4-1/2</u> cient to tie b	(Twp.) (County o (County o County o County o DETAI sbjective sands; show size ing points, and all o the above well (asing program <u>se - Veight</u> 3.56 mase number. pack into 8-5/8	(Range) r Subdivision) rel is ft. LS OF WORK re, weights, and lengths of the approximately will be as follow Subdivision) Composition of the second perturbation of the second Subdivision) Subdivision) rel is	State or T (State or T Furnish later f proposed casings; indic work) y 6500' with Llows; Con Cly 850	ate mudding jobs, com rotary tools culated sx. *
(State names of We propotest Abo Hole Sig 7-7/8" Hote: Pl * Suffi.	and Bec. No.) ated (Field) on of the derrick f and expected depths to c e to drill th formation. C <u>Casing Si</u> 5-5/0 ⁶ 4-1/2 ⁶ cient to tie b d that this plan of work i	(Twp.) (County o (County o County o County o DETAI sbjective sands; show size ing points, and all o the above well (asing program <u>se - Veight</u> 3.56 mase number. pack into 8-5/8	(Range) (Ra	State or T (State or T Furnish later f proposed casings; indic work) y 6500' with Llows; Con Cly 850	ate mudding jobs, com rotary tools culated sx. *
(State names of Ne propo test Abo Hole Sig 7-7/8" Hote: Pl * Suffi. I understand Company	and Bec. No.) ated (Field) on of the derrick f and expected depths to o ee to drill th formation. C <u>Casing 81</u> <u>8-5/0 4-1/2</u> case insert 10 cient to tie b d that this plan of work to Pan American	(Twp.) (County o (County o (County o floor above sea lev DETAI objective sands; show siz ing point, and all o be above well ading program <u>see - Velicht</u> 9.56 must receive approval in Peproleum Cor	(Range) r Subdivision) rel is ft. LS OF WORK s. weights, and lengths of the important proposed to approximatel will be as for Depth 1500 6500 3" surface casi writing by the Geologica porstion	State or T (State or T Furnish later f proposed casings; indic work) y 6500' with Llows; Con Cly 850	ate mudding jobs, com rotary tools culated sx. *
(Je Bee. Understand (State names of Ve propo test Abo Hole 319 7-7/8" Note: Pl * Suffi.	and Bec. No.) ated (Field) on of the derrick f and expected depths to c e to drill the formation. C <u>Casing 81</u> <u>8-5/5</u> <u>4-1/2</u> cient to tie b d that this plan of work i Pan American Box 66	(Twp.) (County o (County o County o Boor above sea lev DETAI bijective sands; show size ing points, and all o the above well (asing program the - Weight Solution 9.56 must receive approval in Poproleum Cor	(Range) (Ran	(State or T (State or T Furnish later f proposed casings; indic work) y 6500' with Llows; Can Clr 850 Lngo I Survey before operation	ate mudding jobs, cem rotary tools culated sx, *
(State names of Ne propo test Abo Hole Sig 7-7/8" Hote: Pl * Suffi. I understand Company	and Bec. No.) ated (Field) on of the derrick f and expected depths to c ee to drill th formation. C <u>Casing Bi</u> <u>5-5/5</u> <u>4-1/2</u> ^o case insert 10 cient to tie b d that this plan of work n Pan American Box 68 Hobbs	(Twp.) (County o (County o Roor above sea lev DETAI bijective sands; show siz ing points; and all o a above well (a ading program <u>se - Velcht</u> <u>200</u> 9.56 mase zumber. back into 8-5/8 must receive approval in Peproleum Cor	(Range) r Subdivision) rel is ft. LS OF WORK s, weights, and lengths of ther important proposed to approximately rill be as fol Depth 1300 6500 3" surface casi writing by the Geologica porstion 1900 By	(State or T (State or T Furnish later f proposed casings; indic work) J 65001 with Llows; Con Circles S50 Llows; Con Circles S50 Llows; Con Circles S50 Llows; Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles	ate mudding jobs, cem rotary tools oulsted sx, *
(State names of Ne propo test Abo Hole Sig 7-7/8" Hote: Pl * Suffi. I understand Company	and Bec. No.) ated (Field) on of the derrick f and expected depths to c ee to drill th formation. C <u>Casing Bi</u> <u>5-5/5</u> <u>4-1/2</u> ^o case insert 10 cient to tie b d that this plan of work n Pan American Box 68 Hobbs	(Twp.) (County o (County o Roor above sea lev DETAI bijective sands; show siz ing points; and all o a above well (a ading program <u>se - Velcht</u> <u>200</u> 9.56 mase zumber. back into 8-5/8 must receive approval in Peproleum Cor	(Range) r Subdivision) rel is ft. LS OF WORK s. weights, and lengths of the important proposed to approximatel will be as for Depth 1500 6500 3" surface casi writing by the Geologica porstion	(State or T (State or T Furnish later f proposed casings; indic work) J 65001 with Llows; Con Circles S50 Llows; Con Circles S50 Llows; Con Circles S50 Llows; Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Con Circles S50 Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles Circles	ate mudding jobs, cerr rotary tools out out of sx, *

GPO 862040

			ONSERVATION	COMMISSION	FORM C-13 Revised 5/1/3
			1. 3. S. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4. 4.	N THE REVERSE SIDE	こうしょう たわ きっとう
		SE	CTION A		
Pan America			-		Well No.
ait Letter Section	n Petrolonn G	arb	HSA - Jo	Ho Harbald	
0 3	17 9	mth	27 Kast	Eddy	
ctual Footage Location	d Vell:			al.	
	reducing Formation	lies and	<u>330</u> fee	et from the Settith	line
walsh labor	Abo		Indre Abe		Dedicated Acreage:
	4				("Ouner" means the peri
mother. (65-3-29 (a . If the answer to quest	ion one is "no," have the second s	isterests of a yes,'' Type of (all the owners been c Consolidation	onsolidated by communi	tization agreement or other-
			Land Descrip		
-		· · · ·			
			l	·····	
	SECTI	DN B			CERTIFICATION
			i		certify that the information
i i					ON A above in true and com he best of my knowledge an
			1	belief.	
1			i		
			i	Name Origi	nal Signed by
		* *** **		I W	BROWN
8	l.		1	ATT A	westerbending.
			l I	Company	
			i	Date	
i i i i i i i i i i i i i i i i i i i			1	Polare	
i	2			G	
			. i	I hereby c	ettify that the well location
				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
				shown on	the plat in SECTION B was
				plotted fr	the plat in SECTION B was in field notes of actual ada by me as Millier my
				plotted fr surveys supervisio	m field notes of actual ade by me ar Million my a, and that the same is sur-
5 5				plotted fro surveys a supervision and conve	m field notes of actual ada by me or didion my a, and that the same is true x to the best of my knowled
50 				plotted fr surveys supervisio	m field notes of actual ada by me or didior my a, and that the same is true x to the best of my knowled
				plotted for surveys a supervision and conver- and belief	m field notes of actual ada by me or didior my a, and that the same is true x to the best of my knowled
				plotted fr surveys a supervision and conver- and belief	on field notes of actual ada by me er didio my a, and that the same is are x to the best of my knowled
				plotted for surveys a supervision and conver- and belief Daty Survey	m field notes of actual ada by not or finder my m, and that the same is true x to the best of my inculad 19, 1960
				plotted for surveys in anpervision and conver- and belief Daty Survey Registrates	m field notes of actual ada by us at hiter my m, and that the same is are x to the best of my knowled 19, 1960 grad
7				plotted for surveys in anpervision and conver- and belief Daty Survey Registrates	m field notes of actual ade by no or high my m, and that the same is sure X to the best of my knowled 19, 1960 yed

.

.

10 - A

JOHN W. WEST ENGINEERING COMPANY RECEIVED

412 NORTH DAL PARS HOBSS, NEW MEXICO

MAR 1 5 1960

DIAL 3-6770

February 20, 1960

O. C. C.

Pan American Petroleum Corp., P. O. Bex 68, Hebbs, New Mexice.

Gentlemen:

m. 3-3542

On February 19, 1960, a survey was made to locate your USA - J. H. Harbeld Well No. 1 at a point 1650 feet from the east line and 330 feet from the south line of Sec. 34, Twp 17 S, Rng 28 E, N.M.P.M., eddy County, New Mexico.

Beginning at a point marked by a 2 inch iron pipe with a brass plate inscribed as the common corner of Sec. 34, and 35, Twp 17 S, Rng 28 K, and Sec. 2, and 3, Twp 18 S, Rng 28 K, N.M.P.M.; thence chaing along the south boundary line of Sec. 34, bearing S 89° 53' W, a distance of 1650 feet to a point marked by a 2 inch wooden hub, from which chaining S 89° 53' W, along the south boundary line of said Sec. 34 modistance of 9000 freet to a point marked by a 1 inch iron pipe with a brass plate inscribed as the south quarter corner of said Sec 34, common to the north quarter corner of Sec 3, Twp 18 S, Rng 28 E; thence turning to a bearing of N 0° 33' W, and chaining along a line parallel to the east boundary line of the SWt of the SEt of said Sec. 34 a distance of 330 feet to a point marked by a $\frac{1}{2}$ inch iron pin the location of your USA - J. H. Harbold Well No. 1.

I hereby certify that the foregoing survey was made in the field under my supervision and that the same is true and correct to the best of my knowledge and belief.

Respectfully submitted,

mW/best

Jehn W. West.