Form 9-831 a (Feb. 1951)	CUPY TO O. C. C.	Budget Bureau No. 42-R358.4. Approval expires 12-31-60.
	(SUBMIT IN TRIPLICATE) UNITED STATES ARTMENT OF THE INTERIOR	Lease No. L. C. C. C. C. H. A. Unit
ACTING DISTRICT ENGINE	GEOLOGICAL SURVEY	

## SUNDRY NOTICES AND REPORTS ON WELLS

YING	TICE OF IN	TENTION TO	DRILL			SU	BSEQUENT	REPORT O	OF WATER S	HUT-OFF.		
H NO	TICE OF IN	TENTION TO	CHANGE PLAN	S		11			of shootin			
NO	TICE OF IN	TENTION TO	TEST WATER	SHUT-OFF.		su	BSEQUENT	REPORT O	OF ALTERIN	G CASING	i	
NO	TICE OF IN	TENTION TO	RE-DRILL OR		EU	su	BSEQUENT	REPORT O	OF RE-DRILL	ING OR I	REPAIR	
NO	TICE OF IN	TENTION TO	SHOOT OR AC	IDIZE		su	BSEQUENT	REPORT C	OF ABANDON	MENT		
NC	TICE OF IN	TENTION TO	ULL OR ALTI	ER CASING		su	PPLEMENT	ARY WELL	HISTORY			
NO	TICE OF IN	TENTION TO	ABANDON WEI	L								
Ų.	A NALC	o refix			CHECK MARK Una Te			r, NOTICE,			16	,
			SPIES *7	<b>7</b> •	Wate	c Andar			Pebr	uary.		2
		o refix	SPIES *7	<b>7</b> •	Wate	c Andar			Pebr	uary.		2
Wel	l No	1	KRIES *	<u> </u>	Terater	- {S }	line and	650	Febr	uary.		2
Wel 11w/1	I No SW/L (34 Sec Trades		is located	1980 13 - (Twp	Terater		line and	650	ft. froi aridian)	n E W		sec

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

## We propose to drill the above well with rotary tools to an approximate depth of 6200' to test the Abe. Casing program will be as follows:

Size of Hole	Size of Casing	Depth	Generat
11	8-5/8	950	Circulate 2% Gel with 100 sacks neat on bin.
7-7/8	5-1/2	6135	150

## NOTE: Please insert lease mamber.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company .	Pan American Petroleum Corper	etion	
Address	Post Office Box 68		
	Hobbs, New Nextco	<b>Ör</b> igina 24 By	
		Title Field Superintendent	

GP0 918507

1					·····	<u> </u>		
	WELL	NEW MEXI				· ·		FORM C-128 Revised 5 (1/57
		ISTRUCTIONS						
·····				ECTIO				
Operator				Lease			·····	Well No.
		et. Corr	).				efinerie	25 F   1
Unit Letter Sec L	tion 1	Township 1	.8 S	Rang	27 E	County	E <b>d</b> dy	
Actual Footage Locati				l		<b></b>		
		South	line and	66	<b>0</b> f	eet from the	West	line
Ground Level Elev.	Producing F	ormation Abo		Pool Enc	ire Abo			Dedicated Acreage:
<u></u>	1							
	o drill into an 9 (e) NMSA 19 estion one is NO 2	d to produce f 35 (omp.) "100," have th ( answer is ")	rom any pool e interests of yes,1' Type o	and to a <sub>i</sub> fall the f Consol	owners been idation	e production consolidate	either fo <del>mh</del> in 3 by comm	. ("Ouner" means the person nself or for himself and DECONECTONE
Owner		no, nscan			Land Descr			FEB1 8 1959
		•						
				ĺ				
		SECTIO	DN B				-   -	CERTIFICATION
							in SECTI plete to t belief.	certify that the information ON A above is true and com- the best of my knowledge and <b>Joint Signed by</b>
								W. BROWN
							Position <b>Field St</b> Company	iperintendent
	l.				ł			ican Petroleus Corr
					1		1 I.	ry 16, 1959
•660 '0 1080 1							shown on plotted fr surveys n supervisi and corre and belie Date Surv Registere and, or La	
0 330 660 990	1320 1650 1	980 2310 26	40 2000	1500	1000	500	Certificat	

## JOHN W. WEST ENGINEERING COMPANY

412 NORTH DAL PASO

February 12, 1959

Pan American Pet. Corp. Hobbs, New Mexico

Gentlemen:

EIAL 3-3942

On February 10, 1959, a survey was made to locate your U.S.A. Malco Refineries "i" No. 1 well at a point 1980 feet from the South line and 660 f et from the West line of Sec. 1, Township 18 South, Range 27 East, N.M.P.M., Eddy County, New Mexico.

A Flag was set at the USCLO Quarter corner marker common to Sections 1 and 2 and the the Transit was set up at the U.S. G.L.O. Section corner marker common to Sections 1, 2, 11 and 12. Thence chaining North from the Transit on the West line of Section 1 a distance of 1980 feet, thence East 660 feet to the location site of the USA Malco Refineries "F" No. 1 well. As a check on our survey we chained West from the location site 660 feet and thence North 609.5 feet to the USGLO Quarter corner marker common to sections 1 and 2, checking in within 0.6 feet of the distance as shown on the USGLO Township Plats.

I hereby certily that the foregoing survey was made in the field by me and that the same is true and correct to the best of my knowledge and belief.

Respectfully submitted,

John W. West

EEB181959