Form 9-881a		1	COPY TO O.C.	Budget Bureau No. 42-R358.4. Approval expires 12-31-60
(Feb. 1951)		(SUBMIT IN TRI	(PLICATE)	Land Office
		UNITED ST	TATES	Lease No.
			HE INTERIOR	Unit
				itu
-+	<u>JL 6 1959</u>	GEOLOGICAL	SURVEI	JUL 1 1 1959
	ER F BARAS			1201
	DISTRICT ENGINEED			
S	SUNDRY NOTIC	ES AND H	REPORTS O	N WELLS
NOTICE OF INTEN	TION TO DRILL			R SHUT-OFF
	TION TO CHANGE PLANS		SEQUENT REPORT OF SHOO	
	TION TO TEST WATER SHUT-OFF		EQUENT REPORT OF ALTER	
	TION TO RE-DRILL OR REPAIR WE		EQUENT REPORT OF RE-DE	
NOTICE OF INTEN	TION TO SHOOT OR ACIDIZE	SUBS	SEQUENT REPORT OF ABAN	DONMENT
NOTICE OF INTEN	TION TO PULL OR ALTER CASING.	SUPF	LEMENTARY WELL HISTOR	Y
NOTICE OF INTEN	TION TO ABANDON WELL			
	(INDICATE ABOVE BY C	HECK MARK NATURE O	F REPORT, NOTICE, OR OTH	ст. рата)
usa kaloo ne	FIRE ISS F			June 30 10 59
				, 19
Well No.	7 is located	ft. from_ Wi	ne and	m Filing of and
		5	ne and It. I	rom line of sec.
<b>8%/4 %%/4</b> 3	ection 1 153	) 27%		ę.
(1/ Sec. and	Sec. No.) (Twp.)	(Range)	(Meridian)	New MexicoRECEN
(Fiel	ampis the Get	(County or Subdivisio		(State or Territory)
(* ***	u) · Eksets			
	Enter in and the		- 	h later
The elevation	of the derrick floor abov	ve sea level is	Farml	
The elevation			ft.	U. S. GEOLOGICA
	of the derrick floor abov	DETAILS OF	ft. Formi	U. S. GEOLOGIC/ ARTESIA, NEW
(State names of and	of the derrick floor abov	DETAILS OF ds; show sizes, weights ts, and all other impor	ft. WORK	U. S. GEOLOGIC/ ARTESIA, NEW asings; indicate mudding jobs, coment-
(State names of and	of the derrick floor abov	DETAILS OF ds; show sizes, weights ts, and all other impor	ft. WORK and lengths of proposed of tant proposed work)	U. S. GEOLOGIC/ ARTESIA, NEW
(State names of and	of the derrick floor abov expected depths to objective sand ing point e drill the above	DETAILS OF ds; show sizes, weights ts, and all other impor	ft. WORK and lengths of proposed of tant proposed work)	U. S. GEOLOGIC/ ARTESIA, NEW asings; indicate mudding jobs, coment-
(State names of and	of the derrick floor abov expected depths to objective sance ing point drill the above t abo. Casing prog	DETAILS OF ds; show sizes, weights ts, and all other impor	ft. WORK and lengths of proposed or trant proposed work) ary tools to an as follows: Second	U. S. GEOLOGIC/ ARTESIA, NEW asings; indicate mudding jobs, coment-
(State names of and <b>Propose 1</b> <b>1003<sup>1</sup> to tem</b> <b>Size of Kole</b>	of the derrick floor abov expected depths to objective sance ing point drill the above t abo. Casing prog	DETAILS OF de; show sizes, weights te, and all other impor all with rote ron will be in with be	ft. WORK and lengths of proposed or trant proposed work) ary tools to an as follows: Second	U. S. GEOLOGIC/ ARTESIA, NEW asings; indicate mudding jobs, coment- sppreximate depth of gal plus 100 sacks
(State names of and se propose to 6200° to test Size of Hole 12-1/4	of the derrick floor abov expected depths to objective same ing point drill the above w t Abo. Caaing prog files of Casing 3-5/8	DETAILS OF de; show sizes, weights ts, and all other impor will with rote ron will be porth 1500	ft. WORK and lengths of proposed of trant proposed work) Ary tools to an as follows: Sement Circulate 25 neat on both	U. S. GEOLOGIC/ ARTESIA, NEW asings; Indicate mudding jobs, coment- sppreximate depth of gel plue 100 sanks Me
(State names of and se propose to 6200° to test Size of Hole 12-1/4	of the derrick floor above expected depths to objective sand ing point e drill the above w tabe. Caalag prog Size of Casing ta-5/9	DETAILS OF da; show sizes, weights ts, and all other impor will with rota rom will be Depth 1500	ft. WORK and lengths of proposed of trant proposed work) Ary tools to an as follows: Semant Circulate 25 neat on both 650 meets Len	U. S. GEOLOGIC/ ARTESIA, NEW asings; Indicate mudding jobs, coment- sppreximate depth of gel plus 100 sacks M.
(State names of and <b>Propose 1</b> <b>1001 to ter</b> <b>12-1/4</b> <b>7-7/0</b> <b>PROVAL</b> <b>ENGINEER</b> ON "APPLI	of the derrick floor above expected depths to objective sand ing point e drill the above w t Abo. Gasing prog disc of Casing t-5/8 IS SURI/PCT TO STA D REC CALLER OF TO STA	DETAILS OF de; show sizes, weights te; and all other impor all with return ren will be 	ft. WORK and lengths of proposed of trant proposed work) Ary tools to an as follows: Semant Circulate 25 neat on both 650 meets Len	U. S. GEOLOGIC/ ARTESIA, NEW asings; indicate mudding jobs, coment- sppreximate depth of gel plue 100 sacks m. as Star Incor plue Incor gel plue 100
(State names of and 2001 to to: 2001 to: 2001 to to: 2001 to to: 2001 to to: 2001	of the derrick floor above expected depths to objective sand ing point design above w table. Casing prog table. Casing prog tab	DETAILS OF de; show sizes, weights te; and all other impor- sell with return ren will be interval 1500 ATE 6200 DUIRED TO SIN.	ft. WORK and lengths of proposed of that proposed work) Ary tools to an as follows: Circulate 25 neat on both 650 meets Lei 100 mets 25	U. S. GEOLOGIC/ ARTESIA, NEW asings; indicate mudding jobs, coment- sppreximate depth of gel plue 100 sacks m. as Star Incor plue Incor gel plue 100
(State names of and 2001 to to: 2001 to: 2001 to to: 2001 to to: 2001 to to: 2001	of the derrick floor above expected depths to objective sand ing point e drill the above w t Abo. Gasing prog disc of Casing t-5/8 IS SURI/PCT TO STA D REC CALLER OF TO STA	DETAILS OF de; show sizes, weights te; and all other impor- sell with return ren will be interval 1500 ATE 6200 DUIRED TO SIN.	ft. WORK and lengths of proposed of that proposed work) Ary tools to an as follows: Circulate 25 neat on both 650 meets Lei 100 mets 25	U. S. GEOLOGIC/ ARTESIA, NEW asings; indicate mudding jobs, coment- sppreximate depth of gel plue 100 sacks m. as Star Incor plue Incor gel plue 100
(State names of and State names of and State of Hole State of H	of the derrick floor above expected depths to objective sand ing point description of the above w table. Casing prog disc of Casing d-5/0 . IS SURVECT TO STA DIL DIL DIC DIC DIC RMIT OIL DIC DIC DIC DIC ROSWELL, NEW MEXI at this plan of work must receive	DETAILS OF de; show sizes, weights te, and all other impor- sell with return rem will be 	ft. WORK and lengths of proposed of trant proposed work) Bry tools to an as follows: General Circulate 25 neat on both 550 meks 10 100 meks 25 saeks 50-50	U. S. GEOLOGIC/ ARTESIA, NEW asings; indicate mudding jobs, coment- sppreximate depth of gel plue 100 sacks m. as Star Incor plue Incor gel plue 100
(State names of and 2001 to test 2001 to t	of the derrick floor above expected depths to objective sanc- ing point a drill the above w tabe. Casing prog tabe. Casing prog tabe. Casing prog tabe. Casing prog tabe. Casing prog table. Casing prog ta	DETAILS OF de; show sizes, weights ts, and all other impor- will with return rem will be improve 1500 ATE 6380 GUIRED TO SIN. CO approval in writing by COPPORTING	ft. WORK and lengths of proposed of trant proposed work) ary tools to an as follows: Ganant Circulate 25 neat on both 650 meets is 100 meets 25 saeks 50-50	U. S. GEOLOGIC/ ARTESIA, NEW asings; indicate mudding jobs, coment- sppreximate depth of gel plue 100 sanks m. to Star Incor plue Incor gel plue 100 Founda "3".
(State names of and State names of and State of Hole 12-1/4 Fundamental ON "APPLIC DRILL FOR BOX 810, For I understand that Company	of the derrick floor above expected depths to objective sand ing point a drill the above w tabe. Casing prog files of Casing a-5/8 . IS SURP/CT TO STA B-5/8 . IS SURP/CT TO STA CALL, NEW MEXI OIL CALL, NEW MEXI at this plan of work must receive a files of work must receive a files of work must receive a	DETAILS OF de; show sizes, weights ts, and all other impor- will with return rem will be improve 1500 ATE 6380 GUIRED TO SIN. CO approval in writing by COPPORTING	ft. WORK and lengths of proposed of trant proposed work) ary tools to an as follows: Ganant Circulate 25 neat on both 650 meets is 100 meets 25 saeks 50-50	U. S. GEOLOGIC/ ARTESIA, NEW asings; indicate mudding jobs, coment- sppreximate depth of gel plue 100 sanks m. to Star Incor plue Incor gel plue 100 Founda "3".
(State names of and 200° to to 200° to 200	of the derrick floor above expected depths to objective sand ing point a drill the above w tabe. Casing prog Size of Casing 3-5/8 . IS SUEL/CT TO STA SASSAN SASSAN CALL, NEW MEXI at this plan of work must receive a tabe floor Petroleu a definition Petroleu	DETAILS OF de; show sizes, weights te; and all other impor- will with return ren will be Depth 1500 ATE 6330 DUIRED TO SIN. CO approval in writing by B Gorporation	ft. WORK and lengths of proposed of trant proposed work) ary tools to an as follows: Ganant Circulate 25 neat on both 650 meets is 100 meets 25 saeks 50-50	U. S. GEOLOGIC/ ARTESIA, NEW asings; indicate mudding jobs, coment- sppreximate depth of gel plue 100 sanks m. to Star Incor plue incor gel plue 100 fogmix "3".
(State names of and State names of and State of Kole State of K	of the derrick floor above expected depths to objective sand ing point a drill the above w tabe. Casing prog files of Casing a-5/8 . IS SURP/CT TO STA B-5/8 . IS SURP/CT TO STA CALL, NEW MEXI OIL CALL, NEW MEXI at this plan of work must receive a files of work must receive a files of work must receive a	DETAILS OF de; show sizes, weights te; and all other impor- will with return ren will be Depth 1500 ATE 6330 DUIRED TO SIN. CO approval in writing by B Gorporation	ft. WORK and lengths of proposed of trant proposed work) ary tools to an as follows: Circulate 25 meat on both 650 meks 16 100 meks 25 saeks 50-50	U. S. GEOLOGIC/ ARTESIA, NEW asings; indicate mudding jobs; coment- sppreximate depth of gel plue 100 sacks m. as Star Incor plus incor gel plue 100 formix "3".
(State names of and State names of and State of Kole State of K	of the derrick floor above expected depths to objective sancing point e drill the above with the plan of work must receive a the above t	DETAILS OF de; show sizes, weights te; and all other impor- will with return ren will be Depth 1500 ATE 6330 DUIRED TO SIN. CO approval in writing by B Gorporation	ft. WORK and lengths of proposed of trant proposed work? Ary tools to an as follows: General Circulate 25 meat on both 650 meaks 100 100 meaks 25 meaks 50-50 the Geological Survey before a	U. S. GEOLOGIC/ ARTESIA, NEW asings; indicate mudding jobs, coment- sppreximate depth of gel plue 100 sacks m. to Star Incor plue Incor gel plue 100 Founda = 3".
(State names of and State names of and State of Kole State of K	of the derrick floor above expected depths to objective sancing point e drill the above with the plan of work must receive a the above t	DETAILS OF de; show sizes, weights te; and all other impor- will with return ren will be Depth 1500 ATE 6330 DUIRED TO SIN. CO approval in writing by B Gorporation	ft. WORK and lengths of proposed of trant proposed work? Ary tools to an as follows: General Circulate 25 meat on both 650 meaks 100 100 meaks 25 meaks 50-50 the Geological Survey before a	U. S. GEOLOGIC/ ARTESIA, NEW asings; indicate mudding jobs, coment- sppreximate depth of gel plue 100 sacks M. Star Incer plus Incor gel plus 100 fogmix "3".

## 

	WEL	NEW MEXICO O					FORM C-128 Revised 5/1/57
		NSTRUCTIONS FOR (					
Operator			SECT	TION A			
Pan á	American P	et. Corp.	Leas	e USA Malco	Refine	ries mu	Well No. 7
Unit Letter G	Section 1	Township 13 S	F	Range 27 E	County	Eddy	
tetual Footage L 1980	ocation of Well: feet from the	Deat					
Ground Level Ele		1100	And -	tee	t from the		ne
urnish later	8		1 001	Empire At	0	Dedica	ted Acreage: 40 Acres
another. (65- . If the answer t wise? 'YES	ght to drill into an -3-29 (e) NMSA 1 to question one is NO	n the dedicated acreag nd to produce from any 935 Comp.) "no," have the intere If answer is "yes," T "no," list all the own	pool and t ests of all t ype of Con	o appropriate the the owners been co asolidation	production onsolidated	either for himself or by communitization	for himself and
Owner				Land Descript		JUL	6 1959
							LOGICAL SURVEY
	·		<u> </u>			ARTESI	A, NEW MEXICO
		SECTION B				CERTI	FICATION
			1980	1930'		in SECTION A ab plete to the best belief. Name Origina Bosition Area Superin Company	hat the information ove is true and com- of my knowledge and Y I Signed Ey BROWIN tendent Petroleum Corr
						shown on the plat plotted from field r surveys made by m supervision, and th and correct to the and belief. Date Surveyed	
						Registered Profes	sional Engineer vor, JOHN, W. WEST

## LOHN W. WEST ENGINEERING COMPANY 412 NORTH DAL PASD HOBBS, NEW MEXICU

June 30, 1959

Pan American Pet. Corp. Hobbs, New Mexico

Gentlemen:

On June 26, 1959, a survey was made to locate your No. 7 location on the USA Malco Refineries "F" lease at a point 1980 feet from the North line and 1980 feet from the East lines of Section 1, Township 18 South, Range 27 East, N.M.P.M., Eddy Co., New Mexico.

A Flag was set at the USGLO Quarter corner marker common to Sections 1 and 6, and the Transit was set up at the USGLO Section corner marker, the Northeast corner of Section 1. Thence chaining South from the Transit 1980 feet to a point, thence West 1980 feet to the location site of the USA Malco Refineries "F" No. 7. As a check on our survey we chained East from location site 1930 feet and thence South 680 feet to the USGLO Quarter corner marker common to Sections 1 and 6, checking in within 0.5 feet of the distance as shown on the USGLO Township plats.

I hereby certify that the foregoing survey was made in the field under my supervision and that the same is true and correct to the best of my knowledge and belief.

Respectfully submitted,

John W. West