Form C-103

NE EXICO OIL CONSERVATION CO.

OCT 2 9 1341

SION

Santa Fe, New Mexico

MISCELLANEOUS REPORTS ON WELLS

Submit this report in triplicate to the Gil Conservation Commission or its proper agent within ten days after the work specified is completed. It-should be signed and sworn to before a notary public for reports on beginning drilling operations, results of shoeting well, results of test of casing shut-off, result of plugging of well, and other important operations, even though the work was witnessed by an agent of the Commission. Reports on minor operations need not be signed and sworn to before a notary public. See additional instructions in the Rules and Regulations of the Commission.

Indicate nature of report by checking below:

REPORT ON BEGINNING DRILLING OPERA- TIONS	REPORT ON REPAIRING WELL
REPORT ON RESULT OF SHOOTING OR CHEM- ICAL TREATMENT OF WELL	REPORT ON PULLING OR OTHERWISE ALTERING CASING
REPORT ON RESULT OF TEST OF CASING SHUT-OFF	REPORT ON DEEPENING WELL
REPORT ON RESULT OF PLUGGING OF WELL	

Artesia N.M. Place October 24 1941. Date

OIL CONSERVATION COMMISSION,

SANTA FE, NEW MEXICO.

Gentlemen:

Following is a report on the work done and the results obtained under the heading noted above at the

Braipard & G	9 7 - B	rainard B-S	299 Well	No1	in the
	of Sec2	, T. 18	, R		, N. M. P. M.,
The dates of this work were Notice of intention to do the	as follows: Commen work was (warrowt) submit	ted on Form Care	octobe	r 21 194 tober 6	1 1941 19

and approval of the proposed plan was (was not) obtained. (Cross out incorrect words.)

DETAILED ACCOUNT OF WORK DONE AND RESULTS OBTAINED

Commenced drilling October 28 1941

Witnessed by	Name	Company	Title
Subscribed and sworn be	efore me this	I hereby swear or af	firm that the information given above
	Databer 09419	Name Brain	ard & Guy
Tenar	Navon	Position	a Channe
p orge	Notary Public	Representing	Company or Operator
My commission expires	Oct. 3.1944	AddressBox	145 Artesia N.M.
Remarks:	, , , , , , , , , , , , , , , , , , ,		Rog yanhrocegh
Bond approv Conservation 0	ed October 20 19	41 by	OIL CAS INSPECTOR Title

Log

.

٠

NWNENE ...

$\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$	soil and gpp Anhy and red bed Red Bed Anhy and red bed Anhy
7 0 - 95	Anhy
95 - 110	Anhy and Red Ded
110 - 125	Broken Anhy Anhy
125 - 1 40	Anhy
140 - 155	Anhy
155 - 165	Anity
165 - 175	Red Bed
175 - 185	Anhy
185 - 215	Net Dott
2 15 - 225	Red Sand
225 - 235	Red Bed
235 - 260	Red Beds and Anhy
260 - 299	Red Bed and Anhy
290 - 305	Anhy and Red Bed Red and blue shale
305 - 310 310 - 325	Anhy and Red Rock
310 - 325 325 - 340	Anhy
320 - 345	Pink Lime
345 - 350	Pink Lime
350 - 355	Gray Lime
355 - 390	Anhy
390 - 397	Anhy and blue shale
397 - 410	Brown Lime
410 - 414	Anhy
414 - 420	Red Clay
420 - 430	Anhy
430 - 435	Anhy and Red Shale Blue Anhy
435 - 442 442 - 457	Pink Anhy
442 - 457 457 - 473	Anhy
473 - 475	Brwon Lime Show 011
475 - 489	Anhy & Lime
489 - 495	Brown Lime Show Oil
495 - 512	Brown and Gray Lime

l.c ,inst

٠

Rof

WNENE ...

soil and gyp Anhy and red bed Red Bed Anhy and red bed Anhy Anhy and Red ^D ed Broken Anhy Anhy Anhy Anhy Red Bed Red Bed Red Bed Red Bed Red Bed	30 40 50 50 70 60 95 125 125 140 140 165 165 285 285 285 285	0 - 30 - 40 - 50 - 60 - 95 - 95 - 110 - 140 - 145 - 165 - 175 - 185 - 285 - 285 -
Red Beds and Anhy Red Bed and Anhy Anhy and Red Bed	260 29 9 705	235 - 260 -
Red and blue shale	305 310	290 - 305 -
A nhy and R ed Rock A nh y	325	310 -
Almy Fink Lime	3 40 345	325 - 340 -
Pink Lime	350	345 -
Gray Lime Anhy	355	3 5 0 -
Anhy and blue shale	390 397	355 - 390 -
Brown Lime	410	- 7 97
Anhy Red Clay	414 420	410 - 414 -
Anhy	430	414 - 480 -
Anhy and Red Shale	435	- 024