

OIL CONSERVATION DIVISION

P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

RECEIVED

MAY 20 '88

Form C-103
Revised 10-1-

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	☒
FILE	☒
U.S.G.S.	☒
LAND OFFICE	☒
OPERATOR	☒

5a. Indicate Type of Lease	
State ☒	Fee ☐
5. State Oil & Gas Lease No.	

SUNDRY NOTICES AND REPORTS ON WELLS
DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT DEPTH. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.

1. OIL WELL ☒ TA GAS WELL ☐ OTHER ☐	7. Unit Agreement Name
2. Name of Operator ARCO Oil and Gas Company	8. Farm or Lease Name Hudson "D" State
3. Address of Operator P. O. Box 1610, Midland, Texas 79702	9. Well No. 1
4. Location of Well UNIT LETTER <u>F</u> , <u>1650</u> FEET FROM THE <u>North</u> LINE AND <u>2310</u> FEET FROM THE <u>West</u> LINE, SECTION <u>2</u> TOWNSHIP <u>18S</u> RANGE <u>27E</u> NMPM.	10. Field and Pool, or Wildcat Empire Yates-SR
15. Elevation (Show whether DF, RT, GR, etc.) unknown	12. County Eddy

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐
PULL OR ALTER CASING ☐
OTHER ☐

PLUG AND ABANDON ☒
CHANGE PLANS ☐
OTHER ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐
COMMENCE DRILLING OPNS. ☐
CASING TEST AND CEMENT JOB ☐
OTHER ☐
ALTERING CASING ☐
PLUG AND ABANDONMENT ☐

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

TD 440', Open Hole 408-440'.
8-5/8" casing @ 408' w/78 sx - TOC @ surface - calculated.

Propose to P & A as follows:

Plug	Interval	Cement	Remarks
1	440-230	60 sx	Spot. Cover Yates-SR @ 408' and casing shoe.
2	230-0	70 sx	Fill casing f/top of Plug #1 to surface by circulating cement.

Cut off casing 3' below ground level. Install P & A marker. Reclaim location.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED William C. Head 915-688-5329
TITLE Sr. Drilling Engineer DATE May 18, 1988

Original Signed By
APPROVED BY Mike Williams TITLE Oil & Gas Inspector DATE MAY 24 1988
CONDITIONS OF APPROVAL, IF ANY

WORKOVER PROCEDURE

DATE: 05-09-88

WELL NO. & TYPE OF JOB: Hudson "D" State #1: P & A

DRILLED & COMPLETED: 1945 LAST WO: unknown

FIELD: Empire (Yates-SR) COUNTY: Eddy, NM PREPARED BY: W C Heard

TD: 440' OH: 408-440' DATUM: _____ DIST RKB TO GL: _____

TUBINGHEAD: MAKE _____ SIZE _____ PRESSURE RATING _____

CASING INFORMATION:	SIZE	WEIGHT	GRADE	SET @	SX CMT	TOC
SURFACE:	<u>8-5/8</u>	<u>unk</u>	<u>unk</u>	<u>408</u>	<u>78</u>	<u>surf-calc</u>
INTERMEDIATE:	_____	_____	_____	_____	_____	_____
PRODUCTION:	_____	_____	_____	_____	_____	_____

PRESENT PERFORATIONS & FORMATION: Yates-Seven Rivers 408-440' OH

TUBING DATA: SIZE _____ WT. _____ GRADE _____ THD. _____ BTMD @ _____
NO. OF JTS. _____ MISC. _____

PACKER & MISC.: - - -

WELL HISTORY

Drilled and completed in 1945, by Bill Hudson. SI 1960. Purchased by Atlantic Refining in 1964. Well has remained SI.

PROCEDURE

Location: 1650' FNL & 2310' FWL, Sec. 2, T-18-S, R-27-E, Eddy Co., NM

NOTIFY NMOCC (Artesia, NM (505) 748-1283) at least 24 hours prior to starting plugging operations.

1. MIRU PU. NU BOP.
2. RIH w/2-7/8" WS OB. Tag TD 440'. Load hole & circ w/FW.
3. Spot 210' cmt plug f/440-230' using 60 sx Cl "C" w/2% CaCl₂ mixed @ 14.8 ppg. POH LD 210' tbg. WOC a minimum of 4 hours.

Hudson "D" State #1
P & A Procedure
Page Two

4. RIH w/WS OE & tag cmt plug. Fill 8-5/8" csg f/230-surf w/70 sx Cl "C" neat mixed @ 14.8 ppg (circ cmt). POH LD WS.
5. ND BOP. Cut off csg 3 feet below ground level & remove wellhead. Weld on steel plate. Install P & A marker. Clean location.

well
KDK 5/10/88
K. D. Krawietz

GDK 5/9/88
G. D. Kimbrough


D. R. McKelvey 5/10/88
D. R. McKelvey

B. N. Brown
B. N. Brown

General Purpose Worksheet

Subject	HUDSON "D" STATE #1	Page No.	Of
File	PRESENT STATUS	By	WCH
		Date	5-9-88

Loc: 1650' FNL & 2310' FWL, SEC. 2,
T-18-S, R-27-E, EDDY COUNTY, NM.



8 5/8" CSG @ 408' w/78 SX. TOC @ SURF - CALC.

YATES - SEVEN RIVERS OH 408-440'

TD 440'