

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

NOV - 1 '90

WELL API NO.

5. Indicate Type of Lease

STATE ☒

FEE ☐

6. State Oil & Gas Lease No.
B-9391-4

7. Lease Name or Unit Agreement Name

South Red Lake Grayburg Unit

8. Well No.
39

9. Pool name or Wildcat
Red Lake QN-GB-SA

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMITS" OFFICE
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

OIL
WELL ☐

GAS
WELL ☐

OTHER Water Injection

2. Name of Operator

S & J Operating Company

3. Address of Operator

P O Box 2249, Wichita Falls, Texas 76307

4. Well Location

Unit Letter H : 1650 Feet From The North Line and 990 Feet From The East Line

Section 2 Township 185 Range 27E NMPM Eddy County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

NA

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Set CIBP inside 4 1/2" csg. @ 1640' with 35' of cement on top.
2. Cut off 4 1/2" casing at approx. 1480' and pull out of hole.
3. Cut off 7" casing @ approx. 1100' and pull out of hole.
4. Fill hole with mud.
5. Pump cement plug 50' inside and 50' above where 4 1/2" casing was cut off. (25 sx.)
6. Pump cement plug from 880' to 980'. (25 sx.)
7. Pump cement plug from 150' to 250'. (25 sx.)
8. Put 10 sx. cement at surface.

Note: Estimated starting date 10-31-90.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

William M. Kincaid

TITLE

Petroleum Engineer

DATE 10-29-90

TYPE OR PRINT NAME

William M. Kincaid

TELEPHONE NO. (817)723-2166

(This space for State Use)

APPROVED BY

John Robinson

TITLE

OIL AND GAS INSPECTOR

DATE

11-7-90

CONDITIONS OF APPROVAL, IF ANY:

PLUGGING