





Blow Out Preventor Schematic



SDX RESOURCES, INC.

Lease CHALK BLUFF DRAW FED. Well: 1

EXHIBIT 5

SDX Resources, Inc.
Chalk Bluff Draw Fgd, #1

Existing
Road

Existing Old Drilling Ad.

A
N

30'x30'
working
pit

unit

stop /
pit

EXHIBIT 6 - WELL SITE LAY OUT

SURFACE USE AND OPERATIONS PLAN
SDX RESOURCES, INC.
Chalk Bluff Draw Fed. # 1
2055' FSL, 1980' FWL
Unit K, Sec. 5, T18S, R27E
Eddy Co., NM

1. Existing Roads:

- A. The original well site and elevation plat for the well is shown in Exhibit #1B. An SDX Resources Plat is shown in exhibit #1A.
- B. All roads to the location are shown in Exhibit #3A & 3B. The existing roads are labeled and upgrading of the road prior to drilling will be done where necessary as determined during the onsite inspection.
- C. Directions to location: E. of Artesia on Hwy. 82 ~ 5 miles . Turn right on CR 201. Go 4 M on 201 and turn right. Go .4 M and turn left to location.
- D. Routine grading and maintenance of existing roads will be conducted as necessary to maintain their condition as long as any operations continue on this lease.

2. Proposed Access Road:

Exhibit #3A & 3B show the existing roads.

No new road is necessary.

3. Location of Existing Wells:

Exhibit #4 shows all existing wells within a one-mile radius of this well.

4. Location of Existing and/or Proposed Facilities and ROW's:

- A. If the Re-entry is successful:
 - 1. The well will be tested and if commercial production is encountered a 2" poly flowline will be laid in the barrow ditch of the existing road to the battery located on the Chalk Federal # 1 locaton. (shown in exhibit # 3A)
 - 2. A Power line will be built to location and will be permitted by Central Valley Electric Company.
- B. Rehabilitation plans are as follows:
 - 1. The workover pit will be back-filled after the contents of the pit are dry (within 120 days after the well is complete).
 - 2. Topsoil removed from the drill site will be used to raconteur the pit area to the original natural level, as nearly as possible, and reseeded as per BLM specifications.