

NO. OF COPIES RECEIVED	4
DISTRIBUTION	
SANTA FE	/
FILE	/
U.S.G.S.	
LAND OFFICE	
OPERATOR	/

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

MAR 19 1970

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

SUNDY NOTICES AND REPORTS ON WELLS ARTESIA, OFFICE

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. Unit Agreement Name West Red Lake Unit
2. Name of Operator Atlantic Richfield Company		8. Farm or Lease Name West Red Lake Unit
3. Address of Operator P.O. Box 1978, Roswell, New Mexico 88201		9. Well No. 1
4. Location of Well UNIT LETTER <u>M</u> <u>810</u> FEET FROM THE <u>South</u> LINE AND <u>960</u> FEET FROM THE <u>West</u> LINE, SECTION <u>6</u> TOWNSHIP <u>18-S</u> RANGE <u>27-E</u> NMPM.		10. Field and Pool, or Wildcat Red Lake-Grayburg, SA
15. Elevation (Show whether DF, RT, GR, etc.) 3374' DF		12. County Eddy

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data			
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input checked="" type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

To prepare this well for waterflood response, the following work was performed: Perforated 1119-1121, 1125-1128 w/2 JSPF. Perforated 1724-30, 1733-37, 1739-42, 1748-51, 1753-56, 1757-62 w/1 JSPF (GR-N log). Treated perforations 1724-1762 w/3000 gallons 15% HCl LSTNE acid & ball sealers. Treated perforations 1119-1128 w/750 gallons 15% HCl LSTNE acid & ball sealers, and 10,000# 20/40 sand in 10,000 gallons slick fresh water. Reran rods and pump as pulled and returned well to production. Work completed 3/11/70.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>A.D. Bratches</u>	TITLE <u>Dist. Drlg. Supervisor</u>	DATE <u>3/18/70</u>
APPROVED BY <u>W.A. Gressett</u>	TITLE <u>OIL AND GAS INSPECTOR</u>	DATE <u>MAR 19 1970</u>
CONDITIONS OF APPROVAL, IF ANY:		