

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

C/O F
SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☐ other ☐ Water Injection well
well ☐ well ☐
2. NAME OF OPERATOR ARCO Oil and Gas Company
Division of Atlantic Richfield Company
3. ADDRESS OF OPERATOR
P. O. Box 1710, Hobbs, New Mexico 88240
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) 1650' FNL & 330' FEL
AT SURFACE:
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH: as above
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

- TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
PULL OR ALTER CASING ☐
MULTIPLE ZONES COMPLETE ☐
CHANGE ZONES ☐
ABANDON* ☐
(other) ☐

SUBSEQUENT REPORT OF:

- ☐
☐
☐
☐
☐
☐
☐
☒

RECEIVED

MAR 24 1980 (NOTE: Report results of multiple completion or zone change on Form 9-330.)

U.S. GEOLOGICAL SURVEY
ARTESIA, NEW MEXICO

5. LEASE
NM 04175 (c)
6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME West Red Lake Unit RECEIVED

8. FARM OR LEASE NAME West Red Lake Unit SEP 14 1981

9. WELL NO. 14 O. C. D.
ARTESIA, OFFICE

10. FIELD OR WILDCAT NAME
Red Lake Queen Grbg SA

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
7-18S-27E

12. COUNTY OR PARISH Eddy 13. STATE
N.M.

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)
3348' DF

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

RU 3/18/80, inst BOP, POH w/compl assy. Ran bit & csg scraper to 1732' PBD. RIH w/cmt retr, set retr @1496'. Squeeze cmt d perfs 1664-1720' w/115 sx Cl C w/2% CaCl. Spotted 5 sx cmt on top of retr. RIH w/cmt retr, set retr @ 961'. Squeeze cmt d perfs 1057-1096' w/35 sx Cl C w/2% CaCl. RIH w/tbg OE to 960', spotted 90 sx Cl C cmt inside 4 1/2" csg to surf. Pmpd 10 sx cmt via 7" x 4 1/2" csg annulus, filled to surf. Rem BOP & WH. Inst regulation dry hole marker. Cleaned & leveled location per BLM stipulations. Plugged and Abandoned eff 3/14/80. Final Report.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED [Signature] TITLE Dist. Drlg. Supt. DATE 3/20/80

APPROVED

(This space for Federal or State office use)

APPROVED (Orig. Sgd.) PETER W. CHESTER TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

SEP 11 1981

FOR

JAMES A. GILLHAM
DISTRICT SUPERVISOR

See Instructions on Reverse Side