

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd, Aztec, NM
87410

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.

30-015-00815

5. Indicate Type of Lease

STATE ☐

FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name
West Red Lake Unit

8. Well No.

9

9. Pool name or Wildcat

Red Lake (Q-GB-SA)

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well

☒ Oil
Well

☐ Gas
Well

☐ Other

2. Name of Operator

DEVON ENERGY CORPORATION (NEVADA)

3. Address of Operator

20 NORTH BROADWAY, SUITE 1500, OKLAHOMA CITY, OKLAHOMA 73102 (405) 235-3611

4. Well Location

Unit Letter J 2310 Feet From The South

Line and 20268 Feet From The East Line

Section 7

Township 18S

Range 27E

NMPM

Eddy

County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

Check Appropriate Box To Indicate Nature Of Notice, Report, Or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103.

10" csg @ 107' (TOC @ surf), holes 133'-366', 8-5/8" csg @ 836' (TOC @ surf), 7" csg @ 1151' (TOC @ 398'), 4-1/2" csg @ 1737' (calc'd TOC @ 837', appears 4-1/2" csg cut & pulled @ approx. 1089'), San Andres perms 1615'-1676'.

Per conversation with Tim Gum w/ NMOCD on 1/20/99, plans are to P&A well as follows: Set retainer in 7" csg @ 1010'. Sqz San Andres perms @ 1615'-1676' w/ 100 sx cmt, leaving 50' of cmt on top. Circ hole w/ mud laden fluid. Spot 30 sx plug from 900'-750', tag plug. Tie onto 7" csg & circ cmt to surface thru holes in 7" csg @ 133'-366'. Cut off wellhead & install dryhole marker.

X Notified N.M.O.C.D. to witness Plugging Operations.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

Tonja Rutelonis

TITLE ENGINEERING TECHNICIAN

DATE 1/25/99

TYPE OR PRINT NAME

Tonja Rutelonis

TELEPHONE NO. (405) 235-3611

(This space for State use)

Approved by

Marissa Williams

TITLE Field Rep. II

DATE Feb 22, 99

Conditions of approval, if any: