

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT
N.M. Oil Co. Division
811 S. 1st St
Artesia, NM 87003-2834FORM APPROVED
Budget Bureau No. 1004-0135
Expires March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☒ Oil Well ☐ Gas Well ☐ Other

2. Name of Operator

DEVON ENERGY CORPORATION (NEVADA)

3. Address and Telephone No.

20 NORTH BROADWAY, SUITE 1500, OKLAHOMA CITY, OKLAHOMA 73102 (405) 235-3611

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

121' FNL & 1003' FEL of Sec. 8-18S-27E, Unit "A"

5. Lease Designation and Serial No.

NM-7713

6. If Indian, Allottee or Tribe Name

NA

7. If Unit or CA, Agreement Designation

8. Well Name and No.

West Red Lake Unit #25

9. API Well No.

30-015-00819

10. Field and Pool, or Exploratory Area

Red Lake (Q-GB-SA)

11. County or Parish, State

Eddy County, NM

CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☒
- Notice of Intent
-
- ☐
- Subsequent Report
-
- ☐
- Final Abandonment Notice

TYPE OF ACTION

- ☐
- Abandonment
-
- ☐
- Recompletion
-
- ☐
- Plugging Back
-
- ☐
- Casing Repair
-
- ☐
- Altering Casing
-
- ☐
- Other _____
-
- ☐
- Change of Plans
-
- ☐
- New Construction
-
- ☐
- Non-Routine Fracturing
-
- ☐
- Water Shut-Off
-
- ☒
- Conversion to Injection
-
- ☐
- Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Administrative Order #WFX-719

Devon Energy Corporation (Nevada) plans to convert this well to a water injection well as follows: TOH, L/D rods & pump. TOH w/tbg. RU Baker Atlas, additionally Perforate San Andres w/ 1 JSPF @ 1856', 60', 67', 74', 80', 84', 86', 92', 96', 1904', 08', 10', 12', 16', 18', 26', 28', 30', 32', 46', 48', 50', 56', 80', 82', 86', 2034', 38', 40', 42', 44', & 46' for a total of 32 holes. TIH w/ treating pkr, set pkr @ $\pm 1700'$. Acidize perfs @ 1796'-2048' w/ 5000 gals 15% NE-FE acid using $\pm 4000\#$ rock salt. Release pkr, TOH, L/D 2-3/8" tbg & pkr. TIH w/ nickel plated Baker J-Loc pkr & 2-3/8" tbg. Displace hole w/ fresh wtr containing corrosion inhibitor. Set pkr @ $\pm 1700'$. Run MIT test. Install injection meter run & put on injection.

SUSJECT TO
LIKE APPROVAL
BY STATE

14. I hereby certify that the foregoing is true and correct

Signed

(This space for Federal or State office use)

Title Engineering Technician

Date 5/11/99

Approved by: (PRIG, SGD.) GARY GOURLEY

Title PETROLEUM ENGINEER

Date MAY 18 1999

2000

