MON		Budget Bureau No. 42-R358.4.		
	ED Cory			
APPLAND	9 A (SUBM	Land Office		
nil Gal 7	UNI UNI	Lease No		
1 Chick	DEPARTMEN	NT OF THE INTE	RIOR Unit 30-015-0084	
O SAME ST F	GEOL	OGICAL SURVEY		
SLINI	DDV NOTICE			
SOM	DRY NOTICES A	AND REPOR	IS ON WELLS	
NOTICE OF INTENTION TO I	DRILL			
NOTICE OF INTENTION TO C	CHANGE PLANS	SUBSEQUENT REPOR	T OF WATER SHUT-OFF	
NOTICE OF INTENTION TO T	TEST WATER SHUT-OFF	COLOCIOLINI REPOR	OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO R	RE-DRILL OR REPAIR WELL	COLOCOCHT REPORT	OF ALTERING CASING	
INTENTION TO S	SHOOT OR ACIDIZE	SOUCCOLAT REPORT	OF RE-DRILLING OR PERAID	
INTENTION TO P	ULL OR ALTER CASING	SUPPLEMENTARY WE	OF ABANDONMENT	
NOTICE OF INTENTION TO A	BANDON WELL		L HISTORY	
	(INDICATE ABOVE BY CHECK MADE			
ESA WITAN MAN	(INDICATE ABOVE BY CHECK MARK	NATURE OF REPORT, NOTICE	, OR OTHER DATA)	
ISA KALCO REPTRE	NTRO NOP	Âm	iana ak 🕫	
			, 19 .59	
well No. is	s located 1900 ft. from	(N)	ft. from E line of sec. 9	
Sold Will Small (% Sec. and Sec. No.) Budensee (Field)	(m		ridian)	
The elevation of all a				
he elevation of the de	rrick floor above sea leve	lie fra		
		1 13 IT. I W	Winh later.	
	DETAT	a a - .		
tate names of and expected dep	DETAILS pths to objective sands; show sizes.	S OF WORK		
itate names of and expected dep	DETAILS pths to objective sands; show sizes, ing points, and all othe	S OF WORK weights, and lengths of pro important proposed work	posed casings; indicate mudding jobs, cement-	
tate names of and expected dep	DETAILS pths to objective sands; show sizes, ing points, and all othe	S OF WORK weights, and lengths of pro important proposed work	posed casings; indicate mudding jobs, cement-	
tate names of and expected dep	DETAILS pths to objective sands; show sizes, ing points, and all othe	S OF WORK weights, and lengths of pro important proposed work	posed casings; indicate mudding jobs, cement-	
tate names of and expected dep	DETAILS pths to objective sands; show sizes, ing points, and all othe the above well with he above well with	S OF WORK weights, and lengths of pro important proposed work	posed casings; indicate mudding jobs, cement-	
tate names of and expected dep	DETAILS pths to objective sands; show sizes, ing points, and all othe	S OF WORK weights, and lengths of pro important proposed work	posed casings; indicate mudding jobs, cement- • An approximatel depth Collows: Commat	
tate names of and expected dep	DETAILS pths to objective sands; show sizes, ing points, and all othe the above well with he above well with	S OF WORK weights, and lengths of pro important proposed work	posed casings; indicate mudding jobs, coment- 6 an approximatel depth Collours: Circulate 21 Oal plus 100	
tate names of and expected dep propose to drill 5,200 [†] to tost the se of Bole	DETAILS pths to objective sands; show sizes, ing points, and all othe the above well with the Abo. Casing prog Size of Contax. 8-5/6	S OF WORK weights, and lengths of pro important proposed work	posed casings; indicate mudding jobs, cement-	
tate names of and expected dep propose to drill 5,200 [†] to tost the se of Bole	DETAILS pths to objective sands; show sizes, ing points, and all othe the above well with he above well with	S OF WORK weights, and lengths of pro important proposed work	posed casings; indicate mudding jobs, cement- e an approximatel depth follows: <u>Canant</u> Circulate 25 Cel plus 100 saeks most on bottom.	
tate names of and expected dep	DETAILS pths to objective sands; show sizes, ing points, and all othe the above well with the Abo. Casing prog Size of Contax. 8-5/6	S OF WORK weights, and lengths of pro important proposed work rotary tools to rotary t	posed casings; indicate mudding jobs, coment- o an approximatel depth follows: <u>Circulate 21 Oel plus 100</u> sacks most on bottom. 650 sacks Lone Stern Trans	
tate names of and expected dep propose to drill 5,200 [†] to test the se of Hole	DETAILS pths to objective sands; show sizes, ing points, and all othe the above well with the Abo. Casing prog Size of Contax. 8-5/6	S OF WORK weights, and lengths of pro important proposed work rotary tools to rotary t	posed casings; indicate mudding jobs, coment- o an approximatel depth follows; <u>Circulate 25 Cel plus 100</u> sacks ment on bottom. 650 sacks Lone Star Incor plus 100 make what one	
tate names of and expected dep propose to drill 5,200 ⁷ to test the re of Role	DETAILS pths to objective sands; show sizes, ing points, and all othe the above well with the Abo. Casing prog Size of Contax. 8-5/6	S OF WORK weights, and lengths of pro important proposed work rotary tools to rotary t	posed casings; indicate mudding jobs, coment- o an approximatel depth follows: <u>Circulate 21 Oel plus 100</u> sacks most on bottom. 650 sacks Lone Stern Trans	
tate names of and expected dep propose to drill 5,200 ⁴ to test the ef Hele -1/1 ¹⁰	DETAILS pths to objective sands; show sizes, ing points, and all othe the above well with the above well with the above casing prog Size of Coginy 8-5/0 ⁴	S OF WORK weights, and lengths of pro in important proposed work rotary tools to rem will be as p <u>Depth</u> 1500* 6200*	posed casings; indicate mudding jobs, coment- o an approximatel depth follows: <u>Circulate 25 Oel plus 100</u> sacks most on bottom. 650 sacks Lone Star Incor plus 100 sacks w/25 Gel plu 100 sacks 50-50 Pesada "S".	
tate names of and expected dep propose to drill 5,200 [†] to tost ti se of Bole -1/1 ^w -7/8 ^w understand that this plan of w	DETAILS pths to objective sands; show sizes, ing points, and all othe the above well with the above well with the above casing prog Size of Conjun- 8-5/5" 4-1/2"	S OF WORK weights, and lengths of pro primportant proposed work rotary tools to rotary tools to Popta 1500* 6200*	posed casings; indicate mudding jobs, coment- o an approximatel depth follows: <u>Circulate 25 Oel plus 100</u> sacks most on bottom. 650 sacks Lone Star Incor plus 100 sacks w/25 Gel plu 100 sacks 50-50 Pesada "S".	
tate names of and expected dep propose to drill 5,200 [†] to tost ti se of Bole -1/1 ^w -7/8 ^w understand that this plan of w	DETAILS pths to objective sands; show sizes, ing points, and all othe the above well with the above well with the above casing prog Size of Conjun- 8-5/5" 4-1/2"	S OF WORK weights, and lengths of pro primportant proposed work rotary tools to rotary t	posed casings; indicate mudding jobs, coment- o an approximatel depth follows; Circulate 25 Cel plus 100 sacks must on bottom. 650 sacks Lone Star Incor plus 100 sacks w/25 Gel plu 100 sacks 50-50 Pesaix "8". RECEIVED	
tate names of and expected dep propose to drill 5,200[†] to test til 5,200[†] to test til 1,11[*] 7/3* understand that this plan of w npany Pan America	DETAILS pths to objective sands; show sizes, ing points, and all othe the above well with the above above well with the above above well with the above above well with the above above above the above the above above the above	S OF WORK weights, and lengths of pro primportant proposed work rotary tools to rotary t	posed casings; indicate mudding jobs, coment- o an approximatel depth follows; Circulate 25 Oel plus 100 saeks mest on bottom. 650 saeks Lone Star Incor plus 100 saeks w/25 Gel plus 100 saeks 50-50 Pesaix "8". RECEIVED before operations may be compared 59 	
tate names of and expected dep Propose to drill 6,200 [†] to test the se of Bale -1/1 [#] -7/3 [#] understand that this plan of w npany Pan America lress Post Office	DETAILS pths to objective sands; show sizes, ing points, and all othe the above well with the Abo. Casing prog Size of Contine 8-5/5 ⁴ 4-1/2 ⁴⁴ work must receive approval in writin in Patroleum Corporation Box 68	S OF WORK weights, and lengths of pro primportant proposed work rotary tools to rotary t	posed casings; indicate mudding jobs, coment- o an approximatel depth Collours: Circulate 25 Oel plus 100 meks must on bottom. 650 sacks Lone Star Incor plus 100 sacks w/25 Gel plu 100 sacks 50-50 Possitx "3". RECEIVED before operations may be companyed 59 U-S-GEOLOGI/SAL SUMMY Original Sig-ABTESIA NEW MEY CO	
tate names of and expected dep Propose to drill 5,200 [†] to test the s of Bole -1/1 ^m -7/3 ^m understand that this plan of w npany Pan America ress Post Office	DETAILS pths to objective sands; show sizes, ing points, and all othe the above well with the Abo. Casing prog Size of Contine 8-5/5 ⁴ 4-1/2 ⁴⁴ work must receive approval in writin in Patroleum Corporation Box 68	S OF WORK weights, and lengths of pro ir important proposed work restary tools to per will be as in <u>Depth</u> 1500* 6200*	posed casings; indicate mudding jobs, coment- o an approximatel depth Collows; Circulate 25 Cel plue 100 make mut on bottom. 650 make lone Star Insor plue 100 make w/25 Gel plu 100 make 50-50 Possik "3", RECEIVED before operations may be common of 59 U.S. GEOLOGISAL SUNCY Original Signed TESIA, NEW MEX.CO J.W. BROWN	
tate names of and expected dep Propose to drill 5,200 [†] to test the s of Bole -1/1 ^m -7/3 ^m understand that this plan of w npany Pan America ress Post Office	DETAILS pths to objective sands; show sizes, ing points, and all othe the above well with the above above well with the above above well with the above above well with the above above above the above the above above the above	S OF WORK weights, and lengths of pro primportant proposed work rotary tools to rotary t	posed casings; indicate mudding jobs, coment- o an approximatel depth Collows; Circulate 25 Cel plue 100 make mut on bottom. 650 make lone Star Insor plue 100 make w/25 Gel plu 100 make 50-50 Possik "3", RECEIVED before operations may be common of 59 U.S. GEOLOGISAL SUNCY Original Signed TESIA, NEW MEX.CO J.W. BROWN	
tate names of and expected dep propose to drill 5,200 ⁺ to test the rest Bale 7/8 ⁿ understand that this plan of w npany Pan America ress Post Office	DETAILS pths to objective sands; show sizes, ing points, and all othe the above well with the Abo. Casing prog Size of Contine 8-5/5 ⁴ 4-1/2 ⁴⁴ work must receive approval in writin in Patroleum Corporation Box 68	S OF WORK weights, and lengths of pro ir important proposed work rotary tools to pres will be as in <u>Propis</u> 3500* 6200*	posed casings; indicate mudding jobs, coment- o an approximatel depth Collows; Circulate 25 Cel plue 100 make mut on bottom. 650 make lone Star Insor plue 100 make w/25 Gel plu 100 make 50-50 Possik "3", RECEIVED before operations may be common of 59 U.S. GEOLOGISAL SUNCY Original Signed TESIA, NEW MEX.CO J.W. BROWN	

-		NEW MEXIC				-		FOI	RM C-128 ised 5/1/57
	WELI	L LOCATIO	ON AND	ACREA	GE DE	DICATION	PLAT		
	SEE IN	ISTRUCTIONS				ON THE REVE	RSE SIDE		
				ECTION	A			Well No.	
Derator Pan Aner	ican Pet.	Corp.		UCA 1	alco E	efiverie	s #G#		10
nit Letter S	Section ()	Township	 1.8 S	Range		County	ddy		
G Ictual Footage Loc	2								
1980	feet from the	East	line and	1980	•	eet nom the	North	line	
round Level Elev. Producing Formation			Pool Corport Calue Undesignated				Dedicated Acreage: 40 Acres		
urnish later									
 Is the Operator t who has the righ another. (65-3) If the answer to wise? YES 	t to drill into an -29 (e) NMSA 1 question one is	nd to produce fro 935 Comp.) ''no,'' have the	om any pool interests o	and to app of all the ov	ropriate th waers been	e production ei	ther for him	iself or for hims	elf and
. If the answer to						nterests below:			
)wner					and Descr			·····	
<u> </u>									
· · · · · · · · · · · · · · · · · · ·	<u></u>	SECTIO	NB				ן		ON
			9301				in SECTI	certify that the ON A above is he best of my k	true and com-
			ۃ -				Name Or Position	iginal Signed b W. BROWN	Ŷ
							Area Si Company	uperintende	
			ۍ 	4	L 1980'		Pan Am Date 8-7-5	erican Pet: 9	<u>Foleum Co</u>
						v	shown on plotted fr surveys n supervisi	certify that the the plat in SEC om field notes of nade by me or u on, and that the ct to the best of f.	CTION B was of actual nder my : same is true
				4 1. 8. 0 2477		- 10000 A 10000 A FXICO	-	Auto 6 Auto 6 ed Professional and Surveyoer	Engineer JOHN W. WE
0 330 660 9	90 1320 1650	1980 2310 264	ko 200	1500	1000	500 0	Certificat N. N	P.E. & L.S.	W.e.T NO. 678

JOHN W. WEST ENGINEERING COMPANY 412 NORTH DAL PASO HOBBS, NEW MEXICO

August 7, 1959

Pan American Pet. Corp. Hobbs, New Mexico

Gentlemen:

DIAL 3-3942

On August 6, 1959, a survey was made to locate your No. 10 location on the USA Malco Refineries "G" lease at a point 1980 feet from the East and 1980 feet from the North lines of Section 9, Township 18 South, Range 27 East, N.M.P.M., Eddy County, New Mexico.

A flag was placed on the USGLO Quarter corner marker common to Sections 4 and 9, and the Transit was set up at the USGLO Section corner marker common to Sections 3, 4, 9 and 10. Thence chaining West from Transit a distance of 1980 feet, thence South 1980 feet to the location site of the USA Malco Refineries "G" No. 10. As a check on our survey we chained East from location site 1980 feet, thence North 1980 feet to the point of beginning of our survey.

I hereby certify that the foregoing survey was made in the field under my supervision and that the same is true and correct to the best of my knowledge and belief.

Respectfully submitted,

m

John W. West