

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Las Cruces  
Lease No. 065478 (b)  
Unit \_\_\_\_\_

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

USA OILCO REFINERIES "1"

9-29-1958

Well No. 3 is located 1980 ft. from N line and 1980 ft. from E line of sec. 10  
S. 1/4 NE 1/4 Sec. 10 (1/4 Sec. and Sec. No.) 18S 27E NM  
(Twp.) (Range) (Meridian)  
Empire Abo Eddy New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill the above well with rotary tools to an approximate depth of 6350' to test the Abo. Casing program will be as follows:

Size of Hole	Size of Casing	Depth	Content
11"	8 5/8"	950	Cement Circulate 2% Gel 10/100 sx. Heat on bottom.
7 7/8"	5 1/2"	6350	150 sacks Keat.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pan American Petroleum Corporation

Address Box 68  
Hobbs,  
New Mexico

By \_\_\_\_\_  
Title Production Foreman

**APPROVED**

OCT 1 1958

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Section

JOHN A. FROST  
DISTRICT ENGINEER

Date 9-26-58


Operator Pan American Pet. Corp. Lease Malco Refineries "D"  
Well No. 3 Unit letter G Section 10 Township 18 S Range 27 E NMEP  
Located 1980 Feet From North Line, 1980 Feet From East Line  
County Eddy G. L. Elevation Furnish Later Dedicated Acreage 40 Acres  
Name of Producing Formation Abo Pool Empire Abo

1. Is the Operator the only owner\* in the dedicated acreage outlined on the plat below?  
Yes X No       .
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes        No       . If answer is "yes," Type of Consolidation
3. If the answer to question two is "no," list all the owners and their respective interests below:

Owner

Land Description

Section B



This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.

Pan American Pet. Corp.  
(Operator)

Arthur D. Briel  
(representative) **Production Foreman**

Box 68 - Hobbs, New Mexico  
Address

This is to certify that the well location shown on the plat in Section B was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed 9-23-58

Colin W. West  
Registered Professional Engineer and/or Land Surveyor.

Plat No. 676

JOHN W. WEST ENGINEERING COMPANY

412 NORTH DAL PASO  
HOBBS, NEW MEXICO

September 26, 1958

Pan American Pet. Corp.  
Hobbs, New Mexico


Gentlemen:

On Sept. 23, 1958 a survey was made to locate your No. 3 location on the Malco Refineries "D" lease at a point 1980 feet from the North line and 1980 feet from the East line of Section 10, Township 18 South, Range 27 East, N.M.P.M., Eddy County, New Mexico.

A Flag was set at the USGLO Quarter corner marker common to Sections 3 and 10 and the Transit was set up at the USGLO Section corner marker common to Sections 3, 2, 10 and 11. Thence chaining N89°35'W a distance of 1980 feet and thence South 1980 feet to the Location site of the Malco Refineries "D" No. 3. As a check we chained North from location 1980 feet, and N89°35'W a distance of 664 feet to the Quarter corner marker common to Sections 3 and 10., checking in with 0.40 feet error to the Government survey for this distance.

I hereby certify that the foregoing survey was made in the field under my supervision and that the same is true and correct to the best of my knowledge and belief.

Respectfully submitted,

  
John W. West