

Form 9-331a
(Feb. 1961)

(SUBMIT IN TRIPLICATE)

Land Office _____

Lease No. 24 025604

Unit _____

30-015 - 00858

APPROVED	
FEB 26 1959	
ROBERT T. EVANS ACTING DISTRICT ENGINEER	

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

USA, MALCO REFINERIES "C"February 23, 1959Well No. 8 is located 660 ft. from [N] line and 660 ft. from [E] line of sec. 10R4/h R4/h Section 20 18 E 27 - E N40WEmpire Ace No. 1 IndyNew MexicoThe elevation of the derrick floor above sea level is _____ ft. furnish later.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill the above well with rotary tools to an approximate depth of 6200' to test the lbo. Casing program will be as follows:

Size of Hole	Size of Casing	Depth	Cement
11"	8-5/8"	1500'	Circulate 2 1/2 Gal plus 100 sacks neat on bottom.
7-7/8"	5-1/2"	6200'	150 sacks

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pan American Petroleum CorporationAddress Post Office Box 68Hobbs, New MexicoOriginal Signed by
By J. W. BROWNTitle Field Superintendent

NEW MEXICO OIL CONSERVATION COMMISSION
Well Location and Acreage Dedication Plat

Section A.

Date Febr 20, 1959

Operator Pan American Pet. Corp. Lease Malco Refineries "G"
Well No. 2 Unit Letter D Section 10 Township 18S Range 27E NMPM
Located 660 Feet From North Line, 660 Feet From West Line
County Eddy G. L. Elevation 4400 Dedicated Acreage 40 Acres
Name of Producing Formation Abo Pool Empire Abo

1. Is the Operator the only owner* in the dedicated acreage outlined on the plat below?
Yes X No .
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes No . If answer is "yes," Type of Consolidation
3. If the answer to question two is "no," list all the owners and their respective interests below:


Owner

Land Description

RECEIVED
FEB 26 1959

U. S. DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Section B



This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.

Pan American Petroleum Corporation

(Operator)

Original Signed By

J. W. BROWN

Fla. Sept.

(Representative)

Box 66 - Hobbs, N.M.

Address

This is to certify that the well location shown on the plat in Section B was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed 2-19-59

John W. West
Registered Professional
Engineer and/or Land Surveyor.

Certificate No. 676

(See instructions for completing this form on the reverse side)

JOHN W. WEST ENGINEERING COMPANY
412 NORTH DAL PASO
HOBBS, NEW MEXICO

February 20, 1959

Pan American Pet. Corp.
Box 68
Hobbs, New Mexico

RECEIVED
FEB 26 1959
U. S. GEOLOGICAL SURVEY
ARTERIA, NEW MEXICO

Gentlemen:

On February 19, 1959 a survey was made to locate your Malco Refineries "G" No. 2 well site at a point 660 feet from the north line and 660 feet from the west line of Section 10, Township 18 South, Range 27 East, N. Mex. P.M.,, Eddy County, New Mexico.

A flag was set on the USGLO Quarter corner common to sections 3 and 10. The transit was set up over the USGLO Section corner marker common to sections 3, 4, 9, and 10. Thence chaining S $88^{\circ}35'$ E from the transit a distance of 660 feet and thence S $0^{\circ}23'$ W 660 feet to the location site. As a check on our survey we chained N $0^{\circ}23'$ E 660 feet and thence S $88^{\circ}35'$ E 1984.7 feet to the quarter corner common to sections 3 and 10 tying in within 0.7 feet of the distance called for in the field notes.

I hereby certify that the foregoing survey was made in the field under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Respectfully submitted,

John W. West

John W. West